

FIGURE 1

GGGGCTTCGGCGCCAGCGGCCAGCGCTAGTCGGTCTGGTAAGGATTTACAAAAGGTGCAGGTATG
AGCAGGTCTGAAGACTAACATTTTGTGAAGTTGTAAAACAGAAAACCTGTTAGAAATGTGGTGGT
TTCAGCAAGGCCTCAGTTTCCTTCCTTCAGCCCTTGTAATTTGGACATCTGCTGCTTCATATTT
TCATACATTACTGCAGTAACACTCCACCATATAGACCCGGCTTTACCTTATATCAGTGACACTGG
TACAGTAGCTCCAGAAAAATGCTTATTTGGGGCAATGCTAAATATTGCGGCAGTTTTATGCATTG
CTACCATTTATGTTTCGTTATAAGCAAGTTCATGCTCTGAGTCCTGAAGAGAACGTTATCATCAA
TTAAACAAGGCTGGCCTTGTACTTGGAATACTGAGTTGTTTAGGACTTTCTATTGTGGCAAACTT
CCAGAAAACAACCCTTTTTGCTGCACATGTAAGTGGAGCTGTGCTTACCTTTGGTATGGGCTCAT
TATATATGTTTGTTCAGACCATCCTTTCCACCAAATGCAGCCCAAAATCCATGGCAAACAAGTC
TTCTGGATCAGACTGTTGTTGGTTATCTGGTGTGGAGTAAGTGCACTTAGCATGCTGACTTGCTC
ATCAGTTTTGCACAGTGGCAATTTTGGGACTGATTTAGAACAGAACTCCATTGGAACCCCGAGG
ACAAAGGTTATGTGCTTCACATGATCACTACTGCAGCAGAATGGTCTATGTCATTTTCCTTCTTT
GGTTTTTTCCTGACTTACATTCGTGATTTTCAGAAAATTTCTTTACGGGTGGAAGCCAATTTACA
TGGATTAACCCTCTATGACACTGCACCTTGCCCTATTAACAATGAACGAACACGGCTACTTTCCA
GAGATATTTGATGAAAGGATAAAAATATTTCTGTAATGATTATGATTCTCAGGGATTGGGGAAAGG
TTCACAGAAGTTGCTTATTCTTCTCTGAAATTTTCAACCACTTAATCAAGGCTGACAGTAACACT
GATGAATGCTGATAATCAGGAAACATGAAAGAAGCCATTTGATAGATTATTCTAAAGGATATCAT
CAAGAAGACTATTAAAAACACCTATGCCTATACTTTTTTATCTCAGAAAATAAAGTCAAAGACT
ATG

$$\frac{d}{dt} \left(\begin{array}{c} x \\ y \\ z \end{array} \right) = \left(\begin{array}{ccc} -\lambda & 0 & 0 \\ 0 & -\lambda & 0 \\ 0 & 0 & -\lambda \end{array} \right) \left(\begin{array}{c} x \\ y \\ z \end{array} \right)$$

<MW: 29766, pI: 8.39, NX(S/T): 0

Important features:

amino acids 13-33

amino acids 54-73, 94-113, 160-180, 122-141

amino acids 57-63, 95-101, 99-105, 124-130, 183-189

FIGURE 3

CGGACGCGTGGGCGGACGCGTGGGGGAGAGCCGCAGTCCCGGCTGCAGCACCTGGGAGAAGGCAGACC
 GTGTGAGGGGGCCTGTGGCCCCAGCGTGCCTGTGGCCTCGGGGAGTGGGAAGTGGAGGCAGGAGCCTTC
 CTTACACTTCGCCATGAGTTTCCTCATCGACTCCAGCATCATGATTACCTCCAGATACTATTTTGTG
 GATTTGGGTGGCTTTTCTTCATGCGCCAATTGTTTAAAGACTATGAGATACGTCAGTATGTTGTACAG
 GTGATCTTCTCCGTGACGTTTGCATTTTCTTGCAACCATGTTTGAGCTCATCATCTTTGAAATCTTAGG
 AGTATTGAATAGCAGCTCCCGTTATTTTCACTGGAATAATGAACCTGTGTGAATTCTGCTGATCCTGG
 TTTTCATGGTGCCTTTTACATTGGCTATTTTATTGTGAGCAATATCCGACTACTGCATAAACACGA
 CTGCTTTTTTCTGCTCTTATGGCTGACCTTTATGTATTTCTTCTGGAACTAGGAGATCCCTTTCC
 CATCTCAGCCCAAACATGGGATCTTATCCATAGAACAGCTCATCAGCCGGGTGGTGTGATTGGAG
 TGACTCTCATGGCTCTTCTTCTGGATTTGGTGTCTGCAACTGCCCATACACTTACATGTCTTACTTC
 CTCAGGAATGTGACTGACACGGATATTCTAGCCCTGGAACGGCGACTGCTGCAAACCATGGATATGAT
 CATAAGCAAAAAGAAAGGATGGCAATGGCACGGAGAACAATGTTCCAGAAGGGGGAAGTGCATAACA
 AACCATCAGGTTTCTGGGAATGATAAAAAGTGTACCACCTTCAGCATCAGGAAGTGAATACTTACT
 CTTATTCAACAGGAAGTGGATGCTTTGGAAGAATTAAGCAGGCAGCTTTTTCTGGAAACAGCTGATCT
 ATATGCTACCAAGGAGAGAATAGAATACTCCAAAACCTTCAAGGGGAAATATTTTAATTTTCTTGGTT
 ACTTTTTCTCTATTTACTGTGTTTGAAAATTTTCATGGCTACCATCAATATTGTTTTGATCGAGTT
 GGGAAAACGGATCCTGTCAAGAGGCATTGAGATCACTGTGAATTATCTGGGAATCCAATTTGATGT
 GAAGTTTTGGTCCCAACACATTTCTTTCATTCTTGTGGAATAATCATCGTCACATCCATCAGAGGAT
 TGCTGATCACTCTTACCAAGTTCCTTTATGCCATCTCTAGCAGTAAGTCCCTCAATGTCATTGTCTTG
 CTATTAGCACAGATAATGGGCATGTACTTTGTCTCTCTGTGCTGCTGATCCGAATGAGTATGCCTTT
 AGAATACCGCACCATAATCACTGAAGTCTTGGAGAACTGCAGTTCAACTTCTATCACCGTTGGTTTG
 ATGTGATCTTCTGGTCAGCGCTCTCTCTAGCATACTCTTCTCTATTTGGCTCACAAACAGGCACCA
 GAGAAGCAAATGGCACCTTGAACTTAAGCCTACTACAGACTGTTAGAGGCCAGTGGTTTCAAATTTA
 GATATAAGAGGGGGGAAAAATGGAACCGGCCTGACATTTTATAAACAAACAAAATGCTATGGTAGC
 ATTTTTCACCTTCATAGCATACTCCTTCCCCGTCAGGTGATACTATGACCATGAGTAGCATCAGCCAG
 AACATGAGAGGGAGAACTAACTCAAGACAATACTCAGCAGAGAGCATCCCGTGTGGATATGAGGCTGG
 TGTAAGAGGCGGAGAGGAGCCAAGAACTAAAGGTGAAAAATACACTGGAACCTCTGGGGCAAGACATGT
 CTATGGTAGCTGAGCCAAACACGTAGGATTTCCGTTTAAAGGTTTACATGGAAAAGGTTATAGCTTTG
 CCTTGAGATTGACTCATTAATAATCAGAGACTGTAACAAAAAAGGGCGGCCGCG
 ACTCTAGAGTCGACCTGCAGAAGCTTGGCCGCCATGGCCCAACTTGTATTGCAGCTTATAATG

FIGURE 4

LNSSSRYPFWKMNLCVILLILVFMVPFYIGYFIVSNIRLLHKQRLLFSCLLWLTFMYFFWKLGP
 FPILSPKHGILSIEQLISRVGVIGVTLMALLSGFGAVNCPYTYMSYFLRNVTDTDILALERRLLQ
 TMDMIISKKKRMAMARRTMFQKGEVHNKPSGFWGMIKSVTTSASGSENLTLIQQEVDLEELSRQ
 LFLETADLYATKERIEYSKTFKGKYFNFLGYFFSIYCVWKIFMATINIVFDRVGKTDVPVTRGIEI
 TVNYLGIQFDVKFWSQHISFILVGIIIVTSIRGLLITLTKFFYAISSSKSSNVIVLLLAQIMGY
 FVSSVLLIRMSMPLEYRTIITEVLGELQFNFYHRWFDVIFLVSALSSILFLYLAHKQAPEKQMAP

Important features:

Signal peptide:

amino acids 1-23

Potential transmembrane domains:

amino acids 37-55, 81-102, 150-168, 288-311, 338-356, 375-398,
 425-444

N-glycosylation sites.

amino acids 67-70, 180-183 and 243-246

Eukaryotic cobalamin-binding proteins

amino acids 151-160

FIGURE 6

MARCFSLVLLLTSLIWTTRLLVQGSRLAEELSIQVSCRIMGITLVSKKANQQLNFTEAKEACRLLG
LSLAGKDQVETALKASFETCSYGWVGDFVVISRISPNPKCGKNGVGVLIWKVPVSRQFAAYCYN
SSDTWTNSCIPEIIITTKDPIFNTQTATQTTEFIVSDSTYSVASPYSTIPAPTTTTPPAPASTSIPR
RKKLICVTEVFMETSTMSTETEPFVENKAAFKNAAAGFGGVPTALLVLALLFFGAAAGLGFCYVK
RYVKAFFFTNKNQOKEMIETKVVKEEKANDSNPNNEESKKTDKNPEESKSPSKTTVRCLEAEV

Signal sequence:

amino acids 1-16

Transmembrane domain:

amino acids 235-254

N-glycosylation site.

amino acids 53-57, 130-134, 289-293

Casein kinase II phosphorylation site.

amino acids 145-149, 214-218

Tyrosine kinase phosphorylation site.

amino acids 79-88

N-myristoylation site.

amino acids 23-29, 65-71, 234-240, 235-239, 249-255, 253-259

FIGURE 7

CGCCGCGCTCCCGCACCCGCGGCCCCGCCACCGCGCGCTCCCGCATCTGCACCCGCAGCCCGG
GGCTCCCGGCGGAGCGAGCAGATCCAGTCCGGCCCGCAGCGCAACTCGGTCCAGTCGGGGCGG
CGGCTGCGGGCGCAGAGCGGAGATGCAGCGGCTTGGGGCCACCCTGCTGTGCCTGCTGTGCGG
CGGCGGTCCCCACGGCCCCCGCGCCGCTCCGACGGCGACCTCGGCTCCAGTCAAGCCCGGCCG
GCTCTCAGTACCCGAGGAGGAGGCCACCCTCAATGAGATGTTCCGCGAGGTTGAGGAAGTAT
GGAGGACACGCAGCACAAATTGCGCAGCGCGGTGGAAGAGATGGAGGCAGAAGAAGCTGCTGCTA
AAGCATCATCAGAAGTGAACCTGGCAAACTTACCTCCAGCTATCACAATGAGACCAACACAGAC
ACGAAGGTTGGAATAATAACCATCCATGTGCACCGAGAAATTCACAAGATAACCAACAACAGAC
TGGACAAATGGTCTTTTCAGAGACAGTTATCACATCTGTGGGAGACGAAGAAGGCAGAAGGAGCC
ACGAGTGCATCATCGACGAGGACTGTGGGCCAGCATGTACTGCCAGTTTGCCAGCTTCCAGTAC
ACCTGCCAGCCATGCCGGGGCCAGAGGATGCTCTGCACCCGGGACAGTGAGTGTGTGGAGACCA
GCTGTGTGTCTGGGTCAGTGCACCAAAATGGCCACCAGGGGCAGCAATGGGACCATCTGTGACA
ACCAGAGGGACTGCCAGCCGGGCTGTGCTGTGCCTTCCAGAGAGGCTGCTGTTCCCTGTGTGC
ACACCCCTGCCCGTGGAGGGCGAGCTTTGCCATGACCCCGCCAGCCGGCTTCTGGACCTCATCAC
CTGGGAGCTAGAGCCTGATGGAGCCTTGGACCGATGCCCTTGTGCCAGTGGCCTCCTCTGCCAGC
CCCACAGCCACAGCCTGGTGTATGTGTGCAAGCCGACCTTCGTGGGGAGCCGTGACCAAGATGGG
GAGATCCTGCTGCCAGAGAGGTCCCCGATGAGTATGAAGTTGGCAGCTTCATGGAGGAGGTGCG
CCAGGAGCTGGAGGACCTGGAGAGGAGCTGACTGAAGAGATGGCGCTGGGGGAGCCTGCGGCTG
CCGCCGCTGCACTGCTGGGAGGGGAAGAGATTAGATCTGGACCAGGCTGTGGGTAGATGTGCAA
TAGAAATAGCTAATTTATTTCCCCAGGTGTGTGCTTTAGGCGTGGGCTGACCAGGCTCTTCCTA
CATCTTCTTTCCAGTAAGTTTCCCCTCTGGCTTGACAGCATGAGGTGTGTGCAATTGTTTCAGCT
CCCCAGGCTGTTCTCCAGGCTTCACAGTCTGGTGTCTGGGAGAGTCAGGCAGGGTTAACTGCA
GGAGCAGTTTGGCACCCCTGTCCAGATTATTGGCTGCTTTGCCTCTACCAGTTGGCAGACAGCCG
TTTGTCTACATGGCTTTGATAATTGTTTGGGGGAGGAGATGGAACAATGTGGAGTCTCCCTC
TGATTGGTTTTTGGGAAATGTGGAGAAGAGTGCCCTGCTTTGCAAACATCAACCTGGCAAAAATG
CAACAAATGAATTTCCACGCAGTTCTTTCCATGGGCATAGGTAAGCTGTGCCTTCAGCTGTTGC
AGATGAAATGTTCTGTTACCCCTGCATTACATGTGTTTATTCATCCAGCAGTGTGCTCAGCTCC
TACCTCTGTGCCAGGGCAGCATTTCATATCCAAGATCAATTCCCTCTCTCAGCACAGCCTGGGG
AGGGGGTCATTGTTCTCCTCGTCCATCAGGGATCTCAGAGGCTCAGAGACTGCAAGCTGCTTGCC
CAAGTCACACAGCTAGTGAAGACCAGAGCAGTTTCATCTGGTTGTGACTCTAAGCTCAGTGCTCT
CTCCACTACCCACACAGCCTTGGTGCCACCAAAAGTGCTCCCCAAAAGGAAGGAGATGGGAT
TTTTCTTGAGGCATGCACATCTGGAATTAAGGTCAAACCTAATTCTCACATCCCTCTAAAAGTAA
CTACTGTTAGGAACAGCAGTGTCTCACAGTGTGGGGCAGCCGTCCTTCTAATGAAGACAATGAT
ATTGACACTGTCCCTCTTTGGCAGTTGCATTAGTAACCTTGAAAGGTATATGACTGAGCGTAGCA
TACAGGTTAACCTGCAGAAACAGTACTTAGGTAATTGTAGGGCGAGGATTATAAATGAAATTTGC
AAAATCACTTAGCAGCAACTGAAGACAATTATCAACCACGTGGAGAAAATCAAACCGAGCAGGGC
TGTGTGAAACATGGTTGTAATATGCGACTGCGAACACTGAACTCTACGCCACTCCACAAATGATG
TTTTCAGGTGTCATGGACTGTTGCCACCATGTATTCATCCAGAGTTCTTAAAGTTTAAAGTTGCA
CATGATTGTATAAGCATGCTTTCTTTGAGTTTTAAATTATGTATAAACATAAGTTGCATTAGAA
ATCAAGCATAAATCACTTCACTGCAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 8

MQRLGATLLCLLLAAVPTAPAPAPTATSAPVKPGPALSYQEEATLNEMFREVEELMEDITQHKL
RSAVEEMEAEAAAASSEVNLANLPPSYHNETNTDTKVGNNTIHVHREIHKITNNQTGQMFSE
TVITSVGDEEGRRSHECIIDEDCGPSMYCQFASFQYTCQPCRGQRLCTRDSECCGDQLCVWGHC
TKMATRGSNGTICDNQRDCQPLCCAFQRGILLFPVCTPLPVEGELCHDPASRLDLITWELEPDG
ALDRCPCASGLLCQPHSHSLVYVCKPTFVGSRDQDGEILLPREVPDEYEVGSFMEEVRQELEDLE
RSLTEEMALGEPAAAAAALLGGEI

Signal sequence:

amino acids 1-19

N-glycosylation site.

amino acids 96-100, 106-110, 121-125, 204-208

Casein kinase II phosphorylation site.

amino acids 46-50, 67-71, 98-102, 135-139, 206-210, 312-316,
327-331

N-myristoylation site.

amino acids 202-208, 217-223

Amidation site.

amino acids 140-144

FIGURE 9

CGGACGCGTGGGCGGACGCGTGGGGGCTGTGAGAAAGTGCCAATAAATACATCATGCAACCCAC
GGCCACCTTGTGAACCTCCTCGTGCCAGGGCTGATGTGCGTCTTCCAGGGCTACTCATCAAAG
GCCTAATCCAACGTTCTGTCTTCAATCTGCAAATCTATGGGGTCTGGGGCTCTTCTGGACCCTT
AACTGGGTACTGGCCCTGGGCCAATGCGTCCTCGCTGGAGCCTTTGCCTCCTTCTACTGGGCCTT
CCACAAGCCCCAGGACATCCCTACCTTCCCTTAATCTCTGCCTTCATCCGCACACTCCGTTACC
ACACTGGGTCAATTGGCATTGAGGCCCTCATCTGACCCTTGTGCAGATAGCCGGGTCACTTG
GAGTATATTGACCACAAGCTCAGAGGAGTGAGAACCCTGTAGCCCGCTGCATCATGTGCTGTTT
CAAGTGCTGCCTCTGGTGTCTGGAAAAATTTATCAAGTTCCTAAACCGCAATGCATACATCATGA
TCGCCATCTACGGGAAGAATTTCTGTGTCTCAGCCAAAAATGCGTTCATGCTACTCATGCGAAAC
ATTGTCAGGGTGGTCGTCTGGACAAAGTCACAGACCTGCTGCTGTTCTTTGGGAAGCTGCTGGT
GGTCGGAGGCGTGGGGGTCTGTCCTTCTTTTTTTCTCCGGTCGCATCCCGGGGCTGGGTAAAG
ACTTTAAGAGCCCCACCTCAACTATTACTGGCTGCCCATCATGACCTCCATCCTGGGGGCCTAT
GTCATCGCCAGCGGCTTCTTCAGCGTTTTTCGGCATGTGTGTGGACACGCTCTTCTCTGCTTCCT
GGAAGACCTGGAGCGGAACAACGGCTCCCTGGACCGGCCCTACTACATGTCCAAGAGCCTTCTAA
AGATTCTGGGCAAGAAGAACGAGGCGCCCCGGACAACAAGAAGAGGAAGAAGTGACAGCTCCGG
CCCTGATCCAGGACTGCACCCACCCCCACCGTCCAGCCATCCAACCTCACTTCGCCTTACAGGT
CTCCATTTTGTGGTAAAAAAGGTTTTAGGCCAGGCGCCGTGGCTCACGCCTGTAATCCAACACT
TTGAGAGGCTGAGGCGGGCGGATCACCTGAGTCAGGAGTTCGAGACCAGCCTGGCCAACATGGTG
AAACCTCCGTCTCTATTAAAAATACAAAAATTAGCCGAGAGTGGTGGCATGCACCTGTCATCCCA
GCTACTCGGGAGGCTGAGGCAGGAGAATCGCTTGAACCCGGGAGGCAGAGGTTGCAGTGAGCCGA
GATCGGCCACTGCACTCCAACCTGGGTGACAGACTCTGTCTCCAAAACAAAACAAAACAAA
AAGATTTTATTAAAGATATTTTGTTAACTC

FIGURE 10

RTRGRTRGGCEKVPINTSCNPTAHLVNSSCPGLMCVFQGYSSKGLIQRSVFNLQIYGVLGFWTL
 NWVLALGQCVLGAFASFYWAFHKPQDIPTFPLISAFIRTLRYHTGSLAFGALILTLVQIARVIL
 EYIDHKLRGVQNPVARCIMCCFKCCLWCLEKFIKFLNRNAYIMIAIYGKNFCVSAKNAFMLLMRN
 IVRVVVLDKVTDLLFFGKLLVVGGVVLSFFFFSGRIPGLGKDFKSPHLNYYWLPIMTSILGAY
 VIASGFFSVFGMCVDTLFLCFLEDLERNNGSLDRPYMSKSLKILGKKNEAPPDNKKRKK

Important features:

Transmembrane domains:

amino acids 57-80 (type II), 110-126, 215-231, 254-274

N-glycosylation sites.

amino acids 16-20, 27-31, 289-293

Hypothetical YBR002c family proteins.

amino acids 276-288

Ammonium transporters proteins.

amino acids 204-231

N-myristoylation sites.

amino acids 60-66, 78-84

Amidation site.

amino acids 306-310

FIGURE 11

GCCCCGCGCCCGGCGCGGGCGCCCGAAGCCGGGAGCCACCGCCATGGGGGCCTGCCTGGGAGCCTGC
 TCCCTGCTCAGCTGCGCGTCCTGCCTCTGCGGCTCTGCCCCCTGCATCCTGTGCAGCTGCTGCCCCG
 CAGCCGCAACTCCACCGTGAGCCGCCTCATCTTACGTTCTTCTCTTCTGGGGGTGCTGGTGTCCA
 TCATTATGCTGAGCCCGGGCGTGGAGAGTCAGCTCTACAAGCTGCCCTGGGTGTGTGAGGAGGGGGCC
 GGGATCCCCACCGTCCTGCAGGGCCACATCGACTGTGGCTCCCTGCTTGCTACCGCGCTGTCTACCG
 CATGTGCTTCGCCACGGCGGCCTTCTTCTTCTTTTACCCCTGCTCATGCTCTGCGTGAGCAGCA
 GCCGGGACCCCGGGCTGCCATCCAGAATGGGTTTTGGTTCTTTAAGTTCCTGATCCTGGTGGGCCTC
 ACCGTGGGTGCCTTCTACATCCCTGACGGCTCCTTACCAACATCTGGTTCTACTTCGGCGCTCGTGGG
 CTCTTCTCTTTCATCCTCATCCAGCTGGTGCTGCTCATCGACTTTGCGCACTCCTGGAACAGCGGT
 GGCTGGGCAAGGCCGAGGAGTGCGATTCCCGTGCTGGTACGCAGGCCTCTTCTTCTCACTCTCTCTC
 TTCTACTTGCTGTGATCGCGCCGTGGCGCTGATGTTTCATGTACTACACTGAGCCCAGCGGCTGCCA
 CGAGGGCAAGGTCTTCATCAGCCTCAACCTCACCTTCTGTGTCTGCGTGTCATCGCTGCTGTCTGTC
 CCAAGGTCCAGGACGCCAGCCCAACTCGGGTCTGCTGCAGGCCTCGGTATCACCTCTACACCATG
 TTTGTCACCTGGTCAGCCCTATCCAGTATCCCTGAACAGAAATGCAACCCCATTTGCCAACCCAGCT
 GGGCAACGAGACAGTTGTGGCAGGCCCCGAGGGCTATGAGACCCAGTGGTGGGATGCCCGAGCATTG
 TGGGCCTCATCATCTTCTCCTGTGCACCTCTTCATCAGTCTGCGCTCCTCAGACCACCGGCAGGTG
 AACAGCCTGATGCAGACCGAGGAGTGCCACCTATGCTAGACGCCACACAGCAGCAGCAGCAGGTT
 GGCAGCCTGTGAGGGCCGGGCCTTTGACAACGAGCAGGACGGCGTCACCTACAGCTACTCCTTCTTCC
 ACTTCTGCCTGGTGCTGGCCTCACTGCACGTCATGATGACGCTCACCAACTGGTACAAGCCCGGTGAG
 ACCCGGAAGATGATCAGCACGTGGACCGCCGTGTGGGTGAAGATCTGTGCCAGCTGGGCAGGGCTGCT
 CCTCTACCTGTGGACCCTGGTAGCCCCACTCCTCCTGCGCAACCGCGACTTCAGCTTGAGGCAGCCTCA
 CAGCCTGCCATCTGGTGCCTCCTGCCACCTGGTGCTCTCGGCTCGGTGACAGCCAACCTGCCCCCTC
 CCCACACCAATCAGCCAGGCTGAGCCCCACCCCTGCCCCAGCTCCAGGACCTGCCCCCTGAGCCGGGC
 CTTCTAGTCGTAGTGCTTCAGGGTCCGAGGAGCATCAGGCTCCTGCAGAGCCCCATCCCCCGCCAC
 ACCCACACGGTGGAGCTGCCTCTTCTTCTTCTTCTTCTGTTGCCATACTCAGCATCTCGGATGAA
 AGGGCTCCCTTGTCTCAGGCTCCACGGGAGCGGGGCTGCTGGAGAGAGCGGGGAACCTCCACACAG
 TGGGGCATCCGGCACTGAAGCCCTGGTGTCTTCTGGTTCACGTCCCCCAGGGGACCCTGCCCCCTTCTGT
 GACTTCGTGCCTTACTGAGTCTCTAAGACTTTTCTAATAAACAAGCCAGTGCCTGTAAAAAAA

FIGURE 12

MGACLGACSLSCASCLCGSAPCILSCCPASRNSTVSRLIFTFFFLGVLVSIIMLSPGVESQL
YKLPWVCEEGAGIPTVLQGHIDCGSLLGYRAVYRMCFATAAFFFFFFFFTLLMLCVSSSRDPRAAIQ
NGEWFFKFLILVGLTVGAIFYIPDGSFTNIWFYFGVVGSFLFILIQLVLLIDFAHSWNQRWLKAE
ECDSRAWYAGLFFFTLLFYLLSIAAVALMFMYYTEPSGCHEGKVFISLNLTFVCVVSIAAVLPKV
QDAQPNSGLLQASVITLYTMFVTWSALSSIPEQKCNPHLPTQLGNETVVAGPEGYETQWWDAPSI
VGLIIFLLCTLFISLRSSDHRQVNSLMQTEECPPMLDATQQQQQVAACEGRAFDNEQDGVITYSY
SFFHFCLVLASLHVMMLTLTNWYKPGETRMISTWTAVVWKICASWAGLLLYLWTLVAPLLLRNRD
FS

Signal sequence:

amino acids 1-20

Transmembrane domains:

amino acids 40-58, 101-116, 134-150, 162-178, 206-223, 240-257,
272-283, 324-340, 391-406, 428-444

FIGURE 13

CGGGCCAGCCTGGGGCGGCCGGCCAGGAACCAACCCGTTAAGGTGTCTTCTCTTTAGGGATGGTGA
GGTTGGAAAAAGACTCCTGTAACCCCTCCTCCAGGATGAACCACTGCCAGAAGACATGGAGAACG
CTCTCACCGGGAGCCAGAGCTCCCATGCTTCTCTGCGCAATATCCATTCCATCAACCCACACAA
CTCATGGCCAGGATTGAGTCTTATGAAGGAAGGAAAAGAAAGGCATATCTGATGTCAGGAGGAC
TTTCTGTTTGTGTCACCTTTGACCTCTTATTCGTAACATTACTGTGGATAATAGAGTTAAATG
TGAATGGAGGCATTGAGAACACATTAGAGAAGGAGGTGATGCAGTATGACTACTATTCTTCATAT
TTTGATATATTTCTTCTGGCAGTTTTTTCGATTAAAGTGTAAATACTTGCATATGCTGTGTGCAG
ACTGCGCCATTGGTGGGCAATAGCGTTGACAACGGCAGTGACCAGTGCCTTTTTACTAGCAAAAG
TGATCCTTTTGAAGCTTTTCTCTCAAGGGGCTTTTGGCTATGTGCTGCCCATCATTTTCATTCATC
CTTGCTGGATTGAGACGTGGTTCCTGGATTTCAAAGTGTACCTCAAGAAGCAGAAGAAGAAAA
CAGACTCCTGATAGTTTCAAGGATGCTTCAGAGAGGGCAGCACTTATACCTGGTGGTCTTTCTGATG
GTCAGTTTTATTCCCTCCTGAATCCGAAGCAGGATCTGAAGAAGCTGAAGAAAAACAGGACAGT
GAGAAACCACTTTTAGAACTATGAGTACTACTTTTGTTAAATGTGAAAAACCCCTCACAGAAAGTC
ATCGAGGCAAAAAGAGGCAGGCAGTGGAGTCTCCCTGTCGACAGTAAAGTTGAAATGGTGACGTC
CACTGCTGGCTTTATTGAACAGCTAATAAAGATTTATTTATTGTAATACCTCACAAACGTTGTAC
CATATCCATGCACATTTAGTTGCCTGCCTGTGGCTGGTAAGGTAATGTCATGATTCATCTCTCT
TCAGTGAGACTGAGCCTGATGTGTTAACAAATAGGTGAAGAAAGTCTTGTGCTGTATTCTTAATC
AAAAGACTTAATATATTGAAGTAACACTTTTTTAGTAAGCAAGATACCTTTTTATTTCATTCAC
AGAATGGAATTTTTTGTTCATGTCTCAGATTTATTTTGTATTCTTTTTTAACACTCTACATT
TCCCTTGTTTTTAACTCATGCACATGTGCTCTTTGTACAGTTTTAAAAAGTGAATAAAATCTG
ACATGTCAATGTGGCTAGTTTTATTTTCTGTTTTGCATTATGTGTATGGCCTGAAGTGTGGA
CTTGCAAAAGGGGAAGAAAGGAATTGCGAATACATGTAAATGTCACCAGACATTTGTATTATTT
TTATCATGAAATCATGTTTTTCTCTGATTGTTCTGAAATGTTCTAAATACTCTTATTTTGAATGC
ACAAAATGACTTAAACCATTATATCATGTTTCCTTTGCGTTTCCCAATTTCAATTAATGAA
CTAAATTAAAAA

FIGURE 14

MNHLPEDMENALTGSQSSHASLRNIHSINPTQLMARIESYEGREKKGISDVRRTFCLFVTFDLLF
 VTLLWIIELNVNGGIENTLEKEVMQYDYSSYFDIFLLAVFRFKVLILAYAVCRLRHWWAIALTT
 AVTSAFLLAKVILSKLFSQGAFGYVLPIISFILAWIETWFLDFKVLQPQAEENRLLIVQDASER
 AALIPGGLSDGQFYSPPESEAGSEEAEKQDSEKPLLEL

Important features of the protein:

Signal peptide:

amino acids 1-20

Transmembrane domains:

amino acids 54-72, 100-118, 130-144, 146-166

N-myristoylation sites.

amino acids 14-20, 78-84, 79-85, 202-208, 217-223

FIGURE 15

ACTCGAACGCAGTTGCTTCGGGACCCAGGACCCCTCGGGCCCGACCCGCCAGGAAAGACTGAGG
CCGCGGCCCTGCCCCGCCCGGCTCCCTGCGCCGCCCGCCCTCCCGGGACAGAAGATGTGCTCCAG
GGTCCCTCTGCTGCTGCCCTGCTCCTGCTACTGGCCCTGGGGCTGGGGTGCAGGGCTGCCCAT
CCGGCTGCCAGTGCAGCCAGCCACAGACAGTCTTCTGCACTGCCCGCCAGGGGACACGGTGCCC
CGAGACGTGCCACCCGACACGCTGGAGCGAGTGCCACCTGTGATCCGAGGCCTCCGGGGCTGACG
AGGCAGCTTTGCCGGCTGCCGGGCTGCAGCTCCTGGACCTGTACAGAACCAGATCGCCAGCC
TGCCAGCGGGGTCTTCCAGCCACTCGCCAACCTCAGCAACCTGGACCTGACGGCCAACAGGCTG
CATGAAATCACCAATGAGACCTTCCGTGGCCTGCGGCGCCTCGAGCGCCTTACCTGGGCAAGAA
CCGCATCCGCCACATCCAGCCTGGTGCCCTTCGACACGCTCGACCGCCTCCTGGAGCTCAAGCTGC
AGGACAACGAGCTGCGGGCACTGCCCCGCTGCGCCTGCCCCGCTGCTGCTGCTGACCTCAGC
CACAACAGCCTCCTGGCCCTGGAGCCCGGCATCCTGGACACTGCCAACGTGGAGGCGCTGCGGCT
GGCTGGTCTGGGGCTGCAGCAGCTGGACGAGGGGCTCTTACGCCCTTGCGCAACCTCCACGACC
TGGATGTGTCCGACAACCAGCTGGAGCGAGTGCCACCTGTGATCCGAGGCCTCCGGGGCTGACG
CGCCTGCGGCTGGCCGGCAACACCCGCATTGCCAGCTGCGGGCCGAGGACCTGGCCGGCTGGC
TGCCCTGCAGGAGCTGGATGTGAGCAACCTAAGCCTGCAGGCCCTGCTGGCGACCTCTCGGGCC
TCTTCCCCCGCTGCGGCTGCTGGCAGCTGCCCCGAACCCCTTCAACTGCGTGTGCCCCCTGAGC
TGGTTTGGCCCTGGGTGCGCGAGAGCCACGTACACTGGCCAGCCCTGAGGAGACGCGCTGCCA
CTTCCCGCCCAAGAACGCTGGCCGGCTGCTCCTGGAGCTTGACTACGCCGACTTTGGCTGCCAG
CCACCACCACACAGCCACAGTGCCCAACCACGAGGCCCGTGGTGCGGGAGGCCACAGCCTTGCT
TCTAGCTTGGCTCCTACCTGGCTTAGCCCCACAGCGCCGGCCACTGAGGCCCCAGCCCGCCCTC
CACTGCCCCACCGACTGTAGGGCCTGTCCCCAGCCCCAGGACTGCCACCGTCCACCTGCCTCA
ATGGGGGCACATGCCACCTGGGGACACGGCACCACTGGCGTGCTTGTGCCCGCAAGGCTTCAG
GGCCTGTACTGTGAGAGCCAGATGGGGCAGGGGACACGGCCAGCCCTACACAGTACGCGGAG
GCCACCACGGTCCCTGACCCTGGGCATCGAGCCGGTGAGCCCCACCTCCCTGCGCGTGGGGCTGC
AGCGCTACCTCCAGGGGAGCTCCGTGCAGCTCAGGAGCCTCCGTCTCACCTATCGCAACCTATCG
GGCCCTGATAAGCGGCTGGTGACGCTGCGACTGCCTGCCTCGCTCGCTGAGTACACGGTCAACCA
GCTGCGGCCCAACGCCACTTACTCCGTCTGTGTCATGCCCTTGGGGCCCGGGCGGGTGCCGGAGG
GCGAGGAGGCCTGCGGGGAGGCCCATACACCCAGCCGTCCACTCCAACCACGCCCCAGTCACC
CAGGCCCCGCGAGGGCAACCTGCCGCTCCTCATTTGCGCCCCCCTGGCCGCGGTGCTCCTGGCCG
GCTGGCTGCGGTGGGGGAGCCCTACTGTGTGCGGCGGGGGCGGCCATGGCAGCAGCGGCTCAGG
ACAAAGGGCAGGTGGGGCCAGGGGCTGGGCCCTGGAACCTGGAGGGAGTGAAGGTCCCTTGGAG
CCAGGCCCCGAAGGCAACAGAGGGCGGTGGAGAGGCCCTGCCAGCGGGTCTGAGTGTGAGGTGCC
ACTCATGGGCTTCCAGGGCCTGGCCTCCAGTCAACCCCTCCACGCAAGCCCTACATCTAAGCCA
GAGAGAGACAGGGCAGCTGGGGCCGGCTCTCAGCCAGTGAGATGGCCAGCCCCCTCCTGCTGCC
ACACCACGTAAGTTCTCAGTCCCAACCTCGGGGATGTGTGACAGACAGGGCTGTGTGACCACAGCT
GGGCCCTGTTCCCTCTGGACCTCGGTCTCCTCATCTGTGAGATGCTGTGGCCAGCTGACGAGCC
CTAACGTCCCCAGAACCAGAGTGCCATGAGGACAGTGTCGCCCTGCCCTCCGCAACGTGCAGTC
CCTGGGCACGGCGGGCCCTGCCATGTGCTGGTAACGCATGCCCTGGGTCTGCTGGGCTCTCCAC
TCCAGGCGGACCCCTGGGGGCCAGTGAAGGAAGCTCCCGAAAGAGCAGAGGGAGAGCGGGTAGGC
GGCTGTGTGACTCTAGTCTTGGCCCCAGGAAGCGAAGGAACAAAAGAACTGGAAAGGAAGATGC
TTTAGGAACATGTTTTGCTTTTTTAAATATATATATTTATAAGAGATCCTTCCCATTATTCT
GGGAAGATGTTTTCAAACCTCAGAGACAAGGACTTTGGTTTTGTAAAGACAAACGATGATATGAA
GGCCTTTGTAAAGAAAAATAAAGATGAAGTGTGAA

FIGURE 16

MCSRVPLLLPLLLLLLALGPGVQGCPSGCQCSQPQTTFCTARQGTTPRDVPPDTVGLYVFENGIT
 MLDAGSFAGLPGLQLLDLSQNQIASLPSGVFQPLANLSNLDLTANRLHEITNETFRGLRRLERLY
 LGKNRIRHIQPGAFDTLDRLELKLQDNELRALPPLRLPRLLLLDLSHNSLLALEPGILDANVE
 ALRLAGLGLQQLDEGLFSRLRNLDLDVSDNQLERVPPVIRGLRGLTRLRLAGNTRIAQLRPEDL
 AGLAALQELDVSNLSLQALPGDLSGLFPRLRLAAARNPFNCVPLSWFGPWVRESHVTLASPEE
 TRCHFPPKNAGRLLLELDYADFGCPATTTTATVPTTRPVVREPTALSSSLAPTWLSPTAPATEAP
 SPPSTAPPTVGPVPQPDCCPSTCLNGGTCHLGRHHLACLCPEGFTGLYCESQMGQTRPSPTP
 VTPRPPRSLTGIEPVSPSTSLRVGLQRYLQGSSVQLRSLRLTYRNLSGPDKRLVTLRLPASLAEY
 TVTQLRPNATYSVCMPLGPGRVPEGEEACGEAHTPPAVHSNHAPVTQAREGNLPLLIAPALAAV
 LLAAALAAVGAAYCVRGRAMAAAAQDKGVGPGAGPLELEGVKVPLEPGPKATEGGGEALPSGSE
 CEVPLMGFPGLQSPHAKPYI

Important features:**Signal peptide:**

amino acids 1-23

Transmembrane domain:

amino acids 579-599

EGF-like domain cysteine pattern signature.

amino acids 430-442

Leucine zipper pattern.

amino acids 197-219, 269-291

N-glycosylation sites.

amino acids 101-105, 117-121, 273-277, 500-504, 528-532

Tyrosine kinase phosphorylation sites.

amino acids 124-131, 337-345

N-myristoylation sites.
 amino acids 23-29, 27-33, 70-76, 142-148, 187-193, 348-354,
 594-600, 640-646

FIGURE 17

GCAGCGGCGAGGCGGCGGTGGTGGCTGAGTCCGTGGTGGCAGAGGCGAAGGCGACAGCTCATGCG
GGTCCGGATAGGGCTGACGCTGCTGCTGTGTGCGGTGCTGCTGAGCTTGGCCTCGGCGTCTCGG
ATGAAGAAGGCAGCCAGGATGAATCCTTAGATTCCAAGACTACTTTGACATCAGATGAGTCAGTA
AAGGACCATACTACTGCAGGCAGAGTAGTTGCTGGTCAAATATTTCTTGATTGAGAAGAATCTGA
ATTAGAATCCTCTATTCAAGAAGAGGAAGACAGCCTCAAGAGCCAAGAGGGGAAAGTGTCACAG
AAGATATCAGCTTTCTAGAGTCTCCAAATCCAGAAAACAAGGACTATGAAGAGCCAAGAAAGTA
CGGAAACCAGCTTTGACCGCCATTGAAGGCACAGCACATGGGGAGCCCTGCCACTTCCCTTTTCT
TTTCCTAGATAAGGAGTATGATGAATGTACATCAGATGGGAGGGAAGATGGCAGACTGTGGTGTG
CTACAACCTATGACTACAAAGCAGATGAAAAGTGGGGCTTTTGTGAACTGAAGAAGAGGCTGCT
AAGAGACGGCAGATGCAGGAAGCAGAAATGATGTATCAAACCTGGAATGAAAATCCTTAATGGAAG
CAATAAGAAAAGCCAAAAAGAGAAGCATATCGGTATCTCCAAAAGGCAGCAAGCATGAACCATA
CCAAAGCCCTGGAGAGAGTGTATATGCTCTTTTATTTGGTGATTACTTGCCACAGAATATCCAG
GCAGCGAGAGAGATGTTGAGAAGCTGACTGAGGAAGGCTCTCCAAGGGACAGACTGCTCTTGG
CTTTCTGTATGCCCTCTGGACTTGGTGTAAATCAAGTCAGGCAAAGGCTCTGTATATTATACAT
TTGGAGCTCTTGGGGCAATCTAATAGCCCACATGGTTTTTGGTAAGTAGACTTTTAGTGGAAGGCT
AATAATATTAACATCAGAAGAATTTGTGGTTTATAGCGGCCACAACCTTTTTCAGCTTTCATGATC
CAGATTTGCTTGTATTAAGACCAAATATTCAGTTGAACCTCCTTCAAATCTTGTTAATGGATAT
AACACATGGAATCTACATGTAAATGAAAGTTGGTGGAGTCCACAATTTTCTTTAAATGATTAG
TTTGGCTGATTGCCCCTAAAAGAGAGATCTGATAAATGGCTCTTTTAAATTTTCTCTGAGTTG
GAATTGTCAGAATCATTTTTTACATTAGATTATCATAATTTTAAAAATTTTCTTTAGTTTTTCA
AAATTTTGTAATGGTGGCTATAGAAAAACAACATGAAATATTATACAATATTTGCAACAATGC
CCTAAGAATTGTTAAATTCATGGAGTTATTTGTGCAGAATGACTCCAGAGAGCTCTACTTTCTG
TTTTTTACTTTTCATGATTGGCTGTCTTCCCATTTATTCTGGTCATTTATTGCTAGTGACACTGT
GCCTGCTTCCAGTAGTCTCATTTTCCCTATTTTGCTAATTTGTTACTTTTTCTTTGCTAATTTGG
AAGATTAACCTCATTTTAAATAAATATGTCTAAGATTAAAAA
AAA

FIGURE 18

MRVRIGLTLLLCAVLLSLASASSDEEGSQDESLSKTTLTSDSVKDHTTAGRVVAGQIFLDSESEL
 ESSIQEEEDSLKSQEGESVTEDISFLESPNPENKDYEEPKKVRKPALTAIEGTAHGEPCHFPLFLDK
 EYDECTSDGREDGRLWCATTYDYKADEKWGFCETEEEEAAKRRQMQEAEEMMYQTGMKILNGSNKKSQKR
 EAYRYLQKAASMNHTKALERSYALLFGDYLPQNIQAAREMFEKLTEEGSPKGQTALGFLYASGLGVN
 SSQAKALVYYTFGALGGNLIAMVLVSRL

Important features:

Signal peptide:

amino acids 1-21

N-glycosylation sites.

amino acids 195-199, 217-221, 272-276

Tyrosine kinase phosphorylation site.

amino acids 220-228

N-myristoylation sites.

amino acids 120-126, 253-259, 268-274, 270-274, 285-291, 289-295

Glycosaminoglycan attachment site.

amino acids 267-271

Microbodies C-terminal targeting signal.

amino acids 299-303

Type II fibronectin collagen-binding domain protein.

amino acids 127-169

Fructose-bisphosphate aldolase class-II protein.

amino acids 101-119

FIGURE 19

AATTCAGATTTTAAGCCCATTCCTGCAGTGAATTTTCATGAACTAGCAAGAGGACACCATCTTCTT
 GTATTATACAAGAAAGGAGTGACCTATCACACACAGGGGAAAAATGCTCTTTTGGGTGCTAGG
 CCTCCTAATCCTCTGTGGTTTTCTGTGGACTCGTAAAGGAAAACATAAGATTGAAGACATCACTG
 ATAAGTACATTTTATCACTGGATGTGACTCGGGCTTTGGAACTTGGCAGCCAGAACTTTTGAT
 AAAAAGGGATTTCATGTAATCGCTGCCTGTCTGACTGAATCAGGATCAACAGCTTTAAAGGCAGA
 AACCTCAGAGAGACTTCGTACTGTGCTTCTGGATGTGACCGACCCAGAGAATGTCAAGAGGACTG
 CCCAGTGGGTGAAGAACCAAGTTGGGGAGAAAGGTCTCTGGGGTCTGATCAATAATGCTGGTGT
 CCCGGCGTGCTGGCTCCCACTGACTGGCTGACACTAGAGGACTACAGAGAACCTATTGAAGTGAA
 CCTGTTTGGACTCATCAGTGTGACACTAAATATGCTTCCTTTGGTCAAGAAAGCTCAAGGGAGAG
 TTATTAATGTCTCCAGTGTTGGAGGTCGCCTTGCAATCGTTGGAGGGGGCTATACTCCATCCAAA
 TAGCAGTGGAAAGGTTTCAATGACAGCTTAAGACGGGACATGAAAGCTTTTGGTGTGCACGTCTC
 ATGCATTGAACCAGGATTGTTCAAAACAAACTTGGCAGATCCAGTAAAGGTAATTGAAAAAAAC
 TCGCCATTTGGGAGCAGCTGTCTCCAGACATCAACAACAATATGGAGAAGGTTACATTGAAAAA
 AGTCTAGACAAACTGAAAGGCAATAAATCCTATGTGAACATGGACCTCTCTCCGGTGGTAGAGTG
 CATGGACCACGCTCTAACAAGTCTCTTCCCTAAGACTCATTATGCCGCTGGAAAAGATGCCAAAA
 TTTTCTGGATACCTCTGTCTCACATGCCAGCAGCTTTGCAAGACTTTTATTGTTGAAACAGAAA
 GCAGAGCTGGCTAATCCCAAGGCAGTGACTCAGCTAACCACAAATGTCTCTCCAGGCTATGA
 AATTGGCCGATTTCAAGAACACATCTCCTTTTCAACCCCATTCCTTATCTGCTCCAACCTGGACT
 CATTTAGATCGTGCTTATTTGGATTGCAAAAGGGAGTCCCACCATCGCTGGTGGTATCCCAGGGT
 CCCTGCTCAAGTTTTCTTTGAAAAGGAGGGCTGGAATGGTACATCACATAGGCAAGTCTGCCCT
 GTATTTAGGCTTTGCCTGCTTGGTGTGATGTAAGGGAAATTGAAAGACTTGCCCATTCAAAATGA
 TCTTTACCGTGGCCTGCCCCATGCTTATGGTCCCCAGCATTACAGTAACCTGTGAATGTTAAGT
 ATCATCTCTTATCTAAATATTTAAAGATAAGTCAACCCAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 AAAAAAAAAAAAAA

FIGURE 20

MLFWVLGLLILCGFLWTRKGLKIEDITDKYIFITGCDSGFGNLAARTFDKKG FHVIAACLTESG
 STALKAETSERLRRTVLLDVTDPENVKRTAQWVKNQVGEKGLWGLINNAGVPGVLAPTDWLTLEDY
 REPIEVNLFGLISVTLNMLPLVKKAQGRVINVSSVGGRLAIVGGGYTPSKYAVEGFND SLRRDMK
 AFGVHVSCIEPGLFKTNLADPVKVIEKKLAIWEQLSPDIKQQYGEGYIEKSLDKLKG NKSYVNMD
 LSPVVECMDHALTSLFPKTHYAAGKDAKIFWIPLSHMPAALQDFLLLKQKAELANPKAV

Important features of the protein:

Signal peptide:

amino acids 1-17

Transmembrane domain:

amino acids 136-152

N-glycosylation sites.

amino acids 161-163, 187-190 and 253-256

Glycosaminoglycan attachment site.

amino acids 39-42

N-myristoylation sites.

amino acids 36-41, 42-47, 108-113, 166-171, 198-203 and 207-212

FIGURE 21

CTGAGGCGGCGGTAGCATGGAGGGGGAGAGTACGTGCGCGGTGCTCTCGGGCTTTGTGCTCGGCG
 CACTCGCTTTCCAGCACCTCAACACGGACTCGGACACGGAAGGTTTTCTTCTGGGGAAGTAAAA
 GGTGAAGCCAAGAACAGCATTACTGATTCCCAAATGGATGATGTTGAAGTTGTTTATACAATTGA
 CATTAGAAATATATTCCATGCTATCAGCTTTTCTAGCTTTTATAATTCTTCAGGCGAAGTAAATG
 AGCAAGCACTGAAGAAAATATTATCAAATGTCAAAAAGAATGTGGTAGGTTGGTACAAATTCCGT
 CGTCATTAGATCAGATCATGACGTTTAGAGAGAGGCTGCTTCACAAAACTTGCAGGAGCATTT
 TTCAAACCAAGACCTTGTTTTCTGCTATTAACACCAAGTATAATAACAGAAAGCTGCTCTACTC
 ATCGACTGGAACATTCTTATATAAACCTCAAAAAGGACTTTTTCACAGGGTACCTTTAGTGTT
 GCCAATCTGGGCATGTCTGAACAACCTGGGTATAAACTGTATCAGGTTCTGTATGTCCACTGG
 TTTTAGCCGAGCAGTACAAACACACAGCTCTAAATTTTTTGAAGAAGATGGATCCTTAAAGGAGG
 TACATAAGATAAATGAAATGTATGCTTCATTACAAGAGGAATTAAAGAGTATATGCAAAAAAGTG
 GAAGACAGTGAACAAGCAGTAGATAAACTAGTAAAGGATGTAAACAGATTAAAACGAGAAATTGA
 GAAAAGGAGAGGAGCACAGATTCAGGCAGCAAGAGAGAAGAATCCAAAAAGACCCTCAGGAGA
 ACATTTTTCTTTGTCAGGCATTACGGACCTTTTTTCCAAATCTGAATTTCTTCATTATGTGTT
 ATGTCTTTAAAAAATAGACATGTTTCTAAAAGTAGCTGTAACACCAACCACATCTCGATGTAGT
 AGACAATCTGACCTTAATGGTAGAACACACTGACATTCTGAAGCTAGTCCAGCTAGTACACCAC
 AAATCATTAAGCATAAAGCCTTAGACTTAGATGACAGATGGCAATTCAAGAGATCTCGGTTGTTA
 GATACACAAGACAAACGATCTAAAGCAAATACTGGTAGTAGTAACCAAGATAAAGCATCCAAAT
 GAGCAGCCCAGAAACAGATGAAGAAATTGAAAAGATGAAGGGTTTTGGTGAATATTCACGGTCTC
 CTACATTTTTGATCTTTTAAACCTTACAAGGAGATTTTTTTATTTGGCTGATGGGTAAAGCCAAAC
 ATTTCTATTGTTTTTACTATGTTGAGCTACTTGCAGTAAGTTCATTTGTTTTTACTATGTTTACC
 TGTTTGCAGTAATACACAGATAACTCTTAGTGATTTACTTCACAAAGTACTTTTTCAAACATCA
 GATGCTTTTATTTCCAAACCTTTTTTTCACCTTCACTAAGTTGTTGAGGGGAAGGCTTACACAG
 ACACATTCTTTAGAATTGGAAGGTGAGACCAGGCACAGTGGCTCACACCTGTAATCCCAGCACT
 TAGGGAAGACAAGTCAGGAGGATTGATTGAAGCTAGGAGTTAGAGACCAGCCTGGGCAACGTATT
 GAGACCATGTCTATTAAAAAATAAAATGGAAGCAAGAATAGCCTTATTTTCAAATATGGAAA
 GAAATTTATATGAAAATTTATCTGAGTCATTAAATTTCTCCTAAGTGATACTTTTTTAGAAGTA
 CATTATGGCTAGAGTTGCCAGATAAAATGCTGGATATCATGCAATAAATTTGCAAAACATCATCT
 AAAATTTAAAAA

FIGURE 22

MEGESTSAVLSGFVLGALAFQHLNTDSDEGFLGGEVKGEAKNSITDSQMDDVEVVYTIQKYI
 PCYQLFSFYNSSGEVNEQALKKILSNVKNVVGWYKERRHSDQIMTFRERLLHKNLQEHFSNQDL
 VFLLLTPSIITESCSTHRLEHSLYKPQKGLFHRVPLVVANLGMSEQLGYKTVSGSCMSTGFSRAV
 QTHSSKFFEEEDGSLKEVHKINEMYASLQEELKSICKKVEDSEQAVDKLVKDVNRLKREIEKRRGA
 QIQAAAREKNIQKDPQENIFLCQALRTFFPNSEFLHSCVMSLKNRHSVSKSSCNYNHHLVDVNDLTL
 MVEHTDIPEASPASTPQIIKHKALDLDLRWQFKRSRLDLDQDKRSKANTGSSNQDKASKMSSPET
 DEEIEKMKGFGEYSRSPTE

Important features:

Signal peptide:

amino acids 1-19

N-glycosylation sites.

amino acids 75-79, 322-326

N-myristoylation site.

amino acids 184-154

Growth factor and cytokines receptors family.

amino acids 134-150

FIGURE 23

GGCACAGCCGCGGGCGGAGGGCAGAGTCAGCCGAGCCGAGTCCAGCCGGACGAGCGGACCAGCGCAGGGCAGCCAA
 GCAGCGCGCAGCGAACGCCCGCCGCCACACCCCTCTGCGGTCCCCGCGGCGCCTGCCACCCCTCCCTCCTTCCCC
 GCGTCCCCGCTCGCCGCCAGTCAGCTTGCCGGGTTCGCTGCCCGCGGAAACCCGAGGTACCAGCCCGCGCCTCT
 GCTTCCCTGGGCCGCGCGCCCTCCACGCCCTCCTTCTCCCTGGCCCGCGCCTGGCACCGGGGACCGTTGCCTGA
 CGCGAGGCCCAGCTCTACTTTTCGCCCGCGCTCTCTCCGCTGCTCGCCTCTTCCACCAACTCCAACCTCCTTCTCCC
 TCCAGCTCCACTCGCTAGTCCCCGACTCCGCCAGCCCTCGGCCGCTGCCGTAGCGCCGCTTCCCGTCCGGTCCCAA
 GGTGGGAACGCGTCCGCCCGGCCCGCACCATGGCACGGTTCCGGCTTGCCCGCGCTTCTCTGCACCCCTGGCAGTGCTC
 AGCGCCGCGCTGCTGGGTGCCGAGCTCAAGTCGAAAAGTTGCTCGGAAGTGCGACGCTTTACGTGTCCAAGGCTTC
 AACAAGAACGATGCCCCCTCCACGAGATCAACGGTGATCATTGAAGATCTGTCCCAGGGTTCTACCTGCTGCTCT
 CAAGAGATGGAGGAGAAGTACAGCCTGCAAAAGTAAAGATGATTTCAAAGTGTGGTCAGCGAACAGTGCAATCATTTG
 CAAGCTGCTTTGCTTACGTTACAAGAAGTTTGATGAATCTTCAAAGAAGTACTTGAAAATGCAGAGAAATCCCTG
 AATGATATGTTTGAAGACATATGGCCATTTATACATGCAAAATCTGAGCTATTTAAAGATCTCTTCGTAGAGTTG
 AAACGTTACTACGTGGTGGGAAATGTGAACCTGGAAGAAATGCTAAATGACTTCTGGGCTCGCCTCCTGGAGCGGATG
 TTCCGCTGGTGAACCTCCAGTACCCTTTACAGATGAGTATCTGGAATGTGTGAGCAAGTATACGGAGCAGCTGAAG
 CCTTCGGAGATGTCCTCGCAAATTGAAGCTCCAGGTTACTCGTGCTTTTGTAGCAGCCGCTACTTTCGCTCAAGGC
 TTAGCGGTTGCGGAGATGTCGTGAGCAAGGCTCTCCGTGGTAAACCCACAGCCAGTGATCCCATGCCCTGTTGAAG
 ATGATCTACTGCTCCACTGCGGGGTCTCGTGACTGTGAAGCCATGTTACAAGTACTGCTCAAACATCATGAGAGGC
 TGTTTGGCCAAACCAAGGGATCTCGATTTTGAATGGAACAATTTATAGATGCTATGCTGATGTTGGCAGAGAGGCTA
 GAGGGTCCTTTCAACATTGAATCGGTGATGATCCCATCGATGTGAAGATTTCTGATGCTATTATGAACATGCAGGAT
 AATAGTGTTCAAGTGCTCAGAAGGTTTTCAGGGATGTGGACCCCCAAGCCCTCCAGCTGGACGAATTTCTCGT
 TCCATCTCTGAAAGTGCCCTTCAGTGCTCGCTTCAGACCACATCACCCGAGGAACGCCAACCACAGCAGCTGGCACT
 AGTTTGACCGACTGGTTACTGATGTCAAGGAGAACTGAAACAGGCCAAGAAATCTGGTCTCCCTTCCGAGCAAC
 GTTGGCAACGATGAGAGGATGGCTGCAGGAAACGGCAATGAGGATGACTGTTGGAATGGGAAAGGCAAAAGCAGGTAC
 CTGTTGCACTGACAGGAAATGGATTAGCCAACCAGGGCAACAACCCAGAGGTCCAGGTTGACACCAGCAAACAGAC
 ATACTGATCCTTCGTCAAATCATGGCTCTTCGAGTGATGACCAGCAAGATGAAGAATGCATACAATGGGAACGACGTG
 GACTTCTTTGATATCAGTGATGAAAGTAGTGGAGAAGGAAGTGAAGTGGCTGTGAGTATCAGCAGTGCCCTTCAGAG
 TTTGACTACAATGCCACTGACCATGCTGGGAAGAGTGCCAATGAGAAAGCCGACAGTGCTGGTGTCCGCTCCTGGGGCA
 CAGGCCCTACCTCCTCACTGTCTTCTGCATCTTGTTCTCGGTTATGCAGAGAGAGTGGAGATTAATTCTCAAACCTCTGAG
 AAAAGTGTTCAATCAAAAAGTTAAAGGCACCAAGTTATCACTTTTCTACCATCCTAGTGACTTTGCTTTTAAATGAA
 TGGACAACAATGTACAGTTTTTACTATGTGGCCACTGGTTTAAAGAGTGCTGACTTTGTTTTCTCATTAGTTTGGG
 AGGAAAAGGGACTGTGCATTGAGTTGGTTCCGTGCTCCCCAACCAGTTAAACGTGGCTAACAGTGTAGGTACAGAA
 CTATAGTTAGTTGTGCAATTTGTGATTTTATCACTCTATTATTGTTTGTATGTTTTTTCTCATTTCGTTTGTGGGT
 TTTTTTCCAACGTGATCTCGCCTTGTTCCTTACAAGCAAACAGGGTCCCTTCTTGGCAGCTAACATGTACGTATT
 TCTGAAATATTAAATAGCTGTACAGAAGCAGGTTTATTATCATGTTATCTTATTAAGAAAAAGCCAAAAAGC

FIGURE 24

MARFGLPALLCTLAVLSAALLAAELKSKSCSEVRRLYVSKGFNKNDAPLHEINGDHLKICPQGST
CCSQEMEEKYSLQSKDDFKSVVSEQCNHLQAVFASRYKKFDEFFKELLENAEKSLNDMFVKTYGH
LYMQNSELFKDLFVELKRYVVGNNLEMLNDFWARLLERMFLVNSQYHFTDEYLECVSKYTE
QLKPFQDVPRKLKLQVTRAFVAARTFAQGLAVAGDVVSKVSVVNPTAQCTHALLKMIYCSHCRGL
VTVKPCYNYCSNIMRGCLANQGDLDFEWNNFIDAMLMVAERLEGPFNIESVMDPIDVKISDAIMN
MQDNSVQVSQKVFQCGPPKPLPAGRISRSISESAFSARFRPHHPEERPTTAAGTSLDRLVTDVK
EKLKQAKKFWSSLPSNVCNDERMAAGNGNEDDCWNGKGKSRYLFAVTGNGLANQGNNPEVQVDT
KPDILILRQIMALRVMTSKMKNAYNGNDVDFDISDESSGEGSGSGCEYQQCPSEFDYNATDHAG
KSANEKADSAGVRPGAQAYLLTVFCILFLVMQREWR

Important features:

Signal peptide:

amino acids 1-22

ATP/GTP-binding site motif A (P-loop).

amino acids 515-524

N-glycosylation site.

amino acids 514-518

Glycosaminoglycan attachment sites.

amino acids 494-498, 498-502

N-myristoylation sites.

amino acids 63-69, 224-230, 276-282, 438-444, 497-503, 531-537

Glypicans proteins.

amino acids 54-75, 105-157, 238-280, 309-346, 423-460, 468-506

FIGURE 25

CTCGCCCTCAAATGGGAACGCTGGCCTGGGACTAAAGCATAGACCACCAGGCTGAGTATCCTGAC
 CTGAGTCATCCCCAGGGATCAGGAGCCTCCAGCAGGGAACCTTCCATTATATTCTTCAAGCAACT
 TACAGCTGCACCGACAGTTGCGAATGAAAGTTCTAATCTCTTCCCTCCTCCTGTTGCTGCCACTAA
 TGCTGATGTCCATGGTCTCTAGCAGCCTGAATCCAGGGGTCGCCAGAGGCCACAGGACCGAGGC
 CAGGCTTCTAGGAGATGGCTCCAGGAAGGCGGCCAAGAATGTGAGTGCAAAGATTGGTTCCTGAG
 AGCCCCGAGAAGAAAATTTCATGACAGTGTCTGGGCTGCCAAAGAAGCAGTGCCCCCTGTGATCATT
 TCAAGGGCAATGTGAAGAAAACAAGACACCAAAGGCACCACAGAAAGCCAAACAAGCATTCCAGA
 GCCTGCCAGCAATTTCTCAAACAATGTCAGCTAAGAAGCTTTGCTCTGCCTTTGTAGGAGCTCTG
 AGCGCCCACTCTTCCAATTAAACATTCTCAGCCAAGAAGACAGTGAGCACACCTACCAGACACTC
 TTCTTCTCCACCTCACTCTCCCACTGTACCCACCCCTAAATCATTCCAGTGCTCTCAAAAAGCA
 TGTTTTTCAAGATCATTTTGTGTTGCTCTCTCTAGTGTCTTCTTCTCTCGTCAGTCTTAGCCT
 GTGCCCTCCCCTTACCCAGGCTTAGGCTTAATTACCTGAAAGATTCCAGGAAACTGTAGCTTCCT
 AGCTAGTGTCAATTTAACCTTAAATGCAATCAGGAAAGTAGCAAACAGAAGTCAATAAATATTTTT
 AAATGTCAAAAAAAAAAAAAAAAAA

FIGURE 26

MKVLISLLLLLPLMLMSMVSSSLNPGVARGHRDRGQASRRWLQEGGQECECKDWFLRAPRRKFM
TVSGLPKKQCPCDHFKGNVKKTRHQRHHRKPNKHSRACQQLKQCQLRSFALPL

Important features:

Signal peptide:

amino acids 1-22

N-myristoylation sites.

amino acids 27-33, 46-52

FIGURE 27

GGACGCCAGCGCCTGCAGAGGCTGAGCAGGGAAAAAGCCAGTGCCCCAGCGGAAGCACAGCTCAG
 AGCTGGTCTGCCATGGACATCCTGGTCCCACTCCTGCAGCTGCTGGTGCTGCTTCTTACCCTGCC
 CCTGCACCTCATGGCTCTGCTGGGCTGCTGGCAGCCCCTGTGCAAAAGCTACTTCCCCTACCTGA
 TGGCCGTGCTGACTCCCAAGAGCAACCGCAAGATGGAGAGCAAGAAACGGGAGCTCTTCAGCCAG
 ATAAAGGGGCTTACAGGAGCCTCCGGGAAAGTGGCCCTACTGGAGCTGGGCTGCGGAACCGGAGC
 CAACTTTTCACTTCTACCCACCGGGCTGCAGGGTCACCTGCCTAGACCCAAATCCCCACTTTGAGA
 AGTTCCTGACAAAGAGCATGGCTGAGAACAGGCACCTCCAATATGAGCGGTTTGTGGTGGCTCCT
 GGAGAGGACATGAGACAGCTGGCTGATGGCTCCATGGATGTGGTGGTCTGCACTCTGGTGCTGTG
 CTCTGTGCAGAGCCCAAGGAAGGTCTGCAGGAGGTCCGGAGAGTACTGAGACCGGGAGGTGTGC
 TCTTTTCTGGGAGCATGTGGCAGAACCATATGGAAGCTGGGCCTTCATGTGGCAGCAAGTTTTC
 GAGCCCACCTGGAAACACATTGGGGATGGCTGCTGCCTCACCAGAGAGACCTGGAAGGATCTTGA
 GAACGCCCAGTTCTCCGAAATCCAAATGGAACGACAGCCCCCTCCCTTGAAGTGGCTACCTGTTG
 GGCCCCACATCATGGGAAGGCTGTCAAACAATCTTTCCCAAGCTCCAAGGCACCTCATTTGCTCC
 TTCCCCAGCCTCCAATTAGAACAAGCCACCCACCAGCCTATCTATCTTCCACTGAGAGGGACCTTA
GCAGAATGAGAGAAGACATTATGTACCACCTACTAGTCCCTCTCTCCCCAACCTCTGCCAGGGC
 AATCTCTAATTCAATCCCGCCTTCGACAGTGAAAAAGCTCTACTTCTACGCTGACCCAGGGAGG
 AAACACTAGGACCCTGTTGTATCCTCAACTGCAAGTTTCTGGACTAGTCTCCCAACGTTTGCCTC
 CCAATGTTGTCCCTTTCTTCGTTCCCATGGTAAAGCTCCTCTCGCTTTCCTCCTGAGGCTACAC
 CCATGCGTCTCTAGGAAGTGGTCACAAAAGTCATGGTGCCTGCATCCCTGCCAAGCCCCCCTGAC
 CCTCTCTCCCCACTACCACCTTCTTCTGAGCTGGGGGCACCAGGGAGAATCAGAGATGCTGGGG
 ATGCCAGAGCAAGACTCAAAGAGGCAGAGGTTTGTCTCAAATATTTTTTAATAAATAGACGAA
 ACCACG

FIGURE 28

MDILVPLLQLLVLLLTLPPLHLMALLGCWQPLCKSYFPYLMAVLTPKSNRKMESKKRELFSSQIKGL
TGASGKVALLELGCGTGANFQFYPPGCRVTCCLDPNPHFEKFLTKSMAENRHLQYERFVVAPGEDM
RQLADGSMDVVVCTLVLCSVQSPRKVLQEVRRVLRPGGVLFWEHVAEPYGSWAFMWQQVFEPW
KHIGDGCCLTRETWKDLENAQFSEIQMERQPPPLKWLVPVGPVHMGKAVKQSFSSKALICSFPSL
QLEQATHQPIYLPLRGT

Important features:

Signal peptide:

amino acids 1-23

Leucine zipper pattern.

amino acids 10-32

N-myristoylation sites.

amino acids 64-70, 78-84, 80-86, 91-97, 201-207

FIGURE 29

CAATGTTTGCCTATCCACCTCCCCAAGCCCCTTTACCTATGCTGTCTGCTAACGCTGCTGCTGCT
 GCTGCTGCTGCTTAAAGGCTCATGCTTGGAGTGGGGACTGGTCGGTGCCAGAAAGTCTTTCTG
 CCACTGACGCCCCATCAGGGATTGGGCCTTCTTTCCCCCTTCCTTTCTGTGTCTCCTGCCTCAT
 CGGCCTGCCATGACCTGCAGCCAAGCCCAGCCCCGTGGGGAAGGGGAGAAAGTGGGGGATGGCTA
AGAAAGCTGGGAGATAGGGAACAGAAGAGGGTAGTGGGTGGGCTAGGGGGGCTGCCTTATTTAA
 GTGGTTGTTTATGATTCTTATACTAATTTATACAAAGATATTAAGGCCCTGTTTATTAAAGAAATT
 GTTCCCTTCCCCTGTGTTCAATGTTTGTAAGATTGTTCTGTGTAAATATGTCTTTATAATAAAC
 AGTTAAAAGCTGAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 30

MLLLTLLLLLLLLKGSCLWGLVGAQKVSSATDAPIRDWAFFPPSFLCLLPHRPAMTCSQAQPRG
EGEKVGDG

Important features:

Signal peptide:

amino acids 1-15

Growth factor and cytokines receptors family:

amino acids 3-18

FIGURE 31

GTTTGAATTCCTTCAACTATACCCACAGTCCAAAAGCAGACTCACTGTGTCCCAGGCTACCA GTT
CCTCCAAGCAAGTCATTTCCCTTATTTAACCGATGTGTCCCTCAAACACCTGAGTGCTACTCCCT
ATTTGCATCTGTTTGTATAAATGATGTTGACACCCTCCACCGAATTCTAAGTGGAATCATGTCGG
GAAGAGATACAATCCTTGGCCTGTGTATCCTCGCATTAGCCTTGTCTTTGGCCATGATGTTTACC
TTCAGATTATCACCACCCTTCTGGTTTACATTTTCATTTTATTGTTTATTTTGGGATTGTTGTT
TGTCTGCGGTGTTTATGTTGGCTGTATTATGACTATACCAACGACCTCAGCATAGAATTGGACA
CAGAAAGGGAAAATATGAAGTGCCTGCTGGGGTTTGTCTATCGTATCCACAGGCATCACGGCAGTG
CTGCTCGTCTTGATTTTTGTTCTCAGAAAGAGAATAAAATTGACAGTTGAGCTTTTCCAAATCAC
AAATAAAGCCATCAGCAGTGTCCCTTCCTGCTGTTCCAGCCACTGTGGACATTTGCCATCCTCA
TTTTCTTCTGGGTCCTCTGGGTGGCTGTGCTGCTGAGCCTGGGAAGTGCAGGAGCTGCCAGGTT
ATGGAAGGCGGCCAAGTGGAATATAAGCCCCTTTCGGGCATTTCGGTACATGTGGTCGTACCATTT
AATTGGCCTCATCTGGACTAGTGAATTCATCCTTGCCTGCCAGCAAATGACTATAGCTGGGGCAG
TGGTACTTGTATTATTTCAACAGAAGTAAAAATGATCCTCCTGATCATCCATCCTTTCTGCTCTC
TCCATTCTCTTCTTCTACCATCAAGGAACCGTTGTGAAAGGGTCATTTTAAATCTCTGTGGTGAG
GATTCCGAGAATCATTTGTATGTACATGCAAAACGCACTGAAAGAACAGCAGCATGGTGCATTGT
CCAGGTACCTGTTCCGATGCTGCTACTGCTGTTTCTGGTGTCTTGACAAATACCTGCTCCATCTC
AACCAGAATGCATATACTACAACTGCTATTAATGGGACAGATTTCTGTACATCAGCAAAAGATGC
ATTCAAAATCTTGTCCAAGAACTCAAGTCACCTTTACATCTATTAAGTCTTTGGAGACTTCATAA
TTTTTCTAGGAAAGGTGTTAGTGGTGTGTTTCACTGTTTTTGGAGGACTCATGGCTTTTAACTAC
AATCGGGCATTCCAGGTGTGGGCAGTCCCTCTGTTATTGGTAGCTTTTTTTGCCTACTTAGTAGC
CCATAGTTTTTTATCTGTGTTTGAAACTGTGCTGGATGCACCTTTTCTGTGTTTGTGTTGATC
TGGAACAAATGATGGATCGTCAGAAAAGCCCTACTTTATGGATCAAGAATTTCTGAGTTTCGTA
AAAAGGAGCAACAAATTAACAATGCAAGGGCACAGCAGGACAAGCACTCATTAAGGAATGAGGA
GGGAACAGAACTCCAGGCCATTGTGAGATAGATACCCATTTAGGTATCTGTACCTGGAAAAACATT
TCCTTCTAAGAGCCATTTACAGAATAGAAGATGAGACCCTAGAGAAAAGTTAGTGAATTTTTTT
TTAAAAGACCTAATAAACCTATTCTTCCTCAAAA

FIGURE 32

MSGRDTILGLCILALALSLAMMFTFRFITLLVHIFISLVILGLLFVCGVLWWLYDYDNDLSIE
 LDTERENMKCVLGFIAIVSTGITAVLLVLI FVLKRRIKLTVELFQITNKAISSAPFLLFQPLWTF
 ILIFFWVLWVAVLLSLGTAGAAQVMEGGQVEYKPLSGIRYMWSYHLIGLIWTSEFILACQQMTIA
 GAVVTCYFNRSKNPPDHPILSSLSILFFYHQGTVVKGSFLISVVRIPRIIVMYMQNALKEQQHG
 ALSRYLFRCCYCCFWCLDKYLLHLNQAYTTTAINGTDFCTSAKDAFKILSKNSSHFTSINCFGD
 FIIFLGKVLVVCFTVFGGLMAFNYNRAFQVWAVPLLLVAFFAYLVHSFLSVFETVLDALFLCFA
 VDLETNDGSSEKPYFMDQEFLSFVKRSNKLNNARAQQDKHSLRNEEGTELQAIVR

Important features:

Signal peptide:

amino acids 1-20

Putative transmembrane domains:

amino acids 35-54, 75-97, 126-146, 185-204, 333-350, 352-371

N-glycosylation sites.

amino acids 204-208, 295-299, 313-317

N-myristoylation sites.

amino acids 147-153, 178-184, 196-202, 296-275, 342-348

FIGURE 33

GTTCGATTAGCTCCTCTGAGAAGAAGAGAAAAGGTTCTTGGACCTCTCCCTGTTTCTTCTTAGA
 ATAATTTGTATGGGATTTGTGATGCAGGAAAGCCTAAGGGAAAAAGAATATTCATTCTGTGTGGT
 GAAAATTTTTTGAAAAAAAATTGCCTTCTTCAAACAAGGGTGTCAATCTGATATTTATGAGGAC
 TGTGTCTCACTATGAAGGCATCTGTTATTGAAATGTTCTTGTGTTTGTCTGGTGACTGGAGTAC
 ATTCAAACAAAGAAACGGCAAAGAAGATTAAAGGGCCCAAGTTCACTGTGCCTCAGATCAACTGC
 GATGTCAAAGCCGGAAGATCATCGATCCTGAGTTCATTGTGAAATGCCAGCAGGATGCCAAGA
 CCCCAAATACCATGTTTATGGCACTGACGTGTATGCATCCTACTCCAGTGTGTGTGGCGCTGCCG
 TACACAGTGGTGTGCTTGATAATTCAAGAGGGAAAAATACTTGTTCGGAAGGTTGTGGACAGTCT
 GGTACAAAGGGAGTTATTCCAACGGTGTCCAATCGTTATCCCTACCAGATGGAGAGAATCCTT
 TATCGTCTTAGAAAGTAAACCCAAAAAGGGTGTAACCTACCCATCAGCTCTTACATACTCATCAT
 CGAAAAGTCCAGCTGCCAAGCAGGTGAGACCACAAAAGCCTATCAGAGGCCACCTATTCCAGGG
 ACAACTGCACAGCCGGTCACTCTGATGCAGCTTCTGGCTGTCACTGTAGCTGTGGCCACCCCCAC
 CACCTTGCCAAAGGCCATCCCTTCTGCTGCTTCTTACCACCAGCATCCCAGACCACAATCAGTGG
 GCCACAGGAGCCAGGAGATGGATCTCTGGTCCACTGCCACCTACACAAGCAGCCAAAAAGGCCC
 AGAGCTGATCCAGGTATCCAAGGCAAGATCCTTCAGGAGCTGCCTTCAGAAACCTGTTGGAGC
 GGATGTGAGCCTGGGACTTGTTCAAAAGAAGAAATTGAGCACACAGTCTTTGGAGCCAGTATCCC
 TGGGAGATCCAACTGCAAAATTGACTTGTGCTTTTAAATTGATGGGAGCACCAGCATGGCAAA
 CGGCGATTCCGAATCCAGAAGCAGCTCCTGGCTGATGTTGCCAAGCTCTTGACATTGGCCCTGC
 CGGTCCACTGATGGGTGTTGTCCAGTATGGAGACAACCCTGCTACTCACTTTAACCTCAAGACAC
 ACACGAATTCCTCAGATCTGAAGACAGCCATAGAGAAAATTACTCAGAGAGGAGGACTTTCTAAT
 GTAGTTCGGGCCATCTCCTTTGTGACCAAGAAGCTTTTTCCAAAGCCAAATGGAACAGAAGCGG
 GGCTCCCAATGTGGTGGTGGTGTGATGGTGGATGGCTGGCCACGGACAAAGTGGAGGAGCTTCAA
 GACTTGCGAGAGAGTCAGGAATCAACATTTTCTTCATCACCATTGAAGGTGCTGCTGAAAATGAG
 AAGCAGTATGTGGTGGAGCCCACTTTGCAACAAGGCCGTGTGCAGAACAAACGGCTTCTACTC
 GCTCCACGTGCAGAGCTGGTTTGGCCTCCACAAGACCCTGCAGCCTCTGGTGAAGCGGGTCTGCG
 AACTGACCGCCTGGCCTGCAGCAAGACCTGCTTGAACTCGGCTGACATTGGCTTCGTCATCGAC
 GGCTCCAGCAGTGTGGGGACGGGCAACTTCCGCACCGTCTCCAGTTTGTGACCAACCTCACCAA
 AGAGTTTGAGATTTCCGACACGGACACGCGCATCGGGGCCGTGCAGTACACCTACGAACAGCGGC
 TGGAGTTTGGGTTTCGACAAGTACAGCAGCAAGCCTGACATCCTCAACGCCATCAAGAGGGTGGGC
 TACTGGAGTGGTGGCACCAGCACGGGGGCTGCCATCAACTTCGCCCTGGAGCAGCTTCAAGAA
 GTCCAAGCCCAACAAGAGGAAGTTAATGATCCTCATCACCAGCGGGAGGTCTACGACGAGTCC
 GGATCCAGCCATGGCTGCCCATCTGAAGGGAGTGATCACCTATGCGATAGGCGTTGCCCTGGGCT
 GCCCAGAGGAGCTAGAAGTCATTGCCACTCACCCGCCAGAGACCCTCTTTGTTGTGGACGA
 GTTTGACAACCTCCATCAGTATGTCCCCAGGATCATCCAGAACATTTGTACAGAGTTCAACTCAC
 AGCCTCGGAACTGAATTTCAGAGCAGGCAGAGCACCAGCAAGTGTGCTTTTACTAACTGACGTGTT
 GGACCACCCACCGCTTAATGGGGCACGCACGGTGCATCAAGTCTTGGGCAGGGCATGGAGAAAC
 AAATGTCTTGTTATTATTCTTTGCCATCATGCTTTTTCATATCCAAAACCTGGAGTTACAAAGA
 TGATCACAAACGTATAGAATGAGCCAAAAGGCTACATCATGTTGAGGGTGTGGAGATTTTACAT
 TTTGACAATTGTTTTCAAATAAATGTTTCGGAATACAGTGCAGCCCTTACGACAGGCTTACGTAG
 AGCTTTTGTGAGATTTTAAGTTGTTATTTCTGATTTGAACCTGTGAACCTCAGCAAGTTTCAT
 TTTTGTGATGACAATGTAGGAATTGCTGAATTAATGTTTAGAAGGATGAAAAATAAAAAA
 AA
 AA

FIGURE 34

MRTVVLTMKASVIEMFLVLLVTGVHSNKETAKKIKRPKFTVPQINCDVKAGKIIDPEFIVKCPAG
 CQDPKYHVYGTDVYASYSSVCGAAVHSGVLDNSGGKILVRKVAGQSGYKGSYNGVQSLSLPRWR
 ESFIVLESKPKKGVITYPSALTYSSSKSPAAQAGETTKAYQRPPIPGTTAQPVTLMQLLAVTVAVA
 TPTTLPRPSPSAASTTSSIPRQSVGHRSEQEMDLWSTATYTSSQNRPRADPGIQRQDPGAAAFQKP
 VGADVSLGLVPKEELSTQSLEPVSLGDPNCKIDLSFLIDGSTSIGKRRFRIQKQLLADVAAQALDI
 GPAGPLMGVVQYGDNPATHFNLKTHTNRDLKTAIEKITQRGGLSNVGRAISFVTKNFFSKANGN
 RSGAPNVVVVMVDGWPTDKVEEASRLARESGINIFFITIEGAAENKQYVVEPNFANKAVCRTNG
 FYSLHVQSWFGLHKTLPVLRVCDTDRLACSKTCLNSADIGFVIDGSSSVGTGNFRTVLQFVTN
 LTKEFEISDTRIGAVQYTYEQRLFEGFDKYSSKPDILNAIKRVGYWSGGTSTGAAINFALEQL
 FKSKPNKRKLMILITDGRSYDDVRIPMAAAHLKGVITYAIGVAWAAQEELEVIATHPARDHSFF
 VDEFNLHQYVPRIIQNICTEFNSQPRN

Important features:**Signal peptide:**

amino acids 1-26

Transmembrane domain:

amino acids 181-200

N-glycosylation sites.

amino acids 390-394, 520-524

N-myristoylation sites.

amino acids 23-29, 93-99, 115-121, 262-268, 367-373, 389-395,
431-437, 466-472, 509-515, 570-576, 571-577, 575-581, 627-633

Amidation site.

amino acids 304-308

FIGURE 35

CCGAGCACAGGAGATTGCCTGCGTTTAGGAGGTGGCTGCGTTGTGGGAAAAGCTATCAAGGAAGAAATTGC
 CAAACCATGTCTTTTTTCTGTTTTCAGAGTAGTTCACAACAGATCTGAGTGTTTTAATTAAGCATGGAAT
 ACAGAAAACAACAAAACTTAAGCTTTAATTCATCTGGAATCCACAGTTTTCTTAGCTCCCTGGACCC
 GGTGACCTGTTGGCTCTTCCCGCTGGCTGCTCTATCACGTGGTGCTCTCCGACTACTCACCCGAGTGTA
 AAGAACCCTTCGGCTCGCGTGCTTCTGAGCTGCTGTGGATGGCCTCGGCTCTCTGGACTGTCTTCCGAGTA
 GGATGTCACTGAGATCCCTCAAATGGAGCCTCCTGCTGCTGTCACCTGAGTTTCTTTGTGATGTGGTAC
 CTGAGCCTTCCCCACTACAATGTGATAGAACGCGTGAACCTGGATGTACTTCTATGAGTATGAGCCGATTTA
 CAGACAAGACTTTCACTTCACACTTCGAGAGCATTCAAACCTGCTCTCATCAAAATCCATTTCTGGTCATTC
 TGGTGACCTCCCAACCCTTCAGATGTGAAAGCCAGGCAGGCCATTAGAGTTACTTGGGGTGAAGAAAAGTCT
 TGGTGGGGATATGAGGTTCTTACATTTTTCTTATTAGGCCAAGAGGCTGAAAAGGAAGACAAAATGTTGGC
 ATTGTCCTTAGAGGATGAACACCTTCTTTATGGTGACATAATCCGACAAGATTTTTTAGACACATATAATA
 ACCTGACCTTGAAGACATTATGGCATTCAAGGTGGGTAAGTGAAGTTTGGCCCAATGCCAAGTACGTAATG
 AAGACAGACACTGATGTTTTCATCAATACTGGCAATTTAGTGAAGTATCTTTAAACCTAAACCACTCAGA
 GAAGTTTTTACAGGTTATCCTCTAATTGATAATTATTCCTATAGAGGATTTACCAAAAAACCCATATTT
 CTTACCAGGAGTATCCTTTCAAGGTGTTCCCTCCATACTGCAGTGGGTGGGTATATAATGTCCAGAGAT
 TTGGTGCCAAGGATCTATGAAATGATGGGTACGTAAAACCCATCAAGTTTGAAGATGTTTATGTCCGGAT
 CTGTTTGAATTTATTAAAAGTGAACATTCATATTCCAGAAGACACAATCTTTCTTCTATATAGAATCC
 ATTTGGATGTCTGTCAACTGAGACGTGTGATTGCAGCCCATGGCTTTTCTTCCAAGGAGATCATCACTTTT
 TGGCAGGTCATGCTAAGGAACACCACATGCCATTATTAACTTCACATTCTACAAAAGCCTAGAAGGACAG
 GATACCTTGTGGAAAGTGTTAAATAAAGTAGGTACTGTGGAAAATTCATGGGGAGGTCAAGTGTCTGGCTT
 ACACTGAACTGAACTCATGAAAACCCAGACTGGAGACTGGAGGGTTACACTTGTGATTTATTAGTCAGG
 CCCTTCAAAGATGATATGTGGAGGAATTAATATAAAGGAATTGGAGGTTTTTGCTAAAGAAATTAATAGG
 ACCAAACAATTTGGACATGTCATTCTGTAGACTAGAATTTCTTAAAGGGTGTACTGAGTTATAAGCTCA
 CTAGGCTGTAAAAACAAAACAATGTAGAGTTTATTATTGAACAATGTAGTCACTTGAAGGTTTTGTGTA
 TATCTTATGTGGATTACCAATTTAAAAATATATGTAGTTCTGTGTCAAAAACTTCTTCACTGAAGTTATA
 CTGAACAAAATTTTACCTGTTTTTGGTCATTTATAAAGTACTTCAAGATGTTGCAGTATTTACAGTTATT
 ATTATTTAAATTAAGTTCACTTTGTGTTTTTAAATGTTTTGACGATTCAATACAAGATAAAAGGATAG
 TGAATCATCTTTACATGCAAACATTTCCAGTTACTTAACTGATCAGTTTATTATTGATACATCACTCCA
 TTAATGTAAAGTCATAGGTCATTATTGCATATCAGTAATCTCTTGGACTTTGTAAATATTTTACTGTGGT
 AATATAGAGAAGAATTAAAGCAAGAAAATCTGAAAA

L I S I S F E Y M W Y I S I P H

Type II transmembra

amino acids 20-39

amino acids 72-76, 154

amino acids 239-243

amino acids 23-37

amino acids 271-277

FIGURE 37

[illegible]

FIGURE 38

MELGCWTQLGLTFLQLLLISSLPREYTVINEACPGAENIMCRECCEYDQIECVCPGKREVVGYT
IPCCRNEENECDSCLIHPGCTIFENCKSCRNGSWGGLDDFYVKGFYCAECRAGWYGGDCMRGQ
VLRAPKGQILLESYPLNAHCEWTIHAKPGFVIQLRFVMLSLEFDYMCQYDYVEVRDGDNRDGGII
KRVCGNERPAPIQSIGSSLHVLFHSDGSKNFDGFHAIYEEITACSSSPCFHDGTCVLDKAGSYKC
ACLAGYTGQRCENLLEERNCSDPGGPVNGYQKITGGPGLINGRHAKIGTVVSFFCNSYVLSGNE
KRTCQQNGEWSGKQPICIKACREPKISDLVRRRVLPVQVSRETPLHQLYSAAFSKQKLQSAPTK
KPALPFGDLPMGYQHLHTQLQYECISPFYRRLGSSRRTCLRTGKWSGRAPSCIPICGKIENITAP
KTQGLRWPWQAIIYRRTSGVHDGSLHKGAWFLVCSGALVNERTVVVAHCVTDLGKVTMIKTADL
KVVLGKFYRDDRDEKTIQSLQISAILHPNYDPILLDADIAILKLLDKARISTRVQPICLAASR
DLSTSFQESHITVAGWNVLADVRSPGFKNDTLRSGVSVVDSLLCEEQHEDHGIPVSVTDNMFCA
SWEPTAPSDICTAETGGIAAVSFPGRASPEPRWHLMGLVSWSYDKTCSHRLSTAFTKVLFPFKDWI
ERNMK

Important features of the protein:

Signal peptide:

amino acids 1-23

EGF-like domain cysteine pattern signature.

amino acids 260-272

N-glycosylation sites.

amino acids 96-100, 279-283, 316-320, 451-455, 614-618

N-myristoylation sites.

amino acids 35-41, 97-103, 256-262, 284-290, 298-304, 308-314,
474-480, 491-497, 638-644, 666-672

Amidation site.

amino acids 56-60

Serine proteases, trypsin family.

amino acids 489-506

CUB domain proteins profile.

amino acids 150-167

FIGURE 39

GGTTCCTACATCCTCTCATCTGAGAATCAGAGAGCATAATCTTCTTACGGGGCCCGTGATTATTAAACGTGGCTTAATC
TGAAGGTTCTCAGTCAAATTTCTTGTGATCTACTGATTGTGGGGCATGGCAAGGTTTGCTTAAAGGAGCTTGGCTGG
TTTGGGGCCCTTTAGCTGACAGAAGGTGGCCAGGGAGAATGCAGCACACTGCTCGGAGAATGAAGGCGCTTCTGTGTC
TGGTCTTGCCTTGGCTCAGTCTGCTAACTACATTGACAATGTGGGCAACCTGCACCTTCTGTATTAGAACTCTGTA
AAGGTGCCTCCCACTACGGCCTGACCAAAGATAGGAAGAGGCGCTCACAAGATGGCTGTCCAGACGGCTGTGCGAGCC
TCACAGCCACGGCTCCCTCCCAAGAGGTTCTGACAGTGCACCATCTCTTAATGACAGACGAGCCTGGCCTAGACA
ACCTTGCCTACGTGTCTCGGCAGAGGACGGGAGCCAGCAATCAGCCAGTGGACTCTGGCCGGAGCAACCGAACTA
GGGCACGGCCCTTTGAGAGATCCACTATTAGAAGCAGATCATTTAAAAAATAAATCGAGCTTTGAGTGTCTTCGAA
GGACAAAGAGCGGGAGTGCAGTTGCCAACCATGCCGACCAGGGCAGGGAAAATTCGAAAAACCACTGCCCTGAAG
TCTTTCCAAGGTTGTACCACCTGATTCCAGATGGTGAATTACCAGCATCAAGATCAATCGAGTAGATCCAGTGAA
GCCTCTCTATTAGGCTGGTGGGAGGTAGCGAAACCCCACTGGTCCATATCATTATCCAACACATTTATCGTGATGGGG
TGATCGCCAGAGACGGCCGGCTACTGCCAGGAGACATCATCTAAAGGTCAACGGGATGGACATCAGCAATGTCCCTC
ACAACTACGCTGTGCGTCTCTGCGGCAGCCCTGCCAGGTGCTGTGGCTGACTGTGATGCGTGAACAGAAGTCCGCA
GCAGGAACAATGGACAGGCCCGGATGCCTACAGACCCGAGATGACAGCTTTCATGTGATTCTCAACAAAAGTAGCC
CCGAGGAGCAGCTTGGAATAAACTGGTGCAGAGGTGGATGAGCCTGGGGTTTTCATCTCAATGTGCTGGATGGCG
GTGTGGCATATCGACATGGTCAGCTTGAGGAGAATGACCGTGTGTAGCCATCAATGGACATGATCTCGATATGGCA
GCCCAGAAAGTGGCGCTCATCTGATTGAGGCCAGTGAAGACGTGTTACCTCGTGTGCCGCAAGTTCGGCAGC
GGAGCCCTGACATCTTTCAGGAAGCCGGCTGGAACAGCAATGGCAGCTGGTCCCAAGGGCAGGGAGAGGACAACA
CTCCCAAGCCCTCCATCCTACAATTACTTGTGATGAGAAGTGGTAAATATCAAAAAAGACCCGGTGAATCTCTCG
GCATGACCGTCGCAGGGGGAGCATCACATAGAGAATGGGATTGCTATCTATGTCATCAGTGTGAGCCCGGAGGAG
TCATAAGCAGAGATGGAAGAATAAAACAGGTGACATTTTGTGAATGTGGATGGGGTCGAACGACAGAGGTGAGCC
GGAGTGAGGCAGTGGCATTATTGAAAAGAACATCATCTCGATAGTACTCAAAGCTTTGGAAGTCAAAGAGTATGAGC
CCCAGGAAGACTGCAGCAGCCAGCAGCCCTGGACTCCAACCACAACATGGCCCCACCCAGTGAATGGTCCCATCCT
GGGTGATGTGGCTGGAATTACCACGGTGCTGTATAACTGTAAAGATATTGTATTACGAAGAAACACAGCTGGAAGTC
TGGGCTTCTGCATTGTAGGAGGTTATGAAGAATACAATGGAACAAACCTTTTTCATCAAATCCATTGTTGAAGGAA
CACCAGCATACAATGATGGAAGAATTAGATGTGGTGATATTCTTCTGCTGTCAATGGTAGAAGTACATCAGGAATGA
TACATGCTTGCTTGGCAAGACTGCTGAAAGAATTAAAGGAAGAATTACTCTAACTATTGTTTCTTGGCCTGGCACTT
TTTTATAGAAATCAATGATGGGTGAGGAAAACAGAAAAATCACAATAGGCTAAGAAGTTGAAACACTATATTTATC
TTGTGAGTTTTATATTTAAAGAAAGATACATTGTAAAAATGTCAGGAAAAGTATGATCATCTAATGAAAGCCAGTT
ACACCTCAGAAAATATGATCCAAAAAATTAATACTACTAGTTTTTTTTTCACTGTGGAGGATTTCTCATTACTCTAC
AACATTGTTTTATATTTTTCTATTCAATAAAAGCCCTAAACAATAAATGATTGATTTGTATACCCCACTGAATT
CAAGCTGATTTAAATTTAAATTTGGTATATGCTGAAGTCTGCCAAGGGTACATTATGGCCATTTTAAATTTACAGCT
AAAATATTTTTAAATGCATTGCTGAGAAACGTGCTTTCATCAACAAGAATAAATATTTTTCAGAAAGTTAA

FIGURE 40

MKALLLLVLPWLSPANYIDNVGNLHFLYSELCKGASHYGLTKDRKRRSQDGCPCASLTATAPS
 PEVSAAATISLMTDEPGLDNPAYVSSAEDGQPAISPVDSGRSNRTRARPFERSTIRSRSFKKINR
 ALSVLRRTKSGSAVANHADQGRESENTTAPEVFPRLYHLIPDGEITSIKINRVDPSESLSIRLV
 GGSETPLVHIIQHIYRDGVIARDGRLLPGDIILKVNGMDISNVPHNYAVRLLRQPCQVLWLTVM
 REQKFRSRNNGQAPDAYRPRDDSFHVILNKSSPEEQLGIKLVKRVDEPGVFIFNVLDGGVAYRHG
 QLEENDRVLAINGHDLRYGSPESAHLIQASERRVHLVVSQRQRSPDIFQEAGWNSNGSWSPG
 PGERSTPKPLHPTITCHEKVVNIQKDPGESLGMTVAGGASHREWDLPIYVISVEPGGVISRDGR
 IKTGDILLNVDGVELTEVSRSEAVALLKRTSSSIVLKALEVKEYEPQEDCSSPAALDSNHNMAPP
 SDWSPSWVMWLELPRCLYNCKDIVLRRNTAGSLGFCIVGGYEEYNGNKPFFIKSIVEGTPAYNDG
 RIRCGDILLAVNGRSTSGMIHACLARLLKELKGRITLTIVSWPGTFL

Important features:

Signal peptide:

amino acids 1-15

N-glycosylation sites.

amino acids 108-112, 157-161, 289-293, 384-388

Tyrosine kinase phosphorylation sites.

amino acids 433-441, 492-500

N-myristoylation sites.

amino acids 51-57, 141-147, 233-239, 344-350, 423-429, 447-453,
 467-473, 603-609

FIGURE 41

ACCAGGCATTGTATCTTCAGTTGTCATCAAGTTCGCAATCAGATTGGAAAAGCTCAACTTGAAGCTTT
CTTGCCCTGCAGTGAAGCAGAGAGATAGATATTATTACGTAATAAAAAACATGGGCTTCAACCTGACT
TTCCACCTTTCTACAAATTCCGATTACTGTTGCTGTTGACTTTGTGCCTGACAGTGGTTGGGTGGGC
CACCAGTAACACTTTCGTGGGTGCCATTCAAGAGATTCTAAAGCAAAGGAGTTCATGGCTAATTTC
ATAAGACCCTCATTTTGGGAAGGGAAAACTCTGACTAATGAAGCATCCACGAAGAAGGTAGAACTT
GACAACTGTCCTTCTGTGTCTCCTTACCTCAGAGGCCAGAGCAAGCTCATTTTCAAACCAGATCTCAC
TTTGGAAGAGGTACAGGCAGAAAATCCCAAAGTGTCAGAGGCCGGTATCGCCCTCAGGAATGTAAAG
CTTTACAGAGGGTCGCCATCCTCGTTCCCCACCGGAACAGAGAGAAACACCTGATGTACCTGCTGGAA
CATCTGCATCCCTTCTGCAGAGGCAGCAGCTGGATTATGGCATCTACGTCATCCACCAGGCTGAAGG
TAAAAAGTTTAAATCGAGCCAACTCTTGAATGTGGGCTATCTAGAAGCCCTCAAGGAAGAAAATTGGG
ACTGCTTTATATTCCACGATGTGGACCTGGTACCCGAGAATGACTTTAACCTTTACAAGTGTGAGGAG
CATCCCAAGCATCTGGTGGTTGGCAGGAACAGCACTGGGTACAGGTTACGTTACAGTGGATATTTTGG
GGGTGTTACTGCCCTAAGCAGAGAGCAGTTTTTCAAGGTGAATGGATTCTCTAACAACACTACTGGGGAT
GGGGAGGCGAAGACGATGACCTCAGACTCAGGCTTGAGCTCCAAAGAATGAAAATTTCCCGGCCCTG
CCTGAAGTGGGTAAATATACAATGGTCTTCCACACTAGAGACAAAGGCAATGAGGTGAACGCAGAACG
GATGAAGCTCTTACACCAAGTGTCCAGAGTCTGGAGAACAGATGGGTTGAGTAGTTGTTCTTATAAAT
TAGTATCTGTGGAACACAATCCTTTATATATCAACATCACAGTGGATTTCTGGTTTGGTGCATGACCC
TGGATCTTTTGGTGATGTTTGAAGAAGTGAATCTTTGTTTGCAATAATTTTGGCCTAGAGACTTCAA
ATAGTAGCACACATTAAGAACCTGTTACAGCTCATTGTTGAGCTGAATTTTCTCTTTTGTATTTTCT
TAGCAGAGCTCCTGGTGATGTAGAGTATAAAACAGTTGTAACAAGACAGCTTTCTTAGTCATTTTGAT
CATGAGGGTTAAATATTGTAATATGGATACTTGAAGGACTTTATATAAAAGGATGACTCAAAGGATAA
AATGAACGCTATTTGAGGACTCTGGTTGAAGGAGATTTATTTAAATTGAAGTAATATATTTATGGGAT
AAAAGGCCACAGGAAATAAGACTGCTGAATGCTGAGAGAACCAGAGTTGTTCTCGTCCAAGGTAGAA
AGGTACGAAGATACAATACTGTTATTCAATTTATCCTGTACAATCATCTGTGAAGTGGTGGTGTCAAGT
GAGAAGGCGTCCACAAAAGAGGGGAGAAAAGGCGACGAATCAGGACACAGTGAACCTGGGAATGAAGA
GGTAGCAGGAGGGTGGAGTGTGGCTGCAAAGGCAGCAGTAGCTGAGCTGGTTGCAGGTGCTGATAGC
CTTCAGGGGAGGACCTGCCAGGTATGCCTTCCAGTGATGCCACCAGAGAATACATTCTCTATTAGT
TTTTAAAGAGTTTTTGTAAATGATTTGTACAAGTAGGATATGAATTAGCAGTTTACAAGTTTACAT
ATTAATAATAATAATATGTCTATCAAATACCTCTGTAGTAAATGTGAAAAGCAAAA

FIGURE 42

MGFNLT FHLSYKFRLLLLLTCLTVVGWATSNYFVGAIQEIPKAKEFMANFHKTLLLGKGTLTN
 EASTKKVELDNCPSVSPYLRGQSKLIFKPDITLEEVQAENPKVSRGRYRPQECKALQRVAILVPH
 RNREKHLMYLLEHLHPFLQRQQLDYGIYVIHQAEKKFNRAKLLNVGYLEALKEENWDCFIHFDV
 DLVPENDFNLYKCEEHPKHLVGRNSTGYRLRYSGYFGGVTALSREQFFKVNFGFSNNYWGWWGED
 DDLRLRVELQRMKISRPLPEVGKYTMVFHTRDKGNEVNAERMKLLHQVSRVWRDGLSSCSYKLV
 SVEHNPLYINITVDFWFGA

Important features:

Signal peptide:

amino acids 1-27

N-glycosylation sites.

amino acids 4-8, 220-224, 335-339

Xylose isomerase proteins.

amino acids 191-202

FIGURE 43

GCTCAAGACCCAGCAGTGGGACAGCCAGACAGACGGCACGATGGCACTGAGCTCCCAGATCTGGG
CCGCTTGCCTCCTGCTCCTCCTCCTCCTCGCCAGCCTGACCAGTGGCTCTGTTTTCCCAACAG
ACGGGACAACCTGCAGAGCTGCAACCCAGGACAGAGCTGGAGCCAGGGCCAGCTGGATGCCCAT
GTTCCAGAGGCGAAGGAGGCGAGACACCCACTTCCCCTCTGCATTTCTGCTGCGGCTGCTGTC
ATCGATCAAAGTGTGGGATGTGCTGCAAGACGTAGAACCTACCTGCCCTGCCCCGTCCCCTCCC
TTCCTTATTTATTCCTGCTGCCCCAGAACATAGGTCTTGGAATAAAATGGCTGGTTCTTTGTTT
TCCAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 44

MALSSQIWAACL LLLLLLLASLTSGSVFPQQTGQLAELQPQDRAGARASWMPMFQRRRRRDTHFPI
CIFCCGCCCHRSKCGMCCKT

Important features:

Signal peptide:

amino acids 1-24

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 58-59

N-myristoylation site.

amino acids 44-50

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 1-12

FIGURE 45

GTGGCTTCATTTCAGTGGCTGACTTCCAGAGAGCAATATGGCTGGTTCCCCAACATGCCTCACCC
 TCATCTATATCCTTTGGCAGCTCACAGGGTCAGCAGCCTCTGGACCCGTGAAAGAGCTGGTCGGT
 TCCGTTGGTGGGGCCGTGACTTTCCCCCTGAAGTCCAAAGTAAAGCAAGTTGACTCTATTGTCTG
 GACCTTCAACACAACCCCTCTTGTCACCATAACAGCCAGAAGGGGGCACTATCATAGTGACCCAAA
 ATCGTAATAGGGAGAGAGTAGACTTCCCAGATGGAGGCTACTCCCTGAAGCTCAGCAAAGTGAAG
 AAGAATGACTCAGGGATCTACTATGTGGGGATATACAGCTCATCACTCCAGCAGCCCTCCACCCA
 GGAGTACGTGCTGCATGTCTACGAGCACCTGTCAAAGCCTAAAGTCACCATGGGTCTGCAGAGCA
 ATAAGAATGGCACCTGTGTGACCAATCTGACATGCTGCATGGAACATGGGGAAGAGGATGTGATT
 TATACCTGGAAGGCCCTGGGGCAAGCAGCCAATGAGTCCCATAATGGGTCCATCCTCCCCATCTC
 CTGGAGATGGGGAGAAAGTGATATGACCTTCATCTGCGTTGCCAGGAACCCCTGTCAGCAGAACT
 TCTCAAGCCCCATCCTTGCCAGGAAGCTCTGTGAAGGTGCTGCTGATGACCCAGATTCCCTCCATG
 GTCCTCCTGTGTCTCCTGTTGGTGCCCCCTCCTGCTCAGTCTCTTTGTACTGGGGCTATTTCTTTG
 GTTTCTGAAGAGAGAGAGACAAGAAGAGTACATTGAAGAGAAGAAGAGAGTGGACATTTGTCTGGG
 AAACCTCTAACATATGCCCCCATTCTGGAGAGAACACAGAGTACGACACAATCCCTCACACTAAT
 AGAACAATCCTAAAGGAAGATCCAGCAAATACGGTTTACTCCACTGTGGAAATACCGAAAAAGAT
 GGAAAATCCCCACTCACTGCTCACGATGCCAGACACACCAAGGCTATTTGCCTATGAGAATGTTA
 TCTAGACAGCAGTGCACTCCCCCTAAGTCTCTGCTCA

FIGURE 46

MAGSPTCLTLIYLWQLTGSAASGPVKELVGSVGGAVTFPLKSKVKQVDSIVWTFNTTPLVTIQP
EGGTIIIVTQNRNRERVDFPDGGYSLKLSKLKKNDSGIYYVGIYSSSLQQPSTQEYVLHVYEHLSK
PKVTMGLQSNKNGTCVTNLTCCMEHGEEVDIYTWKALGQAANESHNGSILPISWRWGESDMTFIC
VARNPVSRNFSSPILARKLCEGAADDPDSSMVLLCLLLVPLLLSLFVLGLFLWFLKRERQEEYIE
EKKRVDICRETPNICPHSGENTYDTIPHTNRTILKEDPANTVYSTVEIPKKMENPHSLTMPDT
PRLFAYENVI

Important features:**Signal peptide:**

amino acids 1-22

Transmembrane domain:

amino acids 224-250

Leucine zipper pattern.

amino acids 229-251

N-glycosylation sites.

amino acids 98-102, 142-146, 148-152, 172-176, 176-180, 204-208,
291-295

FIGURE 47

GGCTCGAGCGTTTCTGAGCCAGGGGTGACCATGACCTGCTGCGAAGGATGGACATCCTGCAATGG
ATTCAGCCTGCTGGTTCTACTGCTGTTAGGAGTAGTTCTCAATGCGATACCTCTAATTGTCAGCT
TAGTTGAGGAAGACCAATTTTCTCAAAACCCCATCTCTTGCTTTGAGTGGTGGTCCCAGGAATT
ATAGGAGCAGGTCTGATGGCCATTCCAGCAACAACAATGTCCTTGACAGCAAGAAAAAGAGCGTG
CTGCAACAACAGAACTGGAATGTTTCTTTCATCATTTTTCAGTGTGATCACAGTCATTGGTGCTC
TGTATTGCATGCTGATATCCATCCAGGCTCTCTTAAAAGGTCTCTCATGTGTAATTCTCCAAGC
AACAGTAATGCCAATTGTGAATTTTCATTGAAAAACATCAGTGACATTCATCCAGAATCCTTCAA
CTTGCAGTGGTTTTTCAATGACTCTTGTGCACCTCCTACTGGTTTCAATAAACCCACCAGTAACG
ACACCATGGCGAGTGGCTGGAGAGCATCTAGTTTCCACTTCGATTCTGAAGAAAACAAACATAGG
CTTATCCACTTCTCAGTATTTTATAGTCTATTGCTTGTGGAATTCTGGAGGTCCTGTTGGGCT
CAGTCAGATAGTCATCGGTTTCCTTGGCTGTCTGTGTGGAGTCTCTAAGCGAAGAAGTCAAATTG
TGTAGTTTAAATGGGAATAAAATGTAAGTATCAGTAGTTTGAAAAAAAAA

FIGURE 48

MTCCEGWTSCNGFSLVLLLLGVVLNAIPLIVSLVEEDQFSQNPISCFEWWFPGIIGAGLMAIPA
 TTMSLTARKRACCNNRTGMFLSSFFSVITVIGALYCLISIQALLKGPLMCNSPSNSNANCEFSL
 KNISDIHPESFNLQWFFNDSCAPPTGFNKPTSNDTMASGWRASSFHFDEENKHRLIHFSVFLGL
 LLVGILEVLFGLSQIVIGFLGCLCGVSKRRSQIV

Important features:

Transmembrane domains:

amino acids 10-31 (type II), 50-72, 87-110, 191-213

N-glycosylation sites.

amino acids 80-84, 132-136, 148-152, 163-167

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 223-227

N-myristoylation sites.

amino acids 22-28, 54-60, 83-89, 97-103, 216-222

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 207-218

TNFR/NGFR family cysteine-rich region protein.

amino acids 4-12

FIGURE 49

ATCCGTTCTCTGCGCTGCCAGCTCAGGTGAGCCCTCGCCAAGGTGACCTCGCAGGACACTGGTGA
AGGAGCAGTGAGGAACCTGCAGAGTCACACAGTTGCTGACCAATTGAGCTGTGAGCCTGGAGCAG
ATCCGTGGGCTGCAGACCCCCGCCCCAGTGCCTCTCCCCCTGCAGCCCTGCCCTCGAACTGTGA
CATGGGAGAGAGTGACCCTGGCCCTTCTCCTACTGGCAGGCCTGACTGCCTTGGAAGCCAATGACC
CATTTGCCAATAAAGACGATCCCTTCTACTATGACTGGAAAAACCTGCAGCTGAGCGGACTGATC
TGCGGAGGGCTCCTGGCCATTGCTGGGATCGCGGCAGTTCTGAGTGGCAAATGCAAATACAAGAG
CAGCCAGAAGCAGCACAGTCCTGTACCTGAGAAGGCCATCCCACTCATCACTCCAGGCTCTGCCA
CTACTTGCTTGAGCACAGGACTGGCCTCCAGGGATGGCCTGAAGCCTAACACTGGCCCCAGCACC
TCCTCCCCTGGGAGGCCTTATCCTCAAGGAAGGACTTCTCTCCAAGGGCAGGCTGTTAGGCCCTT
TTCTGATCAGGAGGCTTCTTTATGAATTAACTCGCCCCACCACCCCTCA

FIGURE 50

MERVTLALLLLAGLTALEANDPFANKDDPFYYDWKNLQLSGLICGGLLAIAGIAAVLSGKCKYKS
SQKQHSPVPEKAIPILITPGSATTC

Important features:

Signal peptide:

amino acids 1-16

Transmembrane domain:

amino acids 36-59

N-myristoylation sites.

amino acids 41-47, 45-51, 84-90

Extracellular proteins SCP/Tpx-1/Ag5/PR-1/Sc7.

amino acids 54-67

FIGURE 53

GGAGAAGAGGTTGTGTGGGACAAGCTGCTCCCGACAGAAGGATGTCGCTGCTGAGCCTGCCCTGG
 CTGGGCCTCAGACCGGTGGCAATGTCCCATGGCTACTCCTGCTGCTGGTTGTGGGCTCCTGGCT
 ACTCGCCCGCATCCTGGCTTGGACCTATGCCTTCTATAACAAC TGCCGCCGGCTCCAGTGTTTCC
 CACAGCCCCAAAACGGAAC TGGTTTTGGGGTCACCTGGGCCTGATCACTCCTACAGAGGAGGGC
 TTGAAGGACTCGACCCAGATGTCGGCCACCTATTCCCAGGGCTTTACGGTATGGCTGGGTCCCAT
 CATCCCCCTTCATCGTTTTATGCCACCCTGACACCATCCGGTCTATCACCAATGCCTCAGCTGCCA
 TTGCACCCAAGGATAATCTCTTCATCAGGTTCCCTGAAGCCCTGGCTGGGAGAAGGGATACTGCTG
 AGTGGCGGTGACAAGTGAGCCGCCACCGTCGGATGCTGACGCCCGCTTCCATTTCACATCCT
 GAAGTCCTATATAACGATCTTCAACAAGAGTGCAAACATCATGCTTGACAAGTGGCAGCACCTGG
 CCTCAGAGGGCAGCAGTCGTCTGGACATGTTTGAGCACATCAGCCTCATGACCTTGGACAGTCTA
 CAGAAATGCATCTTCAGCTTTGACAGCCATTGTGAGGAGAGGCCAGTGAATATATTGCCACCAT
 CTTGGAGCTCAGTGCCCTTGTAGAGAAAAGAAGCCAGCATATCCTCCAGCACATGGACTTTCTGT
 ATTACCTCTCCCATGACGGGCGGCGCTTCCACAGGGCCTGCCGCTGGTGATGACTTCACAGAC
 GCTGTCATCCGGGAGCGGCGTCGCACCCTCCCCACTCAGGGTATTGATGATTTTTTCAAAGACAA
 AGCCAAGTCCAAGACTTTGGATTTCATTGATGTGCTTCTGCTGAGCAAGGATGAAGATGGGAAGG
 CATTGTCAGATGAGGATATAAGAGCAGAGGCTGACACCTTCATGTTTGAGGCCATGACACCAGC
 GCCAGTGGCCTCTCCTGGGTCTGTACAACCTTGCGAGGCACCCAGAATACCAGGAGCGCTGCCG
 ACAGGAGGTGCAAGAGCTTCTGAAGGACCGCATCCTAAAGAGATTGAATGGGACGACCTGGCCC
 AGCTGCCCTTCTGACCATGTGCGTGAAGGAGAGCCTGAGGTTACATCCCCAGCTCCCTTCATC
 TCCCGATGCTGCACCCAGGACATTGTTCTCCAGATGGCCGAGTCATCCCCAAAGGCATTACCTG
 CCTCATCGATATTATAGGGGTCCATCACAACCCAAC TGTGTGGCCGGATCCTGAGGTCTACGACC
 CCTTCCGCTTTGACCCAGAGAACAGCAAGGGGAGGTCACCTCTGGCTTTTATTCCTTTCTCCGCA
 GGGCCCAGGAACTGCATCGGGCAGGCGTTTCGCCATGGCGGAGATGAAAGTGGTCTGGCGTTGAT
 GCTGCTGCACTTCCGGTTCCTGCCAGACCACACTGAGCCCCGCAGGAAGCTGGAATTGATCATGC
 GCGCCGAGGGCGGGCTTTGGCTGCGGGTGGAGCCCTGAATGTAGGCTTGCAGCTTTCTGAC
 CCATCCACCTGTTTTTTTGAGATTGTCATGAATAAAACGGTGCTGTCAA

FIGURE 54

MSLLSLPWLGLRPVAMSPWLLLLLVGSWLLARILAWTYAFYNNCRRLQCFPPKRNWFWGHLG
 LITPTEEGLKDSTQMSATYSQGFTVWLGPPIIPFIVLCHPDTIRSITNASAAIAPKDNLFIRFLKP
 WLGEILLSGGDKWSRHRMLTPAFHFNILKSYITIFNKSANIMLDKWQHLASEGSSRLDMFEHI
 SLMTLDSLQKCFISFDSHCQERPSEYIATILELSALVEKRSQHILQHMDFLYYLSHDGRRFHRAC
 RLVHDFTDVIRERRRTLPTQGIDDFKDKAKSKTLDLFDVLLLSKDEDGKALSDEDIRAEADTF
 MFGGHDTTASGLSWVLYNLARHPEYQERCQEVQELLKDRDPKEIEWDDLAQLPFLTMCVKESLR
 LHPPAPFISRCCTQDIVLPDGRVIPKGITCLIDIIGVHHNPTVWPDPEVYDPFRFDPENSKGRSP
 LAFIPFSAGPRNCIGQAFAMAEMKVVLALMLLHFRFLPDHTEPRRKLELIMRAEGGLWLRVEPLN
 VGLQ

Important features:

Transmembrane domains:

amino acids 13-32 (type II), 77-102

Cytochrome P450 cysteine heme-iron ligand signature.

amino acids 461-471

N-glycosylation sites.

amino acids 112-116, 168-172

FIGURE 55

ATCGCATCAATTGGGAGTACCATCTTCCTCATGGGACCAGTGAAACAGCTGAAGCGAATGTTTGA
 GCCTACTCGTTTGATTGCAACTATCATGGTGCTGTTGTGTTTTGCACTTACCCTGTGTTCTGCCT
 TTTGGTGGCATAACAAGGGACTTGCACTTATCTTCTGCATTTTGCAGTCTTTGGCATTGACGTGG
 TACAGCCTTTCCTTCATACCATTGCAAGGGATGCTGTGAAGAAGTGTGTTGCCGTGTGTCTTGC
ATAATTCATGGCCAGTTTTATGAAGCTTTGGAAGGCACTATGGACAGAAGCTGGTGGACAGTTTT
 GTAACTATCTTCGAAACCTCTGTCTTACAGACATGTGCCTTTTATCTTGCAGCAATGTGTTGCTT
 GTGATTCGAACATTTGAGGGTTACTTTTGAAGCAACAATACATTCTCGAACCTGAATGTCAGTA
 GCACAGGATGAGAAGTGGGTTCTGTATCTTGTGGAGTGGAAATCTTCCTCATGTACCTGTTTCCTC
 TCTGGATGTTGTCCCACTGAATCCCATGAATACAAACCTATTAGCAACAGCAAAAAAAAAAAAA
 AA

FIGURE 56

MGPVKQLKRMFEPTRLIATIMVLLCFALTLCSAFWWHNKGLALIFCILQSLALTWYSLSFIPFAR
DAVKKCFAVCLA

Important features:

Signal peptide:

amino acids 1-33

Type II fibronectin collagen-binding domain protein.

amino acids 30-72

FIGURE 57

CGGCTCGAGCTCGAGCCGAATCGGCTCGAGGGGCGAGTGGAGCACCCAGCAGGCCGCCAAT**ATG**CTCTGTCTGTGCCTG
TACGTGCGGGTCA**T**CGGGGAAGCCAGACCGAGTTCAGTACTTTAGT**C**GAGGGGCTCCCTGCCGAGCTGAAGTCC
ATTTTCAAGCTCAGTGTCTT**C**ATCCCTCCAGGAATTTCCACCTACCGCCAGTGGAGCAGAAAATTTACAAAGCT
GGAGATAAGGACCTTGATGGGCAGCTAGACTTTGAAGAATTTGCCATTATCTCCAAGATCATGAGAAGAAGCTGAGG
CTGGTGT**T**AAAGATTTGGACAAAAA**G**AATGATGGACGCAT**T**GACGCGCAGGAGATCATGCAGTCCCTGCGGGACTTG
GGAGTCAAGATATCTGAACAGCAGGCAGAAAAATTTCTAAGAGCATGGATAAAAAACGGCAGATGACCATCGACTGG
AACGAGTGGAGAGACTACCACCTCCTCCACCCCGTGGAAAACATCCCGAGATCATCTCTACTGGAAAGCATTCACG
ATCTTTGATGTGGGTGAGAATCTA**AC**GGTCCCGGATGAGTT**C**ACAGTGGAGGAGAGGCAGACGGGGATGTGGTGGAGA
CACCTGGTGGCAGGAGGTGGGGCAGGGCCGTATCCAGAACCTGCACGGCCCCCTGGACAGGCTCAAGGTGCTCATG
CAGGTCCATGCCCTCCCGCAGCAACAACATGGGCATCGTTGGTGGCTTCACTCAGATGATTCGAGAAGGAGGGGCCAGG
TCAC**T**CTGGCGGGCAATGGCATCAACGTCTCAAAATGGCCCCGAATCAGCCATCAAATTCATGGCCTATGAGCAG
ATCAAGCGCTTGTGGTAGTGACCGAGACTCTGAGGATTACAGAGAGGCTTGTGGCAGGGTCTTGGCAGGGGCC
ATCGCCAGAGCAGCATCTACCAATGGAGGTCTGAAGACCCGGATGGCGCTGCGGAAGACAGGGCCAGTACTCAGGA
ATGCTGGACTGCGCCAGGAGGATCTGGCCAGAGAGGGGTGGCCGCCTTACAAAGGCTATGTCCCAACATGCTG
GGCATCATCCCTATGCCGGCATCGACCTTGCA**GT**CTACGAGACGCTCAAGAATGCCTGGCTGCAGCACTATGCAGTG
AACAGCGGGACCCCGCGTGTTGTGCTCCTGGCCTGTGGCACCATGTCCAGTACCTGTGGCCAGCTGGCCAGCTAC
CCCCTGGCCCTAGTCAGGACCCGGATGCAGGCGCAAGCCTCTATTGAGGGCGCTCCGGAGGTGACCATGAGCAGCCTC
TTCAAACATATCTGCGGACCGAGGGGGCTTCGGGCTGTACAGGGGGCTGGCCCCAACTTCATGAAGGT**C**ATCCCA
GCTGTGAGCATCAGCTACGTGGTCTACGAGAACCTGAAGATCACCTGGGCGTGCA**GT**CGCGG**TGA**CGGGGGGAGGGC
CGCCCGGCGAGTGGACTCGCTGATCCTGGGCCGACGCTGGGGTGTGCAGCCATCTCATTCTGTGAATGTGCCAACACT
AAGCTGTCTCGAGCCAAGCTGTGAAAACCTAGACGCACCCGAGGGAGGGTGGGGAGAGCTGGCAGGCCAGGGGCTT
GTCCTGCTGACCCAGCAGACCTCCTGTTGGTTCCAGCGAAGACCACAGGCATTCCTTAGGGTCCAGGGTCAGCAGG
CTCCGGGCTCACATGTGTAAGGACAGGACATTTCTGCA**GT**GCCTGCCAATAGTGAGCTTGAGCCTGGAGCCCTGGAGCCCGCT
TAGTCTTCCATTTACCCCTTGCA**GT**GCAGCAGCTGTGGCCACGGCCCTGCCCTCTGGTCTGCCGTGCATCTCCCTGTGC
CCTCTGTCTGCCCTGCTGTCTGTGAGGTAAAGTGGGAGGAGGGCTACAGCCACATCCACCCCTCGTCCAATCCC
ATAATCCATGATGAAAGGTGAGGTCA**GT**GGCTCCAGGCCCTGACTTCCAACCTACAGCATTGACGCCAACTTGGC
TGTGAAGGAAGAGGAAGGATCTGGCCCTGTGGTCACTGGCATCTGAGCCCTGCTGATGGCTGGGGCTCTCGGGCATG
CTTGGGAGTGCAGGGGGCTCGGGCTGCCTGGCCTGGCTGCACAGAAGGCAAGTGTGGGGCTCATGGTGTCTGAGCT
GGCCTGGACCTGTCAAGATGGGCCCCACCTCAGAACCAAACTCACTGTCCCACTGTGGCATGAGGGCAGTGGAGCA
CCATGTTTGAGGGCGAAGGGCAGAGCGTTGTGTGTTCTGGGGAGGGAAGGAAAGGTGTTGGAGGCCTTAATATATGG
ACTGTTGGGAAAGGGTTTGTCCAGAAGGACAAGCCGGACAAATGAGCGACTTCTGTGCTTCCAGAGGAAGACGAGG
GAGCAGGAGCTTGGCTGACTGCTCAGAGTCTGTCTGACGCCCTGGGGGTTCTGTCCAACCCAGCAGGGGGCGCAGC
GGGACCAGCCCCACATTCCACTTGTGTCACTGCTTGGAACTATTATTTTGTATTTATTTGAACAGAGTTATGTCTT
AACTATTTTATAGATTTGTTTAATTAATAGCTTGTCAATTTCAAGTTCATTTTATTATCATATTTATGTT**C**ATGGT
GATTGTACCTTCCCAAGCCCGCCAGTGGGATGGGAGGAGGAGGAGAAGGGGGCTTGGCCGCTGCAGTCA**C**ATCT
GTCCAGAGAAATTCCTTTGGGACTGGAGGCAGAAAAGCGGCCAGAAGGCAGCAGCCCTGGCTCCTTTCTTTGGCAG
GTTGGGGAAGGGCTTGGCCCAAGCCTTAGGATTTCAAGGTTT**G**ACTGGGGCGTGGAGAGAGAGGGAGGAACCTCAAT
AACCTTGAAGGTGGAATCCAGTTATTTCTGCGCTGCGAGGGTTCTTTATTTCACTCTTTCTGAATGTCAAGGCAG
TGAGGTGCCCTCACTGTGAATTTGTGGTGGCGGGGGCTGGAGGAGAGGGTGGGGGCTGGCTCCGCTCCCTCCAGC
CTTCTGCTGCCCTTGTCTAACAAATGCCGGCCAACTGGCGACCTCACGGTTGCAGTTCATTCACACAGAAATGACCTGA
TGAGGAAATCTTCAATAGGATGCAAGATCAATGCAAAAATTTGTATATATGAACATATAACTGGAGTCTGCAAAAAG
CAAAATTAAGAAAGAAATGGACGTTAGAAAGTTGTCAATTAAGCAGCCTCTAATAAAGTTGTTTCAAAGCTGAAAAA
AA

FIGURE 58

MLCLCLYVPVIGEAQTEFQYFESKGLPAELKSIKLSVFIQSQEFSTYRQWKQIVQAGDKDLG
 QLDFEFVHYLQDHEKKRLRVFKILDKKNDGRIDAQEIMQSLRDLGVKISEQQAEKILKSMKNG
 TMTIDWNEWDRDYHLLHPVENIPEIILYWKHSTIFDVGENLTVPDEFTVEERQTGMWWRHLVAGGG
 AGAVSRTCTAPLDRLKVLQVHASRSNNMGIVGGFTQMIREGGARSLWRGNGINVLKIAPESAIK
 FMAYEQIKRLVGSDQETLRIHERLVAGSLAGAIQSSIYPMEVLKTRMALRKTGQYSGMLDCARR
 ILAREGVAAFYKGYVPNMLGIIPYAGIDLAVYETLKNAWLQHYAVNSADPGVFVLLACGTMSSTC
 GQLASYPLALVRTRMQAASIEGAPEVTMSSLFKHILRTEGAFGLYRGLAPNFMKVIPAVSISYV
 VYENLKITLGVQSR

Important features:

Signal peptide:

amino acids 1-16

Putative transmembrane domains:

amino acids 284-304, 339-360, 376-394

Mitochondrial energy transfer proteins signature.

amino acids 206-215, 300-309

N-glycosylation sites.

amino acids 129-133, 169-173

Elongation Factor-hand calcium-binding protein.

amino acids 54-73, 85-104, 121-140

FIGURE 59

GGAAGGCAGCGGCAGCTCCACTCAGCCAGTACCCAGATACGCTGGGAACCTTCCCCAGCCATGGC
TTCCCTGGGGCAGATCCTCTTCTGGAGCATAATTAGCATCATCATTATTCTGGCTGGAGCAATTG
CACTCATCATTGGCTTTGGTATTTTCAGGGAGACACTCCATCACAGTCACTACTGTTCGCCTCAGCT
GGGAACATTGGGGAGGATGGAATCCTGAGCTGCACTTTTGAACCTGACATCAAACCTTTCTGATAT
CGTGATACAATGGCTGAAGGAAGGTGTTTTAGGCTTGGTCCATGAGTTCAAAGAAGGCAAAGATG
AGCTGTTCGGAGCAGGATGAAATGTTTCAGAGGCCGGACAGCAGTGTTCGTGATCAAGTGATAGTT
GGCAATGCCTCTTTGCGGCTGAAAAACGTGCAACTCACAGATGCTGGCACCTACAAATGTTATAT
CATCACTTCTAAAGCAAGGGGAATGCTAACCTTGAGTATAAACTGGAGCCTTCAGCATGCCGG
AAGTGAATGTGGACTATAATGCCAGCTCAGAGACCTTGCCTGTGAGGCTCCCCGATGGTTCCCC
CAGCCCACAGTGGTCTGGGCATCCCAAGTTGACCAGGGAGCCAACCTTCTCGGAAGTCTCCAATAC
CAGCTTTGAGCTGAACCTCTGAGAATGTGACCATGAAGGTTGTGTCTGTGCTCTACAATGTTACGA
TCAACAACACATACTCCTGTATGATTGAAAATGACATTGCCAAAGCAACAGGGGATATCAAAGTG
ACAGAATCGGAGATCAAAGGCGGAGTCACCTACAGCTGCTAAACTCAAAGGCTTCTCTGTGTGT
CTCTTCTTTCTTTGCCATCAGCTGGGCACCTTCTGCCTCTCAGCCCTTACCTGATGCTAAAATAAT
GTGCCTTGGCCACAAAAAGCATGCAAAGTCAATTGTTACAACAGGGATCTACAGAACTATTTTAC
CACCAGATATGACCTAGTTTTATATTTCTGGGAGGAAATGAATTCATATCTAGAAGTCTGGAGTG
AGCAAACAAGAGCAAGAAACAAAAAGAAGCCAAAGCAGAAGGCTCCAATATGAACAAGATAAAT
CTATCTTCAAAGACATATTAGAAGTTGGGAAAATAATTCATGTGAACCTAGACAAGTGTGTTAAGA
GTGATAAGTAAATGCACGTGGAGACAAGTGCATCCCCAGATCTCAGGGACCTCCCCCTGCCTGT
CACCTGGGGAGTGAGAGGACAGGATAGTGCATGTTCTTTGTCTCTGAATTTTATGTTATATGTGC
TGTAATGTTGCTCTGAGGAAGCCCTTGAAAGTCTATCCCAACATATCCACATCTTATATTTCCAC
AAATTAAGCTGTAGTATGTACCCTAAGACGCTGCTAATTGACTGCCACTTCGCAACTCAGGGGCG
GCTGCATTTTAGTAATGGGTCAAATGATTCACTTTTATGATGCTTCCAAAGGTGCCTTGGCTTC
TCTTCCCAACTGACAAATGCCAAAGTTGAGAAAAATGATCATAATTTTAGCATAAACAGAGCAGT
CGGGGACACCGATTTTATAAATAAACTGAGCACCTTCTTTTAAACAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 6o

MASLGQILFWSIISIIILAGAIALIIGFGISGRHSITVTTVASAGNIGEDGILSCTFEPDIKLS
DIVIQWLKEGVLGLVHEFKEGKDELSEQDEMFRGRTAVFADQVIVGNASRLKKNVQLTDAGTYKC
YIITSKGKGNANLEYKTGAFSMPEVNVNDYNASSETLRCEAPRWFPQPTVVWASQVDQGANFSEVS
NTSFELNSENVTMKVSVLYNVTINNTYSCMIENDIAKATGDIKVTSEIKRRSHLQLLNSKASL
CVSSFFAISWALLPLSPYMLLK

Important features:

Signal peptide:

amino acids 1-28

Transmembrane domain:

amino acids 258-281

N-glycosylation sites.

amino acids 112-116, 160-164, 190-194, 196-200, 205-209, 216-220,
220-224

N-myristoylation sites.

amino acids 52-58, 126-132, 188-194

FIGURE 61

TGACGTCAGAATCACCATGGCCAGCTATCCTTACCGGCAGGGCTGCCCAGGAGCTGCAGGACAAG
 CACCAGGAGCCCCTCCGGGTAGCTACTACCCTGGACCCCCCAATAGTGGAGGGCAGTATGGTAGT
 GGGCTACCCCTGGTGGTGGTTATGGGGGTCTGCCCTGGAGGGCCTTATGGACCACCAGCTGG
 TGGAGGGCCCTATGGACACCCCAATCCTGGGATGTTCCCTCTGGAACCTCAGGAGGACCATATG
 GCGGTGCAGCTCCCGGGGGCCCCCTATGGTCAGCCACC'TCCAAGTTCCTACGGTGCCAGCAGCCT
 GGGCTTTATGGACAGGGTGGCGCCCCCTCCCAATGTGGATCCTGAGGCCTACTCCTGGTTCAGTC
 GGTGGACTCAGATCACAGTGGCTATATCTCCATGAAGGAGCTAAAGCAGGCCCTGGTCAACTGCA
 ATTGGTCTTCATTCAATGATGAGACCTGCCTCATGATGATAAACATGTTTGACAAGACCAAGTCA
 GGCCGCATCGATGTCTACGGCTTCTCAGCCCTGTGGAAATTCATCCAGCAGTGGAAGAACCTCTT
 CCAGCAGTATGACCGGGACCGCTCGGGCTCCATTAGCTACACAGAGCTGCAGCAAGCTCTGTCCC
 AAATGGGCTACAACCTGAGCCCCAGTTCACCCAGCTTCTGGTCTCCCGCTACTGCCACGCTCT
 GCCAATCCTGCCATGCAGCTTGACCGCTTCATCCAGGTGTGCACCCAGCTGCAGGTGTGACAGA
 GGCCTTCCGGGAGAAGGACACAGCTGTACAAGGCAACATCCGGCTCAGCTTCGAGGACTTCGTCA
 CCATGACAGCTTCTCGGATGCTATTGACCCAACCATCTGTGGAGAGTGGAGTGACCAGGGACCTT
 TCCTGGCTTCTTAGAGTGAGAGAAGTATGTGGACATCTCTTCTTTTCTGTCCCTCTAGAAGAAC
 ATTCTCCCTTGCTTGATGCAACACTGTTCCAAAAGAGGGTGGAGAGTCTGCATCATAGCCACCA
 AATAGTGAGGACCGGGCTGAGGCCACACAGATAGGGGCTGATGGAGGAGAGGATAGAAGTTGA
 ATGTCTGATGGCCATGAGCAGTTGAGTGGCACAGCCTGGCACCAGGAGCAGGTCTTGTAAATGG
 AGTTAGTGTCCAGTCAGCTGAGCTCCACCCTGATGCCAGTGGTGAAGTGTTCATCGGCCTGTTACC
 GTTAGTACCTGTGTTCCCTCACCAGGCCATCCTGTCAAACGAGCCCATTTTCTCCAAAGTGAAT
 CTGACCAAGCATGAGAGAGATCTGTCTATGGGACCAGTGGCTTGGATTCTGCCACACCCATAAAT
 CCTTGTGTGTTAACTTCTAGCTGCCTGGGGCTGGCCCTGCTCAGACAAATCTGCTCCCTGGGCAT
 CTTTGGCCAGGCTTCTGCCCCCTGCAGCTGGGACCCCTCACTTGCTGCCATGCTCTGCTCGGCT
 TCAGTCTCCAGGAGACAGTGGTCACCTCTCCCTGCCAATACTTTTTTTAATTGCAATTTTTTTC
 ATTTGGGGCCAAAAGTCCAGTGAAATTGTAAGCTTCAATAAAAGGATGAAACTCTGA

FIGURE 62

MASYPYRQGCPGAAGQAPGAPPGSYYPGPPNSGGQYGSGLPPGGGYGGPAPGGPYGPPAGGGPYG
 HPNPGMFPSGTPGGPYGGAAPGGPYGQPPSSYGAQQPGLYGQGGAPPNVDPEAYSWFQSVDS DH
 SGYISMKELKQALVNCNWSSFNDETCLMMINMFDKTKSGRIDVYGFSALWKFIQQWKNLFQQYDR
 DRSGSISYTELQQALSQMGYNLSPQFTQLLVSRYCPRSANPAMQLDRFIQVCTQLQVLTEAFREK
 DTAVQGNIRLSFEDFVTMTASRL

Important features of the protein:

Signal peptide:

amino acids 1-19

N-glycosylation site.

amino acids 147-150

Casein kinase II phosphorylation sites.

amino acids 135-138, 150-153, 202-205, 271-274

N-myristoylation sites.

amino acids 9-14, 15-20, 19-24, 33-38, 34-39, 39-44, 43-48, 61-
 66, 70-75, 78-83, 83-88, 87-92, 110-115

FIGURE 63

CAGGATGCAGGGCCGCGTGGCAGGGAGCTGCGCTCCTCTGGGCCTGCTCCTGGTCTGTCTTCATC
TCCCAGGCCTCTTTGCCCCGAGCATCGGTGTTGTGGAGGAGAAAGTTTCCCAAACTTCGGGACC
AACTTGCCCTCAGCTCGGACAACCTTCCTCCACTGGCCCCCTCTAACTCTGAACATCCGCAGCCCCG
TCTGGACCTAGGTCTAATGACTTGGCAAGGGTTCCTCTGAAGCTCAGCGTGCCTCCATCAGATG
GCTTCCACCTGCAGGAGGTTCTGCAGTGCAGAGGTGGCCTCCATCGTGGGGGCTGCCTGCCATG
GATTCTGGCCCCCTGAGGATCCTTGGCAGATGATGGCTGCTGCGGCTGAGGACCGCTGGGGGA
AGCGCTGCCTGAAGAACTCTCTTACCTCTCCAGTGCTGCGGCCCTCGCTCCGGGCAGTGGCCCTT
TGCTTGGGGAGTCTTCTCCCGATGCCACAGGCCTCTCACCTGAGGCTTCACTCCTCCACCAGGAC
TCGGAGTCCAGACGACTGCCCCGTTCTAATTCACTGGGAGCCGGGGGAAAAATCCTTTCCCAACG
CCCTCCCTGGTCTCTCATCCACAGGGTCTGCCTGATCACCCCTGGGGTACCCTGAATCCCACTG
TGTCTTGGGGAGGTGGAGGCCCTGGGACTGGTTGGGGAACGAGGCCCATGCCACACCCTGAGGGA
ATCTGGGGTATCAATAATCAACCCCAGGTACCAGCTGGGGAAATATTAATCGGTATCCAGGAGG
CAGCTGGGGAAATATTAATCGGTATCCAGGAGGCAGCTGGGGGAATATTAATCGGTATCCAGGAG
GCAGCTGGGGGAATATTCATCTATACCCAGGTATCAATAACCCATTTCTCCTGGAGTTCTCCGC
CCTCCTGGCTCTTCTTGAACATCCAGCTGGCTTCCCTAATCCTCCAAGCCCTAGGTTGCAGTG
GGGC**TAG**AGCACGATAGAGGGAAACCCAACATTGGGAGTTAGAGTCCCTGCTCCCGCCCCTTGCTG
TGTGGGCTCAATCCAGGCCCTGTTAACATGTTTCCAGCACTATCCCCACTTTTCAGTGCCTCCCC
TGCTCATCTCCAATAAAATAAAAGCACTTATGAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAA

FIGURE 64

MQGRVAGSCAPLGLLLVLHLPGLFARSIGVVEEKVSQNFGTNL PQLGQPSSTGSPNSEHPQPAL
DPRSNDLARVPLKLSVPPSDGFPPAGGS AVQRWPPSWGLPAMDSWPPEDPWQMMAAAEDRLGEA
LPEELSYLSSAAALAPGSGPLPGESSPDATGLSPEASLLHQDSESRRLPRSNSLGAGGKILSQRP
PWSLIHRVLPDHPWGT LNPSVSWGGGGPGTGWGTRPMPHPEGIWGINNQPPGT SWGNINRYPGGS
WGNINRYPGGSWGNINRYPGGSWGNIHLYPGINNPFPPGVLRPPGSSWNIPAGFPNPPSPRLQWG

Important features of the protein:**Signal peptide:**

amino acids 1-26

Casein kinase II phosphorylation sites.

amino acids 56-59, 155-158

N-myristoylation sites.

amino acids 48-53, 220-225, 221-226, 224-229, 247-252, 258-263,
259-264, 269-274, 270-275, 280-285, 281-286, 305-310

FIGURE 65

AAGGAGAGGCCACCGGGACTTCAGTGTCTCCTCCATCCCAGGAGCGCAGTGGCCACTATGGGGTC
TGGGCTGCCCCTTGTCTCCTCTTGACCCTCCTTGGCAGCTCACATGGAACAGGGCCGGGTATGA
CTTTGCAACTGAAGCTGAAGGAGTCTTTTCTGACAAATTCCTCCTATGAGTCCAGCTTCCTGGAA
TTGCTTGAAAAGCTCTGCCTCCTCCTCCATCTCCCTTCAGGGACCAGCGTCACCCCTCCACCATGC
AAGATCTCAACACCATGTTGTCTGCAACACATGACAGCCATTGAAGCCTGTGTCTTCTTGGCCC
GGGCTTTTGGGCCGGGGATGCAGGAGGCAGCCCCGACCCTGTCTTTCAGCAGGCCCCCACCTC
CTGAGTGGCAATAAATAAAATTCGGTATGCTG

FIGURE 66

MSGSLPLVLLLTLLGSSHGTGPGMTLQLKLKESFLTNSSESSFLELLEKLCILLHLPSGTSVTL
HHARSQHHVVCNT

Important features:

Signal peptide:

amino acids 1-19

N-glycosylation site.

amino acids 37-41

N-myristoylation sites.

amino acids 15-21, 19-25, 60-66

FIGURE 67

ACGGACCGAGGGTTCGAGGGAGGGACACGGACCAGGAACCTGAGCTAGGTCAAAGACGCCCGGGC
CAGGTGCCCCGTCGCAGGTGCCCCCTGGCCGGAGATGCGGTAGGAGGGGCGAGCGGAGAAGCCCC
TTCTCGGCGCTGCCAACCCGCCACCCAGCCCATGGCGAACCCCGGGCTGGGGCTGCTTCTGGCG
CTGGGCCCTGCCGTTCTTGCTGGCCCGCTGGGGCCGAGCCTGGGGGCAAATACAGACCACTTCTGC
AAATGAGAATAGCACTGTTTTGCCTTCATCCACCAGCTCCAGCTCCGATGGCAACCTGCGTCCGG
AAGCCATCACTGCTATCATCGTGGTCTTCTCCCTCTTGGCTGCCTTGCTCCTGGCTGTGGGGCTG
GCACTGTTGGTGCGGAAGCTTCGGGAGAAGCGGCAGACGGAGGGCACCTACCGGCCCAGTAGCGA
GGAGCAGTTCTCCCATGCAGCCGAGGCCCGGGCCCCCTCAGGACTCCAAGGAGACGGTGCAGGGCT
GCCTGCCCATCTAGGTCCTCTCCTGCATCTGTCTCCCTTCATTGCTGTGTGACCTTGGGGAAA
GGCAGTGCCCTCTCTGGGCAGTCAGATCCACCCAGTGCTTAATAGCAGGGAAGAAGGTACTTCAA
AGACTCTGCCCTGAGGTCAAGAGAGGATGGGGCTATTCAC'TTTATATATTTATATAAAATTAG
TAGTGAGATGTAAAAAAAAAAAAAAAAAAAA

FIGURE 68

MANPGLGLLLLALGLPFLLRWGRAWGQIQTTSANENSTVLPSSSTSSSSDGNLRPEAITAIIVFS
LLAALLLAVGLALLVRKLRKREKRQTEGTYRPSSEEQFSHAAEARAPQDSKETVQGCLPI

Important features:**Signal peptide:**

amino acids 1-19

Transmembrane domain:

amino acids 56-80

N-glycosylation site.

amino acids 36-40

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 86-90

Tyrosine kinase phosphorylation site.

amino acids 86-94

N-myristoylation sites.

amino acids 7-13, 26-32

FIGURE 69

GCCAGGAATAACTAGAGAGGAACAATGGGGTTATTTCAGAGGTTTTGTTTTCTCTTAGTTCTGTGCCTGCTGCACCAG
 TCAAATACTTCCTTCATTAAGCTGAATAATAATGGCTTTGAAGATATTGTCATTGTTATAGATCCTAGTGTGCCAGAA
 GATGAAAAAATAATTGAACAAATAGAGGATATGGTGACTACAGCTTCTACGTACCTGTTTGAAGCCACAGAAAAAGA
 TTTTTTTTCAAAATGTATCTATATTAATTCCTGAGAATTGGAAGGAAATCCTCAGTACAAAAGGCCAAAACATGAA
 AACCATAAACATGCTGATGTTATAGTTGCACCACCTACACTCCCAGGTAGAGATGAACCATAACCAAGCAGTTCA
 GAATGTGGAGAGAAAGGCGAATACATTCACCTTCACCCCTGACCTTCTACTTGGAAAAACAAATGAATATGGACCA
 CCAGGCAAACTGTTTGTCCATGAGTGGGCTCACCTCCGGTGGGGAGTGTTCATGAGTACAATGAAGATCAGCCTTTC
 TACCGTGCTAAGTCAAAAAAATCGAAGCAACAGGTGTTCCGCAGGTATCTCTGGTAGAAATAGAGTTTATAAGTGT
 CAAGGAGGCAGCTGTCTTAGTAGAGCATGCAGAATTGATTCTACAACAAAACGTATGGAAAAAGATTGTCAATTCTTT
 CCTGATAAAGTACAAACAGAAAAAGCATCCATAATGTTATGCAAGTATTGATTCTGTTGTTGAATTTGTAAACGAA
 AAAACCCATAATCAAGAAGCTCCAAGCCTACAAAACATAAAGTGAATTTAGAAGTACATGGGAGGTGATTAGCAAT
 TCTGAGGATTTTAAAAACACCATACCCATGGTGACACACCTCCTCCACCTGTCTTCTCATTGCTGAAGATCAGTCAA
 AGAATTTGTGTCTTAGTTCTTGATAAGTCTGGAAGCATGGGGGGTAAGGACCGCCTAAATCGAATGAATCAAGCAGCA
 AAACATTTCTGCTGCGAGACTGTTGAAAATGGATCCTGGGTGGGGATGTTTCACTTTGATAGTACTGCCACTATTGTA
 AATAAGCTAATCCAAATAAAAGCAGTGATGAAGAAGACACTCATGGCAGGATTACCTACATATCCTCTGGGAGGA
 ACTTCCATCTGCTCTGGAATTAATATGCATTTCAAGTGATTGGAGAGCTACATTCCTCACTCGATGGATCCGAAGTA
 CTGCTGCTGACTGATGGGGAGGATAAAGTCTGCAAGTTCTTGATTGATGAAGTGAACAAAGTGGGGCCATTGTTCTAT
 TTTATTGCTTTGGGAAGAGCTGCTGATGAAGCAGTAATAGAGATGAGCAAGATAACAGGAGGAAGTCATTTTATGTT
 TCAGATGAAGCTCAGAACAATGGCCTCATTGATGCTTTTGGGGCTCTTACATCAGGAAATACTGATCTCTCCGAGAAG
 TCCCTTCAGCTCGAAAGTAAGGATTAACACTGAATAGTAATGCCTGGATGAACGACACTGTCATAATTGATAGTACA
 GTGGGAAAGGACACGTTCTTTCTCATCACATGGAACAGTCTGCCTCCAGTATTTCTCTCTGGGATCCAGTGGAAACA
 ATAATGGAAAATTTACAGTGGATGCAACTTCCAAAATGGCCTATCTCAGTATTCAGGAACTGCAAGGTGGGCACT
 TGGGCATACAATCTTCAAGCCAAAGCGAACCAGAAACATTAACTATTACAGTAACTTCTCGAGCAGCAAAATCTTCT
 GTGCCTCCAATCACAGTGAATGCTAAAATGAATAAGGACGTAACAGTTCCTCCAGCCCAATGATTGTTTACGAGAA
 ATTCTACAAGGATATGTACCTGTTCTTGGAGCCAATGTGACTGCTTTCATTGAATCACAGAATGGACATACAGAAGTT
 TTGGAACTTTTGGATAATGGTGAGGCGCTGATTCTTTCAAGAATGATGGAGTCTACTCCAGGTATTTTACAGCATAT
 ACAGAAAATGGCAGATATAGCTTAAAGTTCTGGGCTCATGGAGGAGCAAAACACTGCCAGGCTAAAATACGGCTCCA
 CTGAATAGAGCCGCTACATACCAGGCTGGGTAGTGAACGGGGAAATTGAAGCAAAACCCGCCAAGACCTGAAATGAT
 GAGGATACTCAGACCACCTTGGAGGATTTAGCCGAACAGCATCCGGAGGTGCATTTGTGGTATCACAGTCCCAAGC
 CTTCCCTTGCCTGACCAATACCCACCAAGTCAAATCACAGACCTTGATGCCACAGTTCATGAGGATAAGATTATCTT
 ACATGGACAGCACCAGGAGATAATTTGATGTTGGAAAAGTTCAACGTTATATCATAAGAATAAGTGCAAGTATTCTT
 GATCTAAGAGACAGTTTGTGATGCTCTTCAAGTAAATACTACTGATCTGTCCACAAAGGAGGCCAATCCAAAGGAA
 AGCTTTGCATTTAAACCAGAAAAATATCTCAGAAGAAAATGCAACCCACATATTATTGCCATTTAAAGTATAGATAAA
 AGCAATTTGACATCAAAAGTATCCAACATTGCACAAGTAACTTTGTTATCCCTCAAGCAAAATCCTGATGACATTGAT
 CCTACACCTACTCCTACTCCTACTCCTACTCCTGATAAAAGTCATAATCTGGAGTTAATATTCTACGCTGGTATTG
 TCTGTGATTGGGTCTGTTGTAATTGTTAACTTTATTTTAAAGTACCACCATTTGAACCTTAACGAAGAAAAAATCTTC
 AAGTAGACCTAGAAGAGAGTTTTAAAAACAAAACAATGTAAGTAAAGGATATTCTGAATCTTAAATTCATCCCAT
 GTGTGATCATAAACTCATAAAAAATAATTTAAGATGTCGGAAGGATACTTTGATTAAATAAAAAACACTCATGGATA
 TGTAAAAACTGTCAAGATTAAAAATTAATAGTTTCATTTATTTGTTATTTTGTAAAGAAATAGTGATGAACAAAG
 ATCCTTTTCTACTGATACCTGGTTGATATTAATTTGATGCAACAGTTTTCTGAAATGATATTTCAAATTCATCAA
 GAAATTTAAATCATCTATCTGAGTAGTCAAAATACAAGTAAAGGAGAGCAAAATAAACACATTTGGAAAAA
 AA

FIGURE 70

MGLFRGFVFLVLCLLHQSNTSFIKLNNGFEDIVIVIDPSVPEDEKIEQIEDMVTASTYLE
 ATEKRFFFKNVSILIPENWKENPQYKRPKHENHKKHADVIVAPPTLPGRDEPYTKQFTECGEKGEY
 IHFTPDLLLGGKKQNEYGPPGKLFVHEWAHLRWGVFDEYNEDQPFYRAKSKKIEATRCISGRN
 RVYKCQGGSCLSRACRIDSTTKLYGKDCQFFPDQVQTEKASIMFMQSIDSVEFCNEKTHNQEAP
 SLQNIKCNFRSTWEVISNSEDFKNTIPMVTPPPPPVFSLKISQIRIVCLVLDKSGSMGGKDRLNR
 MNQAAKHFLLOTVENGSWVGMVHFDSTATIVNKLIQIKSSDERNTLMAGLPTYPLGGTSICSGIK
 YAFQVIGELHSQLDGSEVLLLLTDGEDNTASSCIDEVKQSGAIVHFIALGRAADEAVIEMSKITGG
 SHFYVSDEAQNNGLIDAFGALTSGNTDLSQKSLQLESKGLTLNSNAWMNDTVIIDSTVGKDTFFL
 ITWNSLPPSISLWDPSTIMENFTVDATSKMAYLSIPGTAKVGTWAYNLQAKANPETLTITVTSR
 AANSSVPPITVNAKMNDVNSFPSPMIVYAEILQGYVPVLGANVTAFIESQNGHTEVLELLDNGA
 GADSFKNMGVYSRYFTAYTENGRYSLKVRAGGANTARLKLRPPLNRAAYIPGWVVNGEIEANPP
 RPEIDEDTQTTLEDFSRASGGAFVVSQVPSLPLPDQYPPSQITDLDATVHEDKIIILTWTAPGDN
 FVDGKVQRYIIRISASILDLRDSFDDALQVNTDLSPEANSKESFAFKPENISEENATHIFIAI
 KSIDKSNLTSKVSNIQVTLFIPQANPDDIDPTPTPTPTPTPDKSHNSGVNISTLVLSVIGSVVI
 VNFILSTTI

Signal peptide:

amino acids 1-21

Putative transmembrane domains:

amino acids 284-300, 617-633

Leucine zipper pattern.

amino acids 469-491, 476-498

N-glycosylation site.

amino acids 20-24, 75-79, 340-344, 504-508, 542-546, 588-592,
 628-632, 811-815, 832-836, 837-841, 852-856, 896-900

FIGURE 71

CTCCTTAGGTGGAAACCCCTGGGAGTAGAGTACTGACAGCAAAGACCGGGAAGACCATACGTCCCCGGGCAGGGGTGA
CAACAGGTGTCATCTTTTGTATCTCGTGTGTGGCTGCCTTCCTATTCAAGGAAAGACGCCAAGGTAATTTTGACCCA
GAGGAGCAATGATGTAGCCACCTCCTAACCTTCCCTTCTTGAACCCCAAGTATGCCAGGATTACTAGAGAGTGTCA
ACTCAACCAGCAAGCGGCTCCTTCGGCTTAACCTGTGGTTGGAGGAGAAACCTTGTGGGGCTGCCCTTCTTAGCA
GTGCTCAGAAAGTACTTGCCTGAGGGTGGACCAGAAAGAAAGGATCCCTCTTGTGCTGGCTGCACATCAGGAA
GGCTGTGATGGGAATGAAGGTGAAAACCTGGAGATTCACTTCAGTCATTGCTTCTGCCTGCAAGATCATCCTTTAAA
AGTAGAGAAGCTGCTCTGTGTGGTGGTTAACTCCAAGAGGCAGAACTCGTTCTAGAAGGAAATGGATGCAAGCAGCTC
CGGGGGCCCCAAACGCATGCTTCTGTGGTCTAGCCAGGGAAGCCCTTCCGTGGGGGCCCGGCTTGTAGGGATGCC
ACCGGTTCTGGACGCATGGCTGATTCTGAATGATGATGTTCCCGGGGGCTGCTTGGCTGGATTTCGGGGTGGT
GTTTTGTGGTGTCTCTGTCTGTCTATCTGTCTGTACATGTTGGCTGACCCCAAGGAGTACGAGGAGCAG
CTGGCACTGCCAGGGCCAACAGCCCCACGGGAAGGAGGGTACCAGGCCCTCCTTCAGGAGTGGGAGGAGCAGCAC
CGCAACTACGTGAGCAGCCTGAAGCGGCAGATCGCACAGCTCAAGGAGGAGCTGCAGGAGAGGAGTGCAGCCTCAGG
AATGGGCAGTACCAAGCCAGCGATGCTGCTGGCTGGGTCTGGACAGGAGCCCCCAGAGAAACCCAGGCCGACCTC
CTGGCCTTCTGCCTCGCAGGTGGACAAGGCAGAGTGAATGCTGGCTCAAGCTGGCCACAGAGTATGCAGCAGTG
CCTTTTCGATAGCTTTACTCTACAGAAGGTGTACCAGCTGGAGACTGGCCTTACCCGCCACCCGAGGAGAAGCCTGTG
AGGAAGGACAAGCGGGATGAGTTGGTGGAGCCATTGAATCAGCCTTGGAGACCTTGAACAATCCTGCAGAGAACAGC
CCCAATCACCGTCTTACACGGCCTCTGATTTCATAGAAGGGATCTACCGAACAGAAAGGACAAAGGGACATTGTAT
GAGCTCACCTTCAAAGGGGACCAACACGAATCAAACGGCTCATCTATTTCGACCATTCAGCCCCATCATGAA
GTGAAAAATGAAAGCTCAACATGGCCAAACAGCTTATCAATGTTATCGTGCTCTAGCAAAAAGGGTGGACAAGTTC
CGGCAGTTCATGCAGAATTCAGGGAGATGTGCATTGAGCAGGATGGGAGAGTCCATCTCACTGTTGTTTACTTTGGG
AAAGAAGAAATAATGAAGTCAAAGGAATCTTGAAACACTTCCAAAGCTGCCAACTTCAGGAACCTTACCTTCATC
CAGCTGAATGGAGAAATTTCTCGGGGAAAGGACTTGATGTTGGAGCCCGCTTCTGGAAGGGAAGCAACCTCTCTC
TTTTTCTGTGATGTGGACATCTACTTCACATCTGAATTCCTCAATACGTGTAGGCTGAATACACAGCCAGGGAAG
GTATTTTATCCAGTCTCTTTCAGTCAGTACAATCCTGGCATAATATACGGCCACCATGATGCAGTCCCTCCCTTGGAA
CAGCAGCTGGTCATAAAGAGGAACTGGATTTTGGAGAGACTTTGGATTGGGATGACGTGTGATATCGGTACAG
TTCATCAATATAGGTGGGTTTGTCTGGACATCAAAGGCTGGGGCGGAGAGGATGTGCACCTTTATCGCAAGTATCTC
CACAGCAACCTCATAGTGGTACGGACGCCTGTGCGAGGACTTCCACCTCTGGCATGAGAAGCGCTGCATGGACGAG
CTGACCCCCGAGCAGTACAAGATGTGCATGCAGTCCAAGGCCATGAACGAGGCATCCACGGCCAGCTGGGCATGCTG
GTGTTACGGCACGAGATAGAGGCTCACCTTCGCAACAGAAACAGAAAGACAAGTACGAAAAAACATGAACCTCCAG
GAAGGATTGTGGGAGACACTTTTTCTTCTTTTGCATTTACTGAAAGTGGCTGCAACAGAGAAAGACTTCCATAAA
GGACGACAAAAGAAATGGACTGATGGGTGAGAGATGAGAAAGCCTCCGATTTCTCTGTGTTGGGCTTTTACAACAG
AATCAAAATCTCCGCTTTGCCTGCAAAAGTAACCCAGTGTGCACCCTGTGAAGTGTCTGACAAGGCAGAAATGCTGTG
AGATTATAAGCCTAATGGTGTGGAGGTTTGTGATGGTGTTTACAATACACTGAGACCTGTTGTTTGTGTGCTCATG
AATATTTCATGATTTAAGAGCAGTTTGTGAAAAAATTCATTAGCATGAAAGGCAAGCATATTCTCCTCATATGAATGA
GCCTATCAGCAGGGCTCTAGTTTCTAGGAATGCTAAAATATCAGAAAGGAGGAGGAGATAGGCTTATTATGATACT
AGTGAGTACATTAAGTAAAAATAAATGGACCAGAAAAAGAAAGAAACCATAAATATCGTGTATATTTCCTCAAGAT
TAACCAAAAATAATCTGCTTATCTTTTGGTGTGCTTTTAACTGTCTCCGTTTCTTTTATTTAAAAATGCACCT
TTTTTCCCTTGTGAGTTATAGTCTGCTTATTTAATTACCACTTTGCAAGCCTTACAAGAGAGCACAAGTTGGCCAT
ATTTTTATATTTTAAAGAGATACCTTGAGATGCATTTATGAGAACTTTCAGTTCAAAGCATCAAATGATGCCATAT
CCAAGGACATCCCAATGCTGATTCTGTGAGGCACTGAATGTCAGGCATTGAGACATAGGGAAGGAATGGTTGTACT
AATACAGACGTACAGATACTTCTCTGAAGAGTATTTTGAAGAGGAGCAACTGAACACTGGAGGAAAAAGAAATGAC
ACTTCTGCTTTACAGAAAAGGAACTCACTCAGACTGGTGTATCGTGTACCTAAAGTATACCGTGTGAACCAACAATCTCTTT
CTCCTCAGAAAGTAGGAGCCGCTTTCTACCTGTTTAAATAAAACCAAGTATACCGTGTGAACCAACAATCTCTTTT
AAAACAGGGTGTCTCTGCTTCTGGCTTCCATAAAGAAAGTGGAGAAAAATATATATATATATATATTGT
TAACTGAATTAATTTTAAATTAAGCAGTTCTACTCAATCACCAGATGCTTCTGAAATGCAATTTATACCATTT
CAAATATTTTAAAAATAAATACAGTTAACATAGAGTGGTTCTTCTCATGTGAAAAATATTAGCCAGCACCAG
ATGCATGAGCTAATATCTCTTTGAGTCTTCTGTTTGTCTCACAGTAAACTCATTTGTTAAAAAGCTTCAAGAAC
ATTCAGCTGTTGGTGTGTTAAAAATGCATTGTATTGATTGTACTGGTGTATGAAATTAATTAACACAGG
CCATGAATGGAAGGTGGTATTGCACAGCTAATAAATATGATTGTGGATATGAA

FIGURE 72

MMVRRGLLAWISRVVLLVLLCCAISVLYMLACTPKGDEEQLALPRANSPTGKEGYQAVLQEW
EQHRNYVSSLKRQIAQLKEELQERSEQLRNGQYQASDAAGLGLDRSPPEKTQADLLAFLHSQVDK
AEVNAGVKLATEYAAVPFDSFTLQKVYQLETGLTRHPEEKPVKDKRDELVEAIESALETLNNPA
ENSPNHRPYTASDFIEGIYRTERDKGTLYELTFKGDHKHEFKRLILFRPFSPIMKVKNEKLNMAN
TLINVIVPLAKRVDKFRQFMQNFREMCIEQDGRVHLTVVYFGKEEINEVKGILENTSKAANFRNF
TFIQLNGEFSRGKGLDVGARFWKGSNVLLFFCDVDIYFTSEFLNTCRLNTQPGKKVFYPVLFSQY
NPGIYGHHDVPPLEQQLVIKKETGFWRDFGFGMTCQYRSDFINIGGFDDIKGWGGEDVHLYR
KYLHSNLIVVRTPVRGLFHLWHEKRCMDELTPQYKMCMSKAMNEASHGQLGMLVFRHEIEAHL
RKQKQKTSSKKT

Important features:**Signal peptide:**

amino acids 1-27

N-glycosylation sites.

amino acids 315-319, 324-328

N-myristoylation sites.

amino acids 96-102, 136-142, 212-218, 311-317, 339-345, 393-399

Amidation site.

amino acids 377-381

FIGURE 74

MLFSALLLEVIWILAADGGQHWTYEGPHGQDHPASYPECGNNAQSPIDIQTDSVTFDPLPALQ
PHGYDQPGTEPLDLHNNNGHTVQLSLPSTLYLGGLPRKYVAAQLHLHWGQKGSPPGSEHQINSEAT
FAELHIVHYDSYDSLSEAAERPQGLAVLGILIEVGETKNIAYEHILSHLHEVRHKDQKTSVPP
FNLRELLPKQLGQYFRYNGSLTTPPCYQSVLWTVFYRRSQISMEQLEKLQGTLFSTEEEPSKLLV
QNYRALQPLNQRMVFASFIQAGSSYTTGEMLSLGVGILVGCCLLLAVYFIARKIRKRLNRKS
VVFTSAQATTEA

Important features of the protein:

Signal peptide:

amino acids 1-15

Transmembrane domain:

amino acids 291-310

N-glycosylation site.

amino acids 213-216

Eukaryotic-type carbonic anhydrases proteins

amino acids 197-245, 104-140, 22-69

FIGURE 75

TGCCGCTGCCGCCGCTGCTGCTGTTGCTCCTGGCGGCGCCTTGGGGACGGGCAGTTCCCTGTGTC
 TCTGGTGGTTTGCCTAAACCTGCAAACATCACCTTCTTATCCATCAACATGAAGAATGTCCTACA
 ATGGACTCCACCAGAGGGTCTTCAAGGAGTTAAAGTTACTTACACTGTGCAGTATTTTCATCACA
 ATTGGCCCACCAGAGGTGGCACTGACTACAGATGAGAAGTCCATTTCTGTTGCCTGACAGCTCC
 AGAGAAGTGGAAGAGAAATCCAGAAGACCTTCCTGTTTCCATGCAACAAATATACTCCAATCTGA
 AGTATAACGTGTCTGTGTTGAATACTAAATCAAACAGAACGTGGTCCCAGTGTGTGACCAACCAC
 ACGCTGGTGTCTACCTGGCTGGAGCCGAACACTCTTTACTGCGTACACGTGGAGTCCCTTCGTCCC
 AGGGCCCCCTCGCCGTGCTCAGCCTTCTGAGAAGCAGTGTGCCAGGACTTTGAAAGATCAATCAT
 CAGAGTTCAAGGCTAAAATCATCTTCTGGTATGTTTTGCCCATATCTATTACCGTGTTCCTTTT
 TCTGTGATGGGCTATTCCATCTACCGATATATCCACGTTGGCAAAGAGAAACCCAGCAAATTT
 GATTTTGATTTATGGAATGAATTTGACAAAAGATTCTTTGTGCCTGTGAAAAAATCGTGATTA
 ACTTTATCACCTCAATATCTCGGATGATTCTAAAATTTCTCATCAGGATATGAGTTTACTGGGA
 AAAAGCAGTGATGTATCCAGCCTTAATGATCCTCAGCCCAGCGGGAACCTGAGGCCCCCTCAGGA
 GGAAGAGGAGGTGAAACATTTAGGGTATGCTTCGCATTTGATGGAAATTTTTTGTGACTCTGAAG
 AAAACACGGAAGGTACTTCTCTCACCCAGCAAGAGTCCCTCAGCAGAACAATACCCCCGGATAAA
 ACAGTCATTGAATATGAATATGATGTCAGAACCACTGACATTTGTGCGGGGCTGAAGAGCAGGA
 GCTCAGTTTGAGGAGGAGGTGTCCACACAAGGAACATTATTGGAGTCGCAGGCAGCGTTGGCAG
 TCTTGGGCCCCGAAACGTTACAGTACTCATAACCCCTCAGCTCCAAGACTTAGACCCCCTGGCG
 CAGGAGCACACAGACTCGGAGGAGGGGCGGAGGAAGAGCCATCGACGACCCTGGTGCAGTGGGA
 TCCCCAACTGGCAGGCTGTGTATTCTTCGCTGTCCAGCTTCGACCAGGATTGAGAGGCTGCG
 AGCCTTCTGAGGGGATGGGCTCGGAGAGGAGGGTCTTCTATCTAGACTCTATGAGGAGCCGGCT
 CCAGACAGGCCACCAGGAGAAAATGAAACCTATCTCATGCAATTCATGGAGGAATGGGGTTATA
 TGTGCAGATGGAAAACTGATGCCAACACTTCCTTTTGCCTTTTGTTCCTGTGCAACAAGTGAG
 TCACCCCTTTGATCCCAGCCATAAAGTACCTGGGATGAAAGAAGTTTTTCCAGTTTGTCAAGTGT
 CTGTGAGAATTACTTATTTCTTTTCTATTCTCATAGCACGTGTGTGATTGGTTCATGCATGTA
 GGTCTCTTAACAATGATGGTGGGCTCTGGAGTCCAGGGGCTGGCCGGTTGTTCTATGCAGAGAA
 AGCAGTCAATAAATGTTTGCCAGACTGGGTGCAGAATTTATTCAAGTGGGTGT

FIGURE 76

MSYNGLHQRVFKELKLLTLCSSQIGPPEVALTTDEKSISVVLTAPEKWKRNPEDLPVSMQQIY
SNLKYNVSVLNTKSNRTWSQCVTNHTLVLTWLEPNTLYCVHVESFVPGPPRAQPSEKQCARTLK
DQSSEFKAKIIFWYVLPISITVFLFSVMGYIYRIHVGKEKHPANLILYGNFDRFFVPAEK
IVINFITLNISSDDSKISHQDMSLLGKSSDVSSLNDPQPSGNLRPPQEEEEVKHLGYASHLMEIFC
DSEENTEGTSLTQQESLSRTIPDKTVIEYEDVRTTDICAGPEEQELSLQEEVSTQGTLLESQA
ALAVLGPQTLQYSYTPQLQDLPLAQEHTDSEEGPEEEPSTTLVDWDPQTGRLCIPSLSSFDQDS
EGCEPSEGDGLGEEGLLSRLYEPPAPDRPPGENETYLMQFMEEWGLYVQMEN

Important features:**Signal peptide:**

amino acids 1-28

Transmembrane domain:

amino acids 140-163

N-glycosylation sites.

amino acids 71-74, 80-83, 89-92, 204-207, 423-426

FIGURE 77

GAGGAGCGGGCCGAGGACTCCAGCGTGCCAGGTCTGGCATCCTGCACTTGCTGCCCTCTGACAC
 CTGGGAAGATGGCCGGCCCGTGACCTTCACCCTTCTCTGTGGTTTGCTGGCAGCCACCTTGATC
 CAAGCCACCCTCAGTCCCAGTGCAGTTCTCATCCTCGGCCAAAAGTCATCAAAGAAAAGCTGAC
 ACAGGAGCTGAAGGACCACAACGCCACCAGCATCCTGCAGCAGCTGCCGCTGCTCAGTGCCATGC
 GGGAAAAGCCAGCCGGAGGCATCCCTGTGCTGGGCAGCCTGGTGAACACCGTCCTGAAGCACATC
 ATCTGGCTGAAGGTCATCACAGCTAACATCCTCCAGCTGCAGGTGAAGCCCTCGGCCAATGACCA
 GGAGCTGCTAGTCAAGATCCCCCTGGACATGGTGGCTGGATTCAACACGCCCTGGTCAAGACCA
 TCGTGGAGTTCCACATGACGACTGAGGCCAAAGCCACCATCCGCATGGACACCAGTGCAAGTGGC
 CCCACCCGCTGGTCTCAGTGACTGTGCCACCAGCCATGGGAGCCTGCGCATCCAAGTGTGTA
 TAAGCTCTCCTTCTGGTGAACGCCCTTAGCTAAGCAGGTCAAGAACCTCCTAGTGCCATCCCTGC
 CCAATCTAGTGAAAAACCAGCTGTGTCCCGTGATCGAGGCTTCCTTCAATGGCATGTATGCAGAC
 CTCCTGCAGCTGGTGAAGGTGCCCATTTCCTCAGCATTGACCGTCTGGAGTTTGACCTTCTGTA
 TCCTGCCATCAAGGGTGACACCATTAGCTCTACCTGGGGGCCAAGTTGTTGGACTCACAGGGAA
 AGGTGACCAAGTGGTTCAATAACTCTGCAGCTTCCTGACAATGCCACCCTGGACAACATCCCG
 TTCAGCCTCATCGTGAGTCAGGACGTGGTGAAAGCTGCAGTGGCTGCTGTGCTCTCTCCAGAAGA
 ATTCATGGTCCTGTTGGACTCTGTGCTTCCTGAGAGTGCCCATCGGCTGAAGTCAAGCATCGGGC
 TGATCAATGAAAAGGCTGCAGATAAGCTGGGATCTACCCAGATCGTGAAGATCCTAACTCAGGAC
 ACTCCCGAGTTTTTTATAGACCAAGGCCATGCCAAGGTGGCCCAACTGATCGTGCTGGAAGTGTT
 TCCCTCCAGTGAAGCCCTCCGCCCTTGTTCACCCTGGGCATCGAAGCCAGCTCGGAAGCTCAGT
 TTTACACCAAAGGTGACCAACTTATACTCAACTTGAATAACATCAGCTCTGATCGGATCCAGCTG
 ATGAACTCTGGGATTGGCTGGTTCCAACCTGATGTTCTGAAAAACATCATCACTGAGATCATCCA
 CTCCATCCTGCTGCCGAACCAGAATGGCAAATTAAGATCTGGGGTCCCAGTGTCAATTGGTGAAGG
 CCTTGGGATTGAGGAGCTGAGTCTCACTGACCAAGGATGCCCTTGTGCTTACTCCAGCCTCC
 TTGTGGAACCCAGCTCTCCTGTCTCCAGTGAAGACTTGATGGCAGCCATCAGGGAAGGCTGG
 GTCCAGCTGGGAGTATGGGTGTGAGCTCTATAGACCATCCCTCTCTGCAATCAATAAACACTTG
 CCTGTGAAAAA

FIGURE 78

MAGPWTFTLLCGLLAATLIQATLSPTAVLIIGPKVIEKLTQELKDHNATSILQQLPLLSAMREK
PAGGIPVLGSLVNTVLKHIIWLKVITANILQLQVKPSANDQELLVKIPLDMVAGFNTPLVKTIVE
FHMTTEAQATIRMDTSASGPTRLVLSDCATSHGSLRIQLLYKLSFLVNALAKQVMNLLVPSLPNL
VKNQLCPVIEASFNGMYADLLQLVKVPISLSIDRLEFDLLYPAIKGDITQLYLGAALLDSQGKVT
KWFNNSAASLTMPITLDNIPFSLIVSQDVVKAABAVALSPEEFMVLLDSVLPESAHLKSSIGLIN
EKAADKLGSTQIVKILTQDTPEFFIDQGHAKVAQLIVLEVFPSSSEALRPLFTLGIEASSEAQFYT
KGDQLILNLNNISSDRIQLMNSGIGWFQPDVLKNIITEIIHSILLPNQNGKLRSGVPVSLVKALG
FEAAESSLTkdalvltpaslwkpsspvsq

Important features of the protein:

Signal peptide:

amino acids 1-21

N-glycosylation sites.

amino acids 48-51, 264-267, 401-404

Glycosaminoglycan attachment site.

amino acids 412-415

LBP / BPI / CETP family proteins.

amino acids 407-457

FIGURE 79

GAGAGAAGTCAGCCTGGCAGAGAGACTCTGAAATGAGGGATTAGAGGTGTTCAAGGAGCAAGAGC
TTCAGCCTGAAGACAAGGGAGCAGTCCCTGAAGACGCTTCTACTGAGAGGTCTGCCATGGCCTCT
CTTGGCCTCCAACCTTGTTGGGCTACATCCTAGGCCTTCTGGGGCTTTTGGGCACACTGGTTGCCAT
GCTGCTCCCCAGCTGGAAAACAAGTTCTTATGTCGGTGCCAGCATTGTGACAGCAGTTGGCTTCT
CCAAGGGCCTCTGGATGGAATGTGCCACACACAGCACAGGCATCACCCAGTGTGACATCTATAGC
ACCCCTTCTGGGCCTGCCCGCTGACATCCAGGCTGCCAGGCCATGATGGTGACATCCAGTGCAAT
CTCCTCCCTGGCCTGCATTATCTCTGTGGTGGGCATGAGATGCACAGTCTTCTGCCAGGAATCCC
GAGCCAAAGACAGAGTGGCGGTAGCAGGTGGAGTCTTTTTCATCCTTGAGGGCCTCCTGGGATTC
ATTCTGTGCTGGAATCTTCATGGGATCCTACGGGACTTCTACTCACCAGTGGTGCCCTGACAG
CATGAAATTTGAGATTGGAGAGGCTCTTTACTTGGGCATTATTTCTTCCCTGTTCTCCCTGATAG
CTGGAATCATCCTCTGCTTTTCTGCTCATCCCAGAGAAATCGCTCCAACCTACTACGATGCCTAC
CAAGCCCAACCTCTTGCCACAAGGAGCTCTCCAAGGCCTGGTCAACCTCCCAAAGTCAAGAGTGA
GTTCAATTCCTACAGCCTGACAGGGTATGTGTGAAAGAACCAGGGGCCAGAGCTGGGGGGTGGCTG
GGTCTGTGAAAAACAGTGGACAGCACCCCGAGGGCCACAGGTGAGGGACACTACCACTGGATCGT
GTCAGAAGGTGCTGCTGAGGATAGACTGACTTTGGCCATTGGATTGAGCAAAGGCAGAAATGGGG
GCTAGTGTAACAGCATGCAGGTTGAATTGCCAAGGATGCTCGCCATGCCAGCCTTTCTGTTTTCC
TCACCTTGCTGCTCCCCTGCCCTAAGTCCCCAACCCCTCAACTTGAAACCCCATTCCTTAAGCCA
GGACTCAGAGGATCCCTTTGCCCTCTGGTTTACCTGGGACTCCATCCCCAAACCCACTAATCACA
TCCCACTGACTGACCTCTGTGATCAAAGACCCTCTCTCTGGCTGAGGTTGGCTCTTAGCTCATT
GCTGGGGATGGGAAGGAGAAGCAGTGGCTTTTGTGGGCATTGCTCTAACCTACTTCTCAAGCTTC
CCTCCAAAGAACTGATTGGCCCTGGAACCTCCATCCCACCTTGTATGACTCCACAGTGTCCA
GACTAATTTGTGCATGAACTGAAATAAAACCATCCTACGGTATCCAGGGAACAGAAAGCAGGATG
CAGGATGGGAGGACAGGAAGGCAGCCTGGGACATTTAAAAAATA

FIGURE 8o

MASLGLQLVGYYLGLLGLLGLTLVAMLLPSWKTSSYVGASIVTAVGFSKGLWMECATHSTGITQCD
IYSTLLGLPADIQAAQAMMVTSSAIISSLACIIISVVGMRCTVFCQESRAKDRVAVAGGVFFILGGL
LGFIPVAWNLHGILRDFYSPLVPDSMKFEIGEALYLGIISSLFSLIAGIILCFSCSSQNRNSYY
DAYQAQPLATRSSPRPGQPPKVKSEFNSSYSLTGYV

Important features of the protein:

Signal peptide:

amino acids 1-24

Transmembrane domains:

amino acids 82-102, 117-140, 163-182

N-glycosylation site.

amino acids 190-193

PMP-22 / EMP / MP20 family proteins.

amino acids 46-59

FIGURE 81

CCCACGCGTCCGCGCCTCTCCCTTCTGCTGGACCTTCCTTCGTCTCTCCATCTCTCCCTCCTTTC
 CCCGCGTTCTCTTTCCACCTTTCTCTTCTTCCCACCTTAGACCTCCCTTCCTGCCCTCCTTTTCCT
 GCCACCGCTGCTTCCTGGCCCTTCTCCGACCCCGCTCTAGCAGCAGACCTCCTGGGGTCTGTGG
 GTTGATCTGTGGCCCTGTGCCTCCGTGTCTTTTCGTCTCCCTTCCTCCCGACTCCGCTCCCGG
 ACCAGCGGCCTGACCCTGGGGAAGGAATGGTTCCTCGAGGTGAGGGTCTCTCCTCCTTGCTGGGA
 CTCGCGCTGCTCTGGTTCCCCCTGGACTCCCACGCTCGAGCCCGCCAGACATGTTCTGCCTTTT
 CCATGGGAAGAGATACTCCCCGGCGAGAGCTGGCACCCCTACTTGAGCCACAAGGCCTGATGT
 ACTGCCTGCGCTGTACCTGCTCAGAGGGCGCCCATGTGAGTTGTTACCGCCTCCACTGTCCGCTT
 GTCCACTGCCCCAGCCTGTGACGGAGCCACAGCAATGCTGTCCCAAGTGTGTGGAACCTCACAC
 TCCCTCTGGACTCCGGGCCCCACCAAAGTCTGCCAGCACAAACGGGACCATGTACCAACACGGAG
 AGATCTTCAGTGCCCATGAGCTGTTCCTTCCCGCTGCCCAACCAAGTGTGTCTCTGCAGCTGC
 ACAGAGGGCCAGATCTACTGCGGCCTCACAACCTGCCCCGAACCAAGGTGCCAGCACCCCTCCC
 ACTGCCAGACTCCTGCTGCCAAGCCTGCAAAGATGAGGCAAGTGAGCAATCGGATGAAGAGGACA
 GTGTGCAGTCGCTCCATGGGGTGAGACATCCTCAGGATCCATGTTCCAGTGATGCTGGGAGAAA
 AGAGGCCCCGGGACCCCCAGCCCCACTGGCCTCAGCGCCCTCTGAGCTTCATCCCTCGCCACTT
 CAGACCCAAGGGAGCAGGCAGCACAACTGTCAAGATCGTCTGAAGGAGAAACATAAGAAAGCCT
 GTGTGCATGGCGGGAAGACGTACTCCACGGGGAGGTGTGGCACCCGGCCTTCCGTGCCCTTCGGC
 CCCTTGCCCTGCATCCTATGCACCTGTGAGGATGGCCGCCAGGACTGCCAGCGTGTGACCTGTCC
 CACCGAGTACCCCTGCCGTACCCCGAGAAAGTGGCTGGGAAGTGCTGCAAGATTTGCCAGAGG
 ACAAAGCAGACCCTGGCCACAGTGAGATCAGTTCTACCAGGTGTCCCAAGGCACCGGGCCGGGTC
 CTCGTCCACACATCGGTATCCCCAAGCCCAGACAACTGCGTCGCTTTGCCCTGGAACACGAGGC
 CTCGGACTTGGTGGAGATCTACCTCTGGAAGCTGGTAAAAGATGAGGAACTGAGGCTCAGAGAG
 GTGAAGTACCTGGCCCAAGGCCACACAGCCAGAATCTTCCACTTGACTCAGATCAAGAAAGTCAG
 GAAGCAAGACTTCCAGAAAGAGGCACAGCACTTCCGACTGCTCGCTGGCCCCCACGAAGTCACT
 GGAACGTCTTCTAGCCCAGACCCTGGAGCTGAAGGTCACGGCCAGTCAGACAAAGTGACCAAG
 ACATAACAAAGACCTTAACAGTTGCAGATATGAGCTGTATAATTGTTGTTATTATATATTAATAAA
 TAAGAAGTTGCATTACCCTCAAAAAAAAAAAAAAAAAAAAAA

FIGURE 82

MVPEVRVLSSLLGLALLWFPLDSHARARPDMFCLFHGKRYSPGESWHPYLEPQGLMYCLRCTCSE
 GAHVSCYRLHCPPVHCPQPVTEPQQCCPKCVPHTPSGLRAPPKSCQHNGTMYQHGEIFSAHELF
 PSRLPNQCVLCSCTEGQIYCGLTTCPEPGCPAPLPLPDSCCQACKDEASEQSDEEDSVQSLHGVR
 HPQDPCSSDAGRKRGPPTAPTGLSAPLSFIPRHFRPKGAGSTTVKIVLKEKHKKACVHGGKTYS
 HGEVWHPAFRAFGPLPCILCTCEDGRQDCQRVTCPTIYPCRHPKAVAGKCKICPEDKADPGHSE
 ISSTRCPKAPGRVLVHTSVSPDNLRFALEHEASDLVEIYLWKLVKDEETEAQRGEVPGPRPH
 SQNLPLDSDQESQEARLPERGTALPTARWPPRRSLERLPSDPGAEGHGQSRQSDQDITKT

Signal peptide:

amino acids 1-25

FIGURE 83

GACAGCTGTGTCTCGATGGAGTAGACTCTCAGAACAGCGCAGTTTGGCCCTCCGCTCACGCAGAGCCTCTCC
 GTGGCTTCCGCACCTTGAGCATTAGGCCAGTTCTCTCTCTCTCTAATCCATCCGTCACCTCTCCTGTCA
 TCCGTTTCCATGCCGTGAGGTCCATTACAGAACACATCCATGGCTCTCATGCTCAGTTTGTTCTGAGTC
 TCCTCAAGCTGGGATCAGGGCAGTGGCAGGTGTTTGGGCCAGACAAGCCTGTCCAGGCCTTGGTGGGGGAG
 GACGCAGCATTCTCCTGTTTCTGTCTCCTAAGACCAATGCAGAGGCCATGGAAGTGCAGTTCTTCAGGGG
 CCAGTTCTCTAGCGTGGTCCACCTCTACAGGGACGGGAAGGACCAGCCATTTATGCAGATGCCACAGTATC
 AAGGCAGGACAAAACCTGGTGAAGGATTCTATTGCGGAGGGGCGCATCTCTCTGAGGCTGGAAAACATTACT
 GTGTTGGATGCTGGCTCTATGGGTGCAGGATTAGTTCAGTCTTACTACCAGAAGGCCATCTGGGAGCT
 ACAGGTGTGAGCACTGGGCTCAGTTCTCTCATTTCCATCACGGGATATGTTGATAGAGACATCCAGCTAC
 TCTGTCTAGTCTCGGGCTGGTTCCCCCGGCCACAGCGAAGTGGAAAGGTCCACAAGGACAGGATTGTGCC
 ACAGACTCCAGGACAAACAGAGACATGCATGGCCTGTTTGATGTGGAGATCTCTCTGACCGTCCAAGAGAA
 CGCCGGGAGCATATCCTGTTCCATGCGGCATGCTCATCTGAGCCGAGAGGTGGAATCCAGGGTACAGATAG
 GAGATACCTTTTTCGAGCCTATATCGTGGCACCTGGCTACCAAGTACTGGGAATACTCTGCTGTGGCCTA
 TTTTGTGGCATTGTTGGACTGAAGATTTTCTTCTCCAAATCCAGTGGAAAATCCAGGCGGAACGGACTG
 GAGAAGAAAGCACGGACAGGCAGAATTGAGAGACGCCCGGAAACACGCAGTGGAGGTGACTCTGGATCCAG
 AGACGGCTCACCCGAAGCTCTGCGTTTCTGATCTGAAAACGTAAACCCATAGAAAAGCTCCCCAGGAGGTG
 CCTCACTCTGAGAAGAGATTTACAAGGAAGAGTGTGGTGGCTTCTCAGAGTTTCCAAGCAGGGAACATTA
 CTGGGAGGTGGACGGAGGACACAATAAAAGGTGGCGCGTGGGAGTGTGCCGGGATGATGTGGACAGGAGGA
 AGGAGTACGTGACTTTGTCTCCCGATCATGGGTACTGGGTCTCAGACTGAATGGAGAACATTTGTATTTTC
 ACATTAAATCCCCGTTTATCAGCGTCTTCCCCAGGACCCACCTACAAAAATAGGGGTCTTCTGGACTA
 TGAGTGTGGGACCATCTCCTTCTTCAACATAAATGACCAGTCCCTTATTTATACCTGACATGTCGGTTTG
 AAGGCTTATTGAGGCCCTACATTGAGTATCCGTCTATAATGAGCAAAATGGAACCTCCCATAGTCATCTGC
 CCAGTCACCCAGGAATCAGAGAAAGAGGCCTCTTGGCAAAGGGCCTCTGCAATCCAGAGACAAGCAACAG
 TGAGTCTCTCTCACAGCAACCACGCCCTTCTCCCCAGGGGTGAAATGTAGGATGAAATCACATCCCACAT
 TCTTCTTTAGGGATATTAAGGTCTCTCTCCAGATCCAAAGTCCCGCAGCAGCCGGCCAAGGTGGCTTCCA
 GATGAAGGGGGACTGGCCTGTCCACATGGGAGTCAGGTGTCTGAGTGTGCTGAGCTGGGAGGGAAGAAGG
 CTGACATTACATTTAGTTTGCTCTCACTCCATCTGGCTAAGTGATCTTGAAATACCACCTCTCAGGTGAAG
 AACCGTCAGGAATTCCCATCTCACAGGCTGTGGTGTAGATTAAGTAGACAAGGAATGTGAATAATGCTTAG
 ATCTTATTGATGACAGAGTGATCCTAATGGTTTGTTCATTATATTACACTTTCAGTAAAAAAA

FIGURE 84

MALMLSLVLSLLKLGSGQWQVFGPDKPVQALVGEDAAFSCFLSPKTNAEAMEVRFFRGQFSSVVH
 LYRDGKDQPFMQMPQYQGR TKLVKDSIAEGRISLRLENITVLDAGLYGCRISSQSYQKAIWELQ
 VSALGSVPLISITGYVDRDIQLLCQSSGWFPREPTAKWKGPQGDLSTDSRTNRDMHGLFDVEISL
 TVQENAGSISCSMRHAHLSREVESRVQIGDTFFEPISWHLATKVLGILCCGLFFGIVGLKIFFSK
 FQWKIQAE LDWRRKHGQAE LRDARKHAVEVT LDPETAHPKLCVSDLKTVTHR KAPQEVPHSEKRF
 TRKSVVASQSFQAGKHYWEVDGGHNKRWRVGVCRDDVDRRKEYVTLSPDHGYWVLRNLNGEHLFT
 LNPRFISVFPRTPTPKIGVFLDYECGTISFFNINDQSLIYTLTCRFEGLLRPYIEYPSYNEQNGT
 PIVICPVTQESEKEASWQRASAI PETSNSSESSQATTPFLPRGEM

Signal peptide:

amino acids 1-17

Transmembrane domain:

amino acids 239-255

FIGURE 85

AACAGACGTTCCCTCGCGGCCCTGGCACCTCTAACCCAGACATGCTGCTGCTGCTGCTGCCCCCT
GCTCTGGGGGAGGGAGAGGGCGGAAGGACAGACAAGTAACTGCTGACGATGCAGAGTTCCGTGA
CGGTGCAGGAAGGCCTGTGTGTCCATGTGCCCTGCTCCTTCTCCTACCCCTCGCATGGCTGGATT
TACCCTGGCCCAGTAGTTTCATGGCTACTGGTTCCGGGAAGGGGCCAATACAGACCAGGATGCTCC
AGTGGCCACAAACAACCCAGCTCGGGCAGTGTGGGAGGAGACTCGGGACCGATTCCACCTCCTTG
GGGACCCACATACCAAGAATTGCACCCTGAGCATCAGAGATGCCAGAAGAAGTGATGCCGGGAGA
TACTTCTTTTCGTATGGAGAAAGGAAGTATAAAATGGAATTATAAACATCACCGGCTCTCTGTGAA
TGTGACAGCCTTGACCCACAGGCCCAACATCCTCATCCCAGGCACCCCTGGAGTCCGGCTGCCCCC
AGAATCTGACCTGCTCTGTGCCCTGGGCCTGTGAGCAGGGGACACCCCTATGATCTCCTGGATA
GGGACCTCCGTGTCCCCCTGGACCCCTCCACCACCGCTCCTCGGTGCTACCCCTCATCCCACA
GCCCCAGGACCATGGCACCAGCCTCACCTGTGAGGTGACCTTCCCTGGGGCCAGCGTGACCACGA
ACAAGACCGTCCATCTCAACGTGTCTACCCGCCTCAGAACTTGACCATGACTGTCTTCCAAGGA
GACGGCACAGTATCCACAGTCTTGGGAAATGGCTCATCTCTGTCACTCCAGAGGGCCAGTCTCT
GCGCCTGGTCTGTGCAGTTGATGCAGTTGACAGCAATCCCCCTGCCAGGCTGAGCCTGAGCTGGA
GAGGCCTGACCTGTGCCCTCACAGCCCTCAAACCCGGGGTGCTGGAGCTGCCTTGGGTGCAC
CTGAGGGATGCAGCTGAATTCACCTGCAGAGCTCAGAACCCTCTCGGCTCTCAGCAGGTCTACCT
GAACGTCTCCCTGCAGAGCAAAGCCACATCAGGAGTGAAGTCAAGGGGTGGTGGGGGAGCTGGAG
CCACAGCCCTGGTCTTCTGTCTTCTGCGTCATCTTCGTTGTAGTGAGGTCTGCAGGAAGAAA
TCGGCAAGGCCAGCAGCGGGCGTGGGAGATACGGGCATAGAGGATGCAAACGCTGTCAGGGGTTC
AGCCTCTCAGGGGCCCCCTGACTGAACCTTGGGCAGAAGACAGTCCCCCAGACCAGCCTCCCCCAG
CTTCTGCCCGCTCCTCAGTGGGGGAAGGAGAGCTCCAGTATGCATCCCTCAGCTTCCAGATGGTG
AAGCCTTGGGACTCGCGGGGACAGGAGGCCACTGACACCGAGTACTCGGAGATCAAGATCCACAG
ATGAGAACTGCAGAGACTCACCTGATTGAGGGATCACAGCCCCCTCCAGGCAAGGGAGAAGTCA
GAGGCTGATTCTTGTAGAATTAACAGCCCTCAACGTGATGAGCTATGATAACACTATGAATTATG
TGCAGAGTGAAAAGCACACAGGCTTTAGAGTCAAAGTATCTCAAACCTGAATCCACACTGTGCCC
TCCCTTTTATTTTTTAACTAAAAGACAGACAAATTCCTA

FIGURE 86

MLLLLLLPLLWGRERAEGQTSKLLTMQSSVTVQEGLCVHVPCSFSYPSHGWIYPGPVVHGYWFREG
 ANTQDQAPVATNNPARAVWEETRDRFHLGDPHTKNCTLSIRDARRSDAGRYFFRMEKGSIKWNY
 KHHRLSVNVTALTHRPNILIPGTLESGCPQNLTCVWPWACEQGTTPPMISWIGTSVSPDPSTTRS
 SVLTLPQPQDHGTSLTQCQVTFPGASVTTNKTVHLNVSYPPQNLMTVFQGDGTSTVLGNGSSL
 SLPEGQSLRLVCAVDAVDSNPPARLSLSWRGLTLCPSQPSNPGVLELPWVHLRDAAEFTCRAQNP
 LGSQQVYLNVSLSKATSGVTQGVVGGAGATALVFLSFCVIFVVVRSCRKKSARPAAGVGDGTGIE
 DANAVRGASQGPLTEPWAEDSPPDQPPASARSSVGEGELQYASLSFQMVKPWDSRGQEATDTE
 YSEIKIHR

Signal peptide:

amino acids 1-15

Transmembrane domain:

amino acids 351-370

FIGURE 87

AGAAAGCTGCACTCTGTTGAGCTCCAGGGCGCAGTGGAGGGAGGGAGTGAAGGAGCTCTCTGTAC
CCAAGGAAAGTGCAGCTGAGACTCAGACAAGATTACAAATGAACCAACTCAGCTTCCTGCTGTTTC
TCATAGCGACCACCAGAGGATGGAGTACAGATGAGGCTAATACTTACTTCAAGGAATGGACCTGT
TCTTCGTCTCCATCTCTGCCCAGAAGCTGCAAGGAAATCAAAGACGAATGTCCTAGTGCATTTGA
TGGCCTGTATTTTCTCCGCACTGAGAATGGTGTATCTACCAGACCTTCTGTGACATGACCTCTG
GGGTGGCGGCTGGACCTGGTGGCCAGCGTGCATGAGAATGACATGCGTGGGAAGTGCACGGTG
GGCGATCGCTGGTCCAGTCAGCAGGGCAGCAAAGCAGACTACCCAGAGGGGGACGGCAACTGGGC
CAACTACAACACCTTTGGATCTGCAGAGGCGGCCACGAGCGATGACTACAAGAACCTTGGCTACT
ACGACATCCAGGCCAAGGACCTGGGCATCTGGCACGTGCCAATAAGTCCCCCATGCAGCACTGG
AGAAACAGCTCCCTGCTGAGGTACCGCACGGACACTGGCTTCCTCCAGACACTGGGACATAATCT
GTTTGGCATCTACCAGAAATATCCAGTGAAATATGGAGAAGGAAAGTGTGGACTGACAACGGCC
CGGTGATCCCTGTGGTCTATGATTTTGGCGACGCCAGAAAACAGCATCTTATTACTCACCCAT
GGCCAGCGGGAATTCAGTGCGGGATTTGTTCAAGTTCAGGGTATTTAATAACGAGAGAGCAGCCAA
CGCCTTGTGTGCTGGAATGAGGGTCACCGGATGTAACACTGAGCATCACTGCATTGGTGGAGGAG
GATACTTTCCAGAGGCCAGTCCCAGCAGTGTGGAGATTTTCTGGTTTTGATTGGAGTGGATAT
GGAACATGTTGGTTACAGCAGCAGCCGTGAGATAACTGAGGCAGCTGTGCTTCTATTCTATCG
TTGAGAGTTTTGTGGGAGGGAACCCAGACCTCTCCTCCCAACCATGAGATCCCAAGGATGGAGAA
CAACTTACCCAGTAGCTAGAATGTTAATGGCAGAAGAGAAAACAATAAATCATATTGACTCAAGA
AAAAAA

FIGURE 88

MNQLSFLFLIATTRGWSTDEANTYFKEWTCSSSPSLPRSCKEIKDECPSAFDGLYFLRTENGVI
 YQTFCDMTSGGGGWTLVASVHENDMRGKCTVGDRWSSQQGSKADYPEGDGNWANYNTFGSAEAT
 SDDYKNPGYYDIQAKDLGIWHVPNKSPMQHWRNSSLRYRTDTGFLQTLGHNLFGIYQKYPVKYG
 EGKCWTDNGPVI PVVYDFGDAQKTASYYSYGQREFTAGFVQFRVFNNERAANALCAGMRVTGCN
 TEHHCIGGGGYFPEASPOQCGDFSGFDWSGYGTHVGYSRSSREITEAAVLLFYR

Important features:

Signal peptide:

amino acids 1-16

N-glycosylation site.

amino acids 163-167

Glycosaminoglycan attachment sites.

amino acids 74-78, 289-293

N-myristoylation sites.

amino acids 76-82, 115-121, 124-130, 253-259, 292-298

FIGURE 89

CTAGATTTGTCGGCTTGCGGGGAGACTTCAGGAGTCGCTGTCTCTGAACTTCCAGCCTCAGAGAC
CGCCGCCCTTGTCCCGAGGGCCATGGGCCGGGTCTCAGGGCTTGTGCCCTCTCGCTTCTTGACG
CTCCTGGCGCATCTGGTGGTCGTACACCTTATTCTGGTCCCGGACAGCAACATACAGGCCTG
CCTGCCTCTCAGTTACCCCCGAGGAGTATGACAAGCAGGACATTAGCTGGTGGCCGCGCTCT
CTGTCACCCCTGGGCCTCTTTGCAGTGGAGCTGGCCGGTTTCTCTCAGGAGTCTCCATGTTCAAC
AGCACCCAGAGCCTCATCTCCATTGGGGCTCACTGTAGTGCATCCGTGGCCCTGTCCTTCTTCAT
ATTCGAGCGTTGGGAGTGCACTACGTATTGGTACATTTTGTCTTCTGCAGTGGCCTTCCAGCTG
TCACTGAAATGGCTTTATTCTGTCACCGTCTTTGGGCTGAAAAAGAAACCCCTTTGATTACCTTCA
TGACGGGAACCTAAGGACGAAGCCTACAGGGGCAAGGGCCGCTTCGTATTCTGGAAGAAGGAAG
GCATAGGCTTCGGTTTTTCCCTCGGAAACTGCTTCTGCTGGAGGATATGTGTTGGAATAATTACG
TCTTGAGTCTGGGATTATCCGATTGTATTTAGTGCTTTGTAATAAAATATGTTTTGTAGTAACA
TTAAGACTTATATACAGTTTTAGGGGACAATTAAAAAAAAAAAA

FIGURE 90

MGRVSGLVPSRFLTLLAHLVVITLFWSRDSNIQACLPLTFTPEEYDKQDIQLVAALSVTLGLFA
VELAGFLSGVSMFNSTQSLISIGAHCSASVALSFFIFERWECTTYWYIFVFCALPAVTEMALFV
TVFGLKKKPF

Transmembrane domain:

amino acids 12-28 (type II), 51-66, 107-124

FIGURE 91

CTGGGACCCCGAAAAGAGAAGGGGAGAGCGAGGGGACGAGAGCGGAGGAGGAAGATGCAACTGAC
 TCGCTGCTGCTTCGTGTTCTTGGTGACAGGGTAGCCTCTATCTGGTCATCTGTGGCCAGGATGATG
 GTCCTCCCGGCTCAGAGGACCCTGAGCGTGATGACCACGAGGGCCAGCCCCGGCCCCGGGTGCCT
 CGGAAGCGGGGCCACATCTCACCTAAGTCCCGCCCCATGGCCAATTCCACTCTCTAGGGCTGCT
 GGCCCCGCCTGGGGAGGCTTGGGGCATTCTTGGGCAGCCCCCAACCGCCCGAACCACAGCCCCC
 CACCCTCAGCCAAGGTGAAGAAAATCTTTGGCTGGGGCGACTTCTACTCCAACATCAAGACGGTG
 GCCCTGAACCTGCTCGTTCACAGGGAAGATTGTGGACCATGGCAATGGGACCTTCAGCGTCCACTT
 CCAACACAATGCCACAGGCCAGGGAAACATCTCCATCAGCCTCGTGCCCCCAGTAAAGCTGTAG
 AGTTCCACCAGGAACAGCAGATCTTCATCGAAGCCAAGGCCTCCAAAATCTTCAACTGCCGGATG
 GAGTGGGAGAAGGTAGAACGGGGCCGCGGACCTCGCTTTGCACCCACGACCCAGCCAAGATCTG
 CTCCCCGAGACCACGCTCAGAGCTCAGCCACCTGGAGCTGCTCCAGCCCTTCAAAGTCGTCTGTG
 TCTACATCGCCTTCTACAGCACGGACTATCGGCTGGTCCAGAAGGTGTGCCCAGATTACAACCTAC
 CATAGTGATACCCCCCTACTACCCATCTGGGTGACCCGGGGCAGGCCACAGAGGCCAGGCCAGGGC
 TGAAGGACAGGCCTGCCCATGCAGGAGACCATCTGGACACCGGGCAGGGAAGGGGTGGGCCTC
 AGGCAGGGAGGGGGGTGGAGACGAGGAGATGCCAAGTGGGGCCAGGGCCAAGTCTCAAGTGGCAG
 AGAAAGGGTCCCAAGTGCTGGTCCCAACCTGAAGCTGTGGAGTACTAGATCAGAGGAGCACTGG
 AGGAGGAGTGGGCTCTCTGTGCAGCCTCACAGGGCTTTGCCACGGAGCCACAGAGAGATGCTGGG
 TCCCCGAGGCCTGTGGGCAGGCCGATCAGTGTGGCCCCAGATCAAGTCATGGGAGGAAGCTAAGC
 CCTTGTTCTTGCCATCCTGAGGAAAGATAGCAACAGGGAGGGGGAGATTTCATCAGTGTGGACA
 GCCTGTCAACTTAGGATGGATGGCTGAGAGGGCTTCTAGGAGCCAGTCAGCAGGGTGGGGTGGG
 GCCAGAGGAGCTCTCCAGCCCTGCCTAGTGGGCGCCCTGAGCCCTTGTCTGTGCTGAGCATGG
 CATGAGGCTGAAGTGGCAACCCTGGGGTCTTTGATGTCTTGACAGATTGACCATCTGTCTCCAGC
 CAGGCCACCCCTTTCCAAAATTCCCTCTTCTGCCAGTACTCCCCCTGTACCACCCATTGCTGATG
 GCACACCCATCCTTAAGCTAAGACAGGACGATTGTGGTCCTCCACACTAAGGCCACAGCCCATC
 CGCGTGTGTGTGTCCCTCTTCCACCCCAACCCCTGCTGGCTCCTCTGGGAGCATCCATGTCCCG
 GAGAGGGGTCCCTCAACAGTCAGCCTCACCTGTGACACGGGGTCTCCCGGATCTGGATGGCGC
 CGCCCTCTCAGCAGCGGGCACGGGTGGGGCGGGGCCGGCCGAGAGCATGTGCTGGATCTGTTC
 TGTGTGTCTGTCTGTGGGTGGGGGAGGGGAGGGAAGTCTTGTGAAACCGCTGATTGCTGACTTT
 TGTGTGAAGAATCGTGTCTTGGAGCAGGAAATAAAGCTTGCCCCGGGGCA

FIGURE 92

MLTRCCFVFLVQGSLLVICGQDDGPPGSEDPERDDHEGQPRPRVPRKRGHISPKSRPMANSTL
LGLLAPPGEAWGILGQPPNRPNHSPPPSAKVKKIFGWGDFYSNIKTVALNLLVTGKIVDHGNGTF
SVHFQHNATGQGNISISLVPPSKAVEFHQEQQIFIEAKASKIFNCRMEWEKVERGRRTSLCTHDP
AKICSRDHAQSSATWSCSQPFKVVCVYIAFYSTDYRLVQKVC PDYNYHSDTPYYPG

Important features of the protein:

Signal peptide:

amino acids 1-14

N-glycosylation sites.

amino acids 62-65, 127-130, 137-140, 143-146

2-oxo acid dehydrogenases acyltransferase

amino acids 61-71

FIGURE 93

CGGTGGCCATGACTGCGGCCGTGTTCTTCGGCTGCGCCTTCATTGCCTTCGGGCCTGCGCTCGCC
CTTTATGTCTTCACCATCGCCATCGAGCCGTGCGTATCATCTTCCTCATCGCCGGAGCTTTCTT
CTGGTTGGTGTCTCTACTGATTCGTCCCTTGTTTGGTTCATGGCAAGAGTCATTATTGACAACA
AAGATGGACCAACACAGAAATATCTGCTGATCTTTGGAGCGTTTGTCTCTGTCTATATCCAAGAA
ATGTTCCGATTTGCATATTATAAACTCTTAAAAAAGCCAGTGAAGGTTTGAAGAGTATAAAACC
AGGTGAGACAGCACCCCTCTATGCGACTGCTGGCCTATGTTTCTGGCTTGGGCTTGGAAATCATGA
GTGGAGTATTTTCCTTTGTGAATACCCTATCTGACTCCTTGGGGCCAGGCACAGTGGGCATTCTAT
GGAGATTCTCCTCAATTCTTCCTTTATTTCAGCTTTCATGACGCTGGTCATTATCTTGCTGCATGT
ATTCTGGGGCATTGTATTTTTTGTGAGTGTGAGAAGAAAAAGTGGGGCATCCTCCTTATCGTTC
TCCTGACCCACCTGCTGGTGTGAGCCAGACCTTCATAAGTTCTTATTATGGAATAAACCTGGCG
TCAGCATTTATAATCCTGGTGCTCATGGGCACCTGGGCATTCTTAGCTGCGGGAGGCAGCTGCCG
AAGCCTGAAACTCTGCCTGCTCTGCCAAGACAAGAACTTTCTCTTTACAACCAGCGCTCCAGAT
AACCTCAGGGAACCAGCACTTCCCAAACCGCAGACTACATCTTTAGAGGAAGCACAACTGTGCCT
TTTTCTGAAAATCCCTTTTTCTGGTGGAATTGAGAAAGAAATAAACTATGCAGATA

FIGURE 94

MTAAVFFGCAFIAFGPALALYVFTTIAIEPLRIIFLIAGAFFWLVSLLISSLVWFMARVIIDNKDG
PTQKYLLIFGAFVSVYIQEMFRFAYYKLLKKASEGLKSINPGETAPSMRLLAYVSGLGFGIMSGV
FSFVNTLSDSLGPGTVGIHGDSPOFFLYSAFMTLVIILLHVFWGIVFFDGCEKKKWGILLIVLLT
HLLVSAQTFISSYYGINLASAFIILVLMGTWAFLAAGGSCRSLKCLLCQDKNFLLYNQRSR

Important features of the protein:**Signal peptide:**

amino acids 1-19

Transmembrane domains:

amino acids 32-51, 119-138, 152-169, 216-235

Glycosaminoglycan attachment site.

amino acids 120-123

Sodium:neurotransmitter symporter family protein

amino acids 31-65

FIGURE 95

AATTTTTCACCAGAGTAACTTGAGAAACCAACTGGACCTTGAGTATTGTACATTTTGCCTCGTG
GACCCAAAGGTAGCAATCTGAAACATGAGGAGTACGATTCTACTGTTTTGTCTTCTAGGATCAAC
TCGGTCATTACCACAGCTCAAACCTGCTTTGGGACTCCCTCCCACAAAAGTGGCTCCGGATCAGG
GAACACTACCAAACCAACAGCAGTCAAATCAGGTCTTTCCCTTCTTTAAGTCTGATACCATTAACA
CAGATGCTCACACTGGGGCCAGATCTGCATCTGTTAAATCCTGCTGCAGGAATGACACCTGGTAC
CCAGACCCACCCATTGACCCTGGGAGGGTTGAATGTACAACAGCAACTGCACCCACATGTGTTAC
CAATTTTGTGCACAACTTGAGGCCAGGGCACTATCCTAAGCTCAGAGGAATTGCCACAAATC
TTCACGAGCCTCATCATCCATTCTTGTTCCTGGGAGGCATCCTGCCACCAGTCAGGCAGGGGC
TAATCCAGATGTCCAGGATGGAAGCCTTCCAGCAGGAGGAGCAGGTGTAAATCCTGCCACCCAGG
GAACCCAGCAGGCCCGCTCCCAACTCCCAGTGGCACAGATGACGACTTTGCAGTGACCACCCCT
GCAGGCATCCAAAGGAGCACACATGCCATCGAGGAAGCCACCACAGAATCAGCAAATGGAATTCA
GTAAGCTGTTTCAAATTTTTTCAACTAAGCTGCCTCGAATTTGGTGATACATGTGAATCTTTATC
ATTGATTATATTATGGAATAGATTGAGACACATTGGATAGTCTTAGAAGAAATTAATCTTAATT
TACCTGAAAATATTCTTGAAATTTTCAAAAATATGTTCTATGTAGAGAATCCCAACTTTTAAAAA
CAATAATTCAATGGATAAATCTGTCTTTGAAATATAACATTATGCTGCCTGGATGATATGCATAT
TAAACATATTTGGAAAAGTGGAAA
AAA

FIGURE 96

MRSTILLFCLLGSTRSLPQLKPALGLPPTKLAPDQGTLPNQQSNOVFPSLSLIPLTQM
LTLGPDHLHLLNPAAGMTPGTQTHPLTLGGLNVQQQLHHPVLPPIFVTQLGAQGTTLSSEE
LPQIFTSLIIHSLFPGGILPTSQAGANPDVQDGSLPAGGAGVNPATQGTPAGRLPTPSG
TDDDFAVTTPAGIQRSTHAIEEATTESANGIQ

Signal peptide:

amino acids 1-16

FIGURE 97

GCTCAAGTGCCCTGCCTTGCCCCACCCAGCCAGCCTGGCCAGAGCCCCCTGGAGAAGGAGCTCT
 CTTCTTGCTTGCCAGCTGGACCAAGGGAGCCAGTCTTGGGCGCTGGAGGGCCTGTCTGACCATG
 GTCCCTGCCTGGCTGTGGCTGCTTTGTGTCTCCGTCCCCAGGCTCTCCCCAAGGCCAGCCTGC
 AGAGCTGTCTGTGGAAGTTCCAGAAAATATGGTGGAAATTTCCCTTTATACCTGACCAAGTTGC
 CGCTGCCCCGTGAGGGGGCTGAAGGCCAGATCGTGCTGTCAGGGGACTCAGGCAAGGCAACTGAG
 GGCCCATTTGCTATGGATCCAGATTCTGGCTTCCTGCTGGTGACCAGGGCCCTGGACCGAGAGGA
 GCAGGCAGAGTACCAGCTACAGGTCACCTGGAGATGCAGGATGGACATGTCTTGTGGGGTCCAC
 AGCCTGTGCTTGTGCACGTGAAGGATGAGAATGACCAGGTGCCCCATTTCTCTCAAGCCATCTAC
 AGAGCTCGGCTGAGCCGGGGTACCAGGCCTGGCATCCCCTTCTCTTCTTGGAGCTTCAGACCG
 GGATGAGCCAGGCACAGCCAACTCGGATCTTCGATTCCACATCCTGAGCCAGGCTCCAGCCCAGC
 CTTCCCCAGACATGTTCCAGCTGGAGCCTCGGCTGGGGGCTTGGCCCTCAGCCCCAAGGGGAGC
 ACCAGCCTTGACCACGCCCTGGAGAGGACCTACCAGCTGTTGGTACAGGTCAAGGACATGGGTGA
 CCAGGCCTCAGGCCACCCAGGCCACTGCCACCGTGAAGTCTCCATCATAGAGAGCACCTGGGTGT
 CCCTAGAGCCTATCCACCTGGCAGAGAATCTCAAAGTCTTATACCCGCACCACATGGCCCAGGTA
 CACTGGAGTGGGGGTGATGTGCACTATCACCTGGAGAGCCATCCCCGGGACCCTTTGAAGTGAA
 TGCAGAGGGAACCTCTACGTGACCAGAGAGCTGGACAGAGAAGCCAGGCTGAGTACCTGCTCC
 AGGTGCGGGCTCAGAATTTCCATGGCGAGGACTATGCGGGCCCTCTGGAGCTGCACGTGCTGGTG
 ATGGATGAGAATGACAACGTGCCATCTGCCCCCTCCCGTGACCCACAGTCAGCATCCCTGAGCT
 CAGTCCACCAGGTACTGAAGTGACTAGACTGTGAGCAGAGGATGCAGATGCCCCGGGTCCCCCA
 ATTTCCACGTTGTGTATCAGCTCCTGAGCCCTGAGCCTGAGGATGGGGTAGAGGGGAGAGCCTTC
 CAGGTGGACCCCACTTCAGGCAGTGTGACGCTGGGGGTGCTCCCACTCCGAGCAGGCCAGAACAT
 CCTGCTTCTGGTGCTGGCCATGGACCTGGCAGGCGCAGAGGGTGGCTTCAGCAGCACGTGTGAAG
 TCGAAGTCGCAGTCACAGATATCAATGATCACGCCCTGAGTTTCATCACTTCCAGATTGGGCCCT
 ATAAGCCTCCCTGAGGATGTGGAGCCCGGACTCTGGTGGCCATGCTAACAGCCATTGATGTGTA
 CCTCGAGCCCGCCTTCCGCCTCATGGATTTTGCCATTGAGAGGGGAGACACAGAAGGGACTTTTG
 GCCTGGATTGGGAGCCAGACTCTGGGCATGTTAGACTCAGACTCTGCAAGAACCTCAGTTATGAG
 GCAGCTCCAAGTCATGAGGTGGTGGTGGTGGTGCAGAGTGTGGCGAAGCTGGTGGGGCCAGGCCC
 AGGCCCTGGAGCCACCGCCACGGTGACTGTGCTAGTGGAGAGAGTGATGCCACCCCCCAAGTTGG
 ACCAGGAGAGCTACGAGGCCAGTGTCCCCATCAGTGCCCCAGCCGGCTCTTTCTGCTGACCATC
 CAGCCCTCCGACCCCATCAGCCGAACCTCAGGTTCTCCCTAGTCAATGACTCAGAGGGCTGGCT
 CTGCATTGAGAAATTTCCGGGGAGGTGCACACCGCCAGTCCCTGCAGGGCGCCAGCCTGGGG
 ACACCTACACGGTGCTTGTGGAGGGCCAGGATACAGCCCTGACTCTTGCCCCCTGTGCCCTCCCAA
 TACCTTGACACACCCCGCCAAGACCATGGCTTGATCGTGAGTGAGCCAGCAAGGACCCCGATCT
 GGCCAGTGGGCACGGTCCCTACAGCTTACCCCTTGGTCCCAACCCACGGTGAACGGGATTGGC
 GCCTCCAGACTCTCAATGGTTCCCATGCCTACCTACCTTGGCCCTGCATTGGGTGGAGCCACGT
 GAACACATAATCCCCGTGGTGGTCAGCCACAATGCCAGATGTGGCAGCTCCTGGTTCGAGTGAT
 CGTGTGTGCTGCAACGTGGAGGGGAGTGATGCGCAAGGTGGGCCGATGAAGGGCATGCCCA
 CGAAGCTGTGCGCAGTGGGCATCCTTGTAGGCACCTGGTAGCAATAGGAATCTTCCTCATCCTC
 ATTTTCACCCACTGGACCATGTCAAGGAAGAAGGACCCGGATCAACCAGCAGACAGCGTGCCCCCT
 GAAGGCGACTGTCTGAATGGCCCCAGGCAGCTCTAGCTGGGAGCTTGGCCTCTGGCTCCATCTGAG
 TCCCCCTGGGAGAGAGCCAGCACCCCAAGATCCAGCAGGGGACAGGACAGAGTAGAAGCCCCCTCA
 TCTGCCCTGGGGTGGAGGCACCATCACCATCACCGGCATGTCTGCAGAGCCTGGACACCAACTT
 TATGGACTGCCCATGGGAGTGCTCCAAATGTGAGGGTGTGTGCCCAATAATAAGCCCCAGAGAA
 CTGGGCTGGGCCCTATGGGAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAG

FIGURE 98

MVPAWLWLLCVSPQALPKAQPAELSVEVPENYGGNFPLYLTKLPLPREGAEGQIVLSGDSGKAT
EGPFAMDPDSGFLLVTRALDREEQAEYQLQVTLEMQDGHVLWGPQPVLVHVKDENDQVPHFSQAI
YRARLSRGTRPGIPFLFLEASDRDEPGTANSDLRFHILSQAPAQSPDMFQLEPRLGALALSPKG
STSLDHALERTYQLLVQVKMDQASGHQATATVEVSI IESTWVSLEPIHLAENLKVLYPHHMAQ
VHWSGGDVHYHLESHPPGPFVNAEGNLYVTRELDREAQAEYLLQVRAQNSHGEDIAAPLELHVL
VMDENDNVPICPPRDPTVSIPELSPPGTEVTRLSAEDADAPGSPNSHVYQLLSPEPEDGVEGRA
FQVDPTSGSVTLGVLP LLAGQNILLVLAMDLAGAEGGFSSTCEVEVAVTDINDHAPEFITSQIG
PISLPEDVEPGTLVAMLTAIDADLEPAFRLMDFAIERGDTEGTFGLDWEPDSGHVRLRLCKNLSY
EAAPSHEVVVVQSVAKLVGPGPGGATATVTVLVERVMPPPKLDQESYEASVPISAPAGSFLLT
IQPSDPISRTRLRFSLVNDSEGWLCIEKFSGEVHTAQSLQGAQPGDTYTVLVEAQDTALT LAPVPS
QYLCTPRQDHGLIVSGPSKDPDLASGHGPYSFTLGPNPTVQRDWRLQTLNGSHAYLT LALHWVEP
REHIIPVVVSHNAQMWQLLVRVIVCRCNVEGQCMRKVGRMKGMPTKLSAVGILVGT LVAIGIFLI
LIFTHWTMSRKKDPDQPADSVPLKATV

Signal peptide:

amino acids 1-18

Transmembrane domain:

amino acids 762-784

FIGURE 99

[illegible]

FIGURE 100

MMQKGNVLLMFGLLLHLEAATNSNETSTSANTGSSVISSGASTATNSGSSVTSSGVSTATISGS
SVTSNGVSIVTNSEFHTTSSGISTATNSEFSTASSGISIATNSESSTTSSGASTATNSESSTPSS
GASTVTNSGSSVTSSGASTATNSESSTVSSRASTATNSESSTLSSGASTATNSDSSTTSSGASTA
TNSESSTTSSGASTATNSESSTVSSRASTATNSESSTTSSGASTATNSESRTTNGAGTATNSES
STTSSGASTATNSDSSTVSSGASTATNSESSTTSSGASTATNSESSTTSSGASTATNSDSSTTSS
GAGTATNSESSTVSSGISTVTNSESSTPSSGANTATNSESSTTSSGANTATNSESSTVSSGASTA
TNSESSTTSSGVSTATNSESSTTSSGASTATNSDSSTTSSEASTATNSESSTVSSGISTVTNSES
STTSSGANTATNSGSSVTSAGSGTAALTGMHTTSHSASTAVSEAKPGGSLVPWEIFLITLVSVVA
AVGLFAGLFFCVRNSLSLRNTFNTAVYHPHGLNHGLGPGPGGNHGAPHRPRWSPNWFWRPVSII
AMEMSGRNSGP

Signal peptide:

amino acids 1-20

Transmembrane domain:

amino acids 510-532

FIGURE 101

GGCCGGACGCCTCCGCGTTACGGGATGAATTAACGGCGGGTTCCGCACGGAGGTTGTGACCCCTA
CGGAGCCCCAGCTTGCCACGCACCCCACTCGGCGTCGCGCGGCGTGCCCTGCTTGTACAGGTG
GGAGGCTGGAACATATCAGGCTGAAAAACAGAGTGGGTACTCTCTTCTGGGAAGCTGGCAACAAAT
GGATGATGTGATATATGCAATTCAGGGGAAGGAAATTGTGGTGCTTCTGAACCCATGGTCAATT
AACGAGGCAGTTTCTAGCTACTGCACGTACTTCATAAAGCAGGACTCTAAAAGCTTTGGAATCAT
GGTGTGATGGAAGGGATTTACTTTATACTGACTCTGTTTTGGGGAAGCTTTTTGGAAGCATTT
TCATGCTGAGTCCCTTTTACCTTTGATGTTTGTAACCCATCTTGGTATCGCTGGATCAACAAC
CGCCTTGTGGCAACATGGCTCACCTACCTGTGGCATTATTGGAGACCATGTTGGTGTAAAAGT
GATTATAACTGGGGATGCATTTGTTCTGGAGAAAGAAGTGTGATTATCATGAACCATCGGACAA
GAATGGACTGGATGTTCTGTGGAATTGCCTGATGCGATATAGCTACCTCAGATTGGAGAAAATT
TGCCCTCAAAGCGAGTCTCAAAGGTGTTCTGGATTGTTGGGCCATGCAGGCTGCTGCCTATAT
CTTCATTCATAGGAAATGGAAGGATGACAAGAGCCATTTGGAAGACATGATTGATTACTTTTGTG
ATATTCACGAACCACTTCAACTCCTCATATTCAGGAAGGGACTGATCTCACAGAAAACAGCAAG
TCTCGAAGTAATGCATTTGCTGAAAAAATGGACTTCAGAAATATGAATATGTTTACATCCAAG
AACTACAGGCTTTACTTTTGTGGTAGACCGTCTAAGAGAAGGTAAGAACCCTGATGCTGTCCATG
ATATCACTGTGGCGTATCCTCACAACTTCTCAATCAGAGAAGCACCTCCTCCAAGGAGACTTT
CCCAGGGAAATCCACTTTCACGTCCACCGGTATCCAATAGACACCCCTCCCCACATCCAAGGAGGA
CCTTCAACTCTGGTGCCACAAACGGTGGGAAGAGAAAGAAGAGAGGCTGCGTTCTTCTATCAAG
GGGAGAAGAATTTTTATTTTACCGGACAGAGTGTGATTCCACCTTGCAAGTCTGAACTCAGGGTC
CTTGTGGTCAAATTGCTCTCTATACTGTATTGGACCCTGTTTCAGCCCTGCAATGTGCCTACTCAT
ATATTTGTACAGTCTTGTTAAGTGGTATTTTATAATCACCATTGTAATCTTTGTGCTGCAAGAGA
GAATATTTGGTGGACTGGAGATCATAGAACTTGATGTTACCGACTTTTACACAAACAGCCACAT
TTAAATTCAAAGAAAAATGAGTAAGATTATAAGGTTTGCCATGTGAAAACCTAGAGCATATTTG
GAAATGTTCTAAACCTTTCTAAGCTCAGATGCATTTTGCATGACTATGTCGAATATTTCTTACT
GCCATCATTATTTGTTAAAGATATTTTGCACTTAATTTTGTGGGAAAAATATTGCTACAATTTT
TTAATCTCTGAATGTAATTTGATACTGTGTACATAGCAGGGAGTGATCGGGGTGAAATAACTT
GGGCCAGAATATTATTAAACAATCATCAGGCTTTTAAA

FIGURE 102

MHSRGREIVLLNPWSINEAVSSYCTYFIKQDSKSGIMVSWKGIYFILTLFWGSFFGSI FMLS P
FLPLMFVNPSWYRWINNRLVATWLTLPVALLETMFGVKVIITGDAFVPGERSVIIMNHRTRMDWM
FLWNCLMRYSYLRLEKICLKASLKGVPFGWAMQAAAYIFIHRKWKDDKSHFEDMIDYFCDIHEP
LQLLIFPEGTDLTENSKSRNAFAEKNGLQKYEYVLHPRTTGFTFVVDRLREGKNLDAVHDITVA
YPHNIPQSEKHLQGDFFPREIH FHVHRYPIDTLPTSKEDLQLWCHKRWEEKERLRSFYQGEKNF
YFTGQSVIPPCKSELRLVVKLLSILYWTLFSPAMCLLIYLYSLVKWYFIITIVIFVLQERIFGG
LEIIE LACYRL LHKQPHLNSKKNE

Important features of the protein:**Signal peptide:**

amino acids 1-22

Transmembrane domains:

amino acids 44-63, 90-108; 354-377

FIGURE 103

CGGCTCGAGCGGCTCGAGTGAAGAGCCTCTCCACGGCTCCTGCGCCTGAGACAGCTGGCCTGACC
TCCAAATCATCCATCCACCCCTGCTGTCTGTTTTCATAGTGTGAGATCAACCCACAGGAATA
TCCATGGCTTTTGTGCTCATTTTGGTTCTCAGTTTCTACGAGCTGGTGTGAGACAGTGGCAAGT
CACTGGACCGGGCAAGTTTGTCCAGGCCTTGGTGGGGGAGGACGCCGTGTTCTCTGCTCCCTCT
TTCCTGAGACCAGTGCAGAGGCTATGGAAGTGGGTTCTTCAGGAATCAGTTCCATGCTGTGGTC
CACCTCTACAGAGATGGGGAAGACTGGGAATCTAAGCAGATGCCACAGTATCGAGGGAGAAGTGA
GTTTGTGAAGGACTCCATTGCAGGGGGGCGTGTCTCTCTAAGGCTAAAAACATCACTCCCTCGG
ACATCGGCCTGTATGGGTGCTGGTTCCAGATTTACGATGAGGAGGCCACCTGGGAGCTG
CGGGTGGCAGCACTGGGCTCACTTCTCTCATTTCCATCGTGGGATATGTTGACGGAGGTATCCA
GTTACTCTGCCTGTCTCAGGCTGGTTCCCCAGCCACAGCCAAGTGGAAAGTCCACAAGGAC
AGGATTTGTCTTCAGACTCCAGAGCAAATGCAGATGGGTACAGCCTGTATGATGTGGAGATCTCC
ATTATAGTCCAGGAAAAATGCTGGGAGCATATTGTGTTCCATCCACCTTGCTGAGCAGAGTCATGA
GGTGGAAATCCAAGGTATTGATAGGAGAGACGTTTTTCCAGCCCTCACCTTGGCGCCTGCTCTA
TTTTACTCGGGTTACTCTGTGGTGGCCTGTGTGGTGTGTCATGGGGATGATAATTGTTTTCTTC
AAATCCAAAGGGAAAAATCCAGGCGGAAGTGGACTGGAGAAGAAAGCACGGACAGGCAGAAATTGAG
AGACGCCCCGAAACACGCACTGGAGGTGACTCTGGATCCAGAGACGGCTCACCCGAAGCTCTGCG
TTTCTGATCTGAAAACGTAAACCATAGAAAAGCTCCCCAGGAGGTGCCTCACTCTGAGAAGAGA
TTTACAAGGAAGAGTGTGGTGGCTTCTCAGGGTTTCCAAGCAGGGAGACATTACTGGGAGGTGGA
CGTGGGACAAAATGTAGGGTGGTATGTGGGAGTGTGTCGGGATGACGTAGACAGGGGGAAGAACA
ATGTGACTTTGTCTCCCAACAATGGGTATTGGGTCTCAGACTGACAACAGAACATTTGTATTTC
ACATTCAATCCCCATTTTATCAGCCTCCCCCCCAGCACCCCTCCTACACGAGTAGGGGTCTTCCT
GGACTATGAGGGTGGGACCATCTCCTTCTTCAATACAAATGACCAGTCCCTTATTTATACCCTGC
TGACATGTGAGTTTGAAGGCTTGTGAGACCCTATATCCAGCATGCGATGTATGACGAGGAAAAG
GGGACTCCCATATTCATATGTCCAGTGTCTGGGGATGAGACAGAGAAGACCCTGCTTAAAGGGC
CCCACACCACAGACCAGACACAGCCAAGGGAGAGTGTCTCCGACAGGTGGCCCCAGCTTCTCT
CCGGAGCCTGCGCACAGAGAGTACGCCCCCCTCTCCTTTAGGGAGCTGAGGTTCTTCTGCC
TGAGCCCTGCAGCAGCGGCAGTCAAGCTTCCAGATGAGGGGGGATTGGCCTGACCCTGTGGGAG
TCAGAAGCCATGGCTGCCCTGAAGTGGGGACGGAATAGACTCACATTAGGTTTAGTTGTGAAAA
CTCCATCCAGCTAAGCGATCTTGAACAAGTCACAACCTCCCAGGCTCCTCATTTGCTAGTCACGG
ACAGTGATTCTGCTCACAGGTGAAGATTAAAGAGACAACGAATGTGAATCATGCTGACAGGTT
TGAGGGCACAGTGTGCTAATGATGTGTTTTTATATTATACATTTTCCACCATAAACTCTGTT
TGCTTATTCCACATTAATTTACTTTTCTCTATACCAAAATCACCATGGAATAGTTATTGAACACC
TGCTTTGTGAGGCTCAAAGAATAAAGAGGAGGTAGGATTTTCACTGATTCTATAAGCCCAGCAT
TACCTGATACCAAAACAGGCAAAGAAAACAGAAGAAGAGGAAGGAAAACACAGGTCCATATCC
CTCATTAACACAGACACAAAAATTCTAAATAAAATTTTAAACAAATTAACATAAATAATATTTA
AAGATGATATATAACTACTCAGTGTGGTTTGTCCACAAATGCAGAGTTGGTTTAAATTTAAAT
ATCAACCAGTGAATTCAGCACATTAATAAAGTAAAAAAGAAAACATAAAAAAAAAAAAAA

FIGURE 104

MAFVLILVLSFYELVSGQWQVTGPGKFVQALVGEDAVFSCSLFPETSAEAMEVRFFRNQFHAVVH
LYRDGEDWESKOMPQYRGRTEFVKDSIAGGRVSLRLKNITPSDIGLYGCWFSSQIYDEEATWELR
VAALGSLPLISIVGYVDGGIQLLCLSSGWFPQPTAKWKGPQGDLSSDSRANADGYSLYDVEISI
IVQENAGSILCSIHLAEQSHEVESKVLIGETFFQPSPWRLASILLGLLCGALCGVVMGMIIVFFK
SKGKIQAELDWRKKGQAELRDARKHAVEVTLPETAHPKLCVSDLKTVTHRKAQEVPHSEKRF
TRKSVVASQGFQAGRHYWEVDVGQNVGWYGVCRDDVDRGKNNVTLSPNNGYWVLRRLTTEHLYFT
FNPHFISLPPSTPPTRVGVFLDYEGGTISFFNTNDQSLIYTLTLCQFEGLLRPYIQHAMYDEEKG
TPIFICPVSWG

Signal peptide:

amino acids 1-17

Transmembrane domains:

amino acids 131-150, 235-259

FIGURE 105

CCTTCACAGGACTCTTCATTGCTGGTTGGCAATGATGTATCGGCCAGATGTGGTGAGGGCTAGGAAAAGAG
 TTGTGTTGGGAACCCCTGGGTATCGGCCTCGTCATCTTCATATCCCTGATTGTCTGGCAGTGTGCATTGGA
 CTCACTGTTTCATTATGTGAGATATAATCAAAAGAAGACCTACAATTACTATAGCACATTGTCATTTACAAC
 TGACAAACTATATGCTGAGTTTGGCAGAGAGGCTTCTAACAATTTTACAGAAATGAGCCAGAGACTTGAAT
 CAATGGTGAAAAATGCATTTTATAAATCTCCATTAAGGGAAGAATTTGTCAAGTCTCAGGTTATCAAGTTC
 AGTCAACAGAAGCATGGAGTGTGGCTCATATGCTGTTGATTTGTAGATTTCACTCTACTGAGGATCCTGA
 AACTGTAGATAAAAATTGTTCAACTTGTTTTACATGAAAAGCTGCAAGATGCTGTAGGACCCCTAAAGTAG
 ATCCTCACTCAGTTAAATTAATAAATCAACAAGACAGAAACAGACAGCTATCTAAACCATTGCTGCGGA
 ACACGAAGAAGTAAACTCTAGGTCAGAGTCTCAGGATCGTTGGTGGGACAGAAGTAGAAGAGGGTGAATG
 GCCCTGGCAGGCTAGCCTGCAGTGGGATGGGAGTCATCGCTGTGGAGCAACCTTAATTAATGCCACATGGC
 TTGTGAGTGTGCTCACTGTTTTACAACATATAAGAACCCTGCCAGATGGACTGCTTCCTTTGGAGTAACA
 ATAAAACCTTCGAAAATGAAACGGGGTCTCCGGAGAATAATTGTCCATGAAAAATACAAACCCCATCACA
 TGACTATGATATTTCTCTTGACAGCTTTCTAGCCCTGTCCCTACACAAATGCAGTACATAGAGTTTGTC
 TCCCTGATGCATCCTATGAGTTTCAACCAGGTGATGTGATGTTTGTGACAGGATTTGGAGCACTGAAAAAT
 GATGGTTACAGTCAAAATCATCTTCGACAAGCACAGGTGACTCTCATAGACGCTACAACCTGCAATGAACC
 TCAAGCTTACAATGACGCCATAACTCCTAGAATGTTATGTGCTGGCTCCTTAGAAGGAAAAACAGATGCAT
 GCCAGGGTGACTCTGGAGGACCACTGGTTAGTTCAGATGCTAGAGATATCTGGTACCTTGCTGGAATAGTG
 AGCTGGGGAGATGAATGTGCGAAACCAACAAGCCTGGTGTTTATACTAGAGTTACGGCCTTGCGGGACTG
 GATTACTTCAAAAACCTGGTATCTAAGAGACAAAAGCCTCATGGAACAGATAACATTTTTTTTTGTTTTTTG
 GGTGTGGAGGCCATTTTGTAGAGATACAGAATTGGAGAAGACTTGCAAAACAGCTAGATTTGACTGATCTCA
 ATAAACTGTTTGCTTGATGCATGTATTTCTTCCAGCTCTGTTCCGCACGTAAGCATCCTGCTTCTGCCA
 GATCAACTCTGTCTGTGAGCAATAGTTGAACTTTATGTACATAGAGAAATAGATAATACAATATTAC
 ATTACAGCCTGTATTCAATTTGTTCTCTAGAAGTTTTGTGAGAATTTTGAAGTTGTTGACATAAATTTGTAAT
 GCATATATACAATTTGAAGCACTCCTTTTCTTCAGTTCCTCAGCTCCTCTCATTTTCAGCAAATATCCATTT
 TCAAGGTGCAGAACAGGAGTGAAAGAAAATATAAGAAGAAAAAATCCCCTACATTTTATTGGCACAGAA
 AAGTATTAGGTGTTTTTCTTAGTGGAATATTAGAAATGATCATATTCAATATGAAAGGTCAAGCAAAGACA
 GCAGAATACCAATCACTTCATCATTTAGGAAGTATGGGAAGTAAGTTAAGGAAGTCCAGAAAGAAGCCAAG
 ATATATCCTTATTTTCATTTCCAAACAACACTACTATGATAAATGTGAAGAAGATTCTGTTTTTTGTGACCT
 ATAATAATTATACAACTTCATGCAATGTAATGTTCTAAGCAAATTAAGCAAATATTTATTTAACATTG
 TTACTGAGGATGTCAACATATAACAATAAATATAAATCACCCA

FIGURE 106

MMYRPDVVRARKRVCWEPWVIGLVIFISLIVLAVCIGLTVHYVRYNQKKTNYNSTLSFTTDKLY
AEFGREASNNFTEMSQRLESMVKNAFYKSPLREEFVKSQVIKFSQQKHGVLAHMLLICRFHSTED
PETVDKIVQLVLHEKLQDAVGPPKVDPHSVKIKKINKTETDSYLNHCCGTRRSKTLGQSLRIVGG
TEVEEGEWPWQASLQWDGSHRCGATLINATWLVSAAHCFTTYKNPARWTASFGVTIKPSKMKRGL
RRIIVHEKYKHPSHDYDISLAELSSPVPTYNAVHRVCLPDASYEFQPGDVMFVTGFGALKNDGYS
QNHLRQAQVTLIDATTCNEPQAYNDAITPRMLCAGSLEGKTDACQGDGGPLVSSDARDIWYLAG
IVSWGDECAKPNKPGVYTRVTALRDWITSKTGI

Transmembrane domain:

amino acids 21-40 (type II)

FIGURE 107

AGAGAAAGAAGCGTCTCCAGCTGAAGCCAATGCAGCCCTCCGGCTCTCCGCGAAGAAGTTCCCTG
 CCCCATGAGCCCCCGCGTGCCTCCCGACTATCCCCAGGCGGGCGTGGGGCACCGGGCCCAGC
 GCCGACGATCGCTGCCGTTTTTGCCTTGGGAGTAGGATGTGGTGAAAGGATGGGGCTTCTCCCTT
 ACGGGGCTCACAAATGCCAGAGAAGATTCCTGGAAGTGTCTGCGCTGCCTGCTCTACGCCCTCAA
 TCTGCTCTTTTGGTTAATGTCCATCAGTGTGTGGCAGTTTCTGCTTGGATGAGGGACTACCTAA
 ATAATGTTCTCACTTTAAGTGCAGAAACGAGGGTAGAGGAAGCAGTCATTTTACTTTCTCT
 GTGGTTCATCCGGTCATGATTGCTGTTTGTCTTCTTATCATTGTGGGGATGTTAGGATATTG
 TGGAACGGTGAAAAGAAATCTGTTGCTTCTTGCATGGTACTTTGGAAGTTTGTCTGCTTTCT
 GTGTAGAACTGGCTTGTGGCGTTTGGACATATGAACAGGAACCTATGGTTCAGTACAATGGTCA
 GATATGGTCACTTTGAAAGCCAGGATGACAAATTATGGATTACCTAGATATCGGTGGCTTACTCA
 TGCTTGGAAATTTTTTTCAGAGAGAGTTTAAAGTGTGTGGAGTAGTATATTTCACTGACTGGTTGG
 AAATGACAGAGATGGACTGGCCCCAGATTCTGCTGTGTGTAGAGAATTTCCAGGATGTTCCAAA
 CAGGCCCCACCAGGAAGATCTCAGTGACCTTTATCAAGAGGGTTGTGGGAAGAAAATGTATTCCTT
 TTTGAGAGGAACCAACAACCTGAGGTGCTGAGGTTTCTGGGAATCTCCATTGGGGTGACACAAA
 TCCTGGCCATGATTCTCACCATTACTCTGCTCTGGGCTCTGTATTATGATAGAAGGGAGCCTGGG
 ACAGACCAAATGATGTCCTTGAAGAATGACAACTCTCAGCACCTGTCATGCTCCCTCAGTAGAACT
 GTTGAACCAAGCCTGTCAAGAATCTTTGAACACACATCCATGGCAAACAGCTTTAATACACACT
 TTGAGATGGAGGAGTTATAAAAAAGAAATGTCACAGAAGAAAACCACAAACTTGTTTTATTTGGACT
 TGTGAATTTTTGAGTACATACTATGTGTTTTCAGAAATATGTAGAAATAAAATGTTGCCATAAAA
 TAACACCTAAGCATATACTATTCTATGCTTTAAAATGAGGATGGAAAAGTTTCATGTCATAAGTC
 ACCACCTGGACAATAATTGATGCCCTTAAAATGCTGAAGACAGATGTCATACCCACTGTGTAGCC
 TGTGTATGACTTTTACTGAACACAGTTATGTTTTGAGGCAGCATGGTTTGATTAGCATTTCCGCA
 TCCATGCAAACGAGTCACATATGGTGGGACTGGAGCCATAGTAAAGGTTGATTTACTTCTACCAA
 CTAGTATATAAAGTACTAATTAATGCTAACATAGGAAGTTAGAAAATACTAATAACTTTTATTA
 CTCAGCGATCTATTCTCTGATGCTAAATAAATTATATATCAGAAAACCTTCAATATTGGTGACT
 ACCTAAATGTGATTTTGTCTGGTTACTAAAATATTTCTTACCCTTAAAAGAGCAAGCTAACACAT
 TGTCTTAAGCTGATCAGGGATTTTTTGTATATAAGTCTGTGTAAATCTGTATAATTCAGTCGAT
 TTCAGTTCTGATAATGTTAAGAATAACCATTATGAAAAGGAAAATTTGTCTGTATAGCATCATT
 ATTTTTAGCCTTTCTGTTAATAAAGCTTTACTATTCTGTCTGGGCTTATATTACACATATAAC
 TGTTATTTAAATACTTAACCACTAATTTGAAAATTACCAGTGTGATACATAGGAATCATTATTC
 AGAATGTAGTCTGGTCTTTAGGAAGTATTAATAAGAAAATTTGCACATAACTTAGTTGATTGAGA
 AAGGACTTGTATGCTGTTTTTCTCCCAATGAAGACTCTTTTGGACACTAAACACTTTTTAAAAA
 GCTTATCTTTGCCTTCTCCAAACAAGAAGCAATAGTCTCCAAGTCAATATAAATTTCTACAGAAAA
 TAGTGTTCTTTTTCTCCAGAAAAATGCTTGTGAGAATCATTAAAACATGTGACAATTTAGAGATT
 CTTTGTTTTATTTCACTGATTAATATACTGTGGCAAATTACACAGATTATTAAATTTTTTACAA
 GAGTATAGTATATTTATTTGAAATGGGAAAAGTGCATTTTACTGTATTTTGTGATTTTGTATTAT
 TTCTCAGAATATGGAAGAAAATTTAAAATGTGTCAATAAATATTTTCTAGAGAGTAA

FIGURE 108

MAREDSVKCLRCLLYALNLLFWLMSISVLAVSAWMRDYLNNVLTTLTAETRVEEAVILTYFPVVHP
VMIAVCCFLIIVGMLGYCGTVKRNLLLLAWYFGSLLVIFCVELACGVWTYEQELMVPVQWSDMT
LKARMTNYGLPRYRWLTHAWNFFQREFKCCGVVYFTDWLEMTMDWPPDSCCVREFPGCSKQAHQ
EDLSDLYQEGCGKKMYSFLRGTKQLQVLRFLGISIGVTQILAMILTITLLWALYYDRREPSTDQM
MSLKNDNSQHLSCPSVELLKPSLSRIFEHTSMANSFNTHFEMEEL

Signal peptide:

amino acids 1-33

Transmembrane domains:

amino acids 12-35, 57-86, 94-114, 226-248

FIGURE 109

CCAAGGCCAGAGCTGTGGACACCTTATCCCACTCATCCTCATCCTCTTCTCTGATAAAGCCCCCTACCAGTGCT
 GATAAAGTCTTTCTCTGTGAGAGCCTAGAGGCCTTAAAAAAAAAAGTGCTTGAAAGAGAAGGGGACAAAGGAACA
 CCAGTATTAAGAGGATTTTCCAGTGTCTTCTGGCAGTTGGTCCAGAAGGATGCCTCCATTCTGTCTCTCACCTG
 CCTCTTCATCACAGGCACCTCCGTGTACCCCGTGGCCCTAGATCCTTGTCTGTCTTACATCAGCCTGAATGAGC
 CCTGGAGGAACACTGACCACCAGTTGGATGAGTCTCAAGGTCTCCTCTATGTGACAACCATGTGAATGGGGAG
 TGGTACCACCTTCACGGGCATGGCGGGAGATGCCATGCCTACCTTCTGCATACCAGAAAACCACTGTGGAACCCA
 CGCACCTGTCTGGCTCAATGGCAGCCACCCCTAGAAAGGCGACGGCATTGTGCAACGCCAGGCTTGTGCCAGCT
 TCAATGGGAACCTGTCTCTGGAACACCACGGTGGAAAGTCAAGGCTTGCCCTGGAGGCTACTATGTGTATCGT
 CTGACCAAGCCCAGCGTCTGTCTCCACGTCTACTGTGGTCATTTTATGACATCTGCGACGAGGACTGCCATGG
 CAGCTGCTCAGATACCAGCGAGTGCACATGCGCTCCAGGAACCTGTGCTAGGCCCTGACAGGCAGACATGCTTGT
 ATGAAAATGAATGTGAGCAAAACAACGGTGGCTGCAGTGAATCTGTGTGAACCTCAAAAACCTCTACCGTGT
 GAGTGTGGGGTTGGCCGTGTGCTAAGAAGTGATGGCAAGACTTGTGAAGACGTTGAAGGATGCCACAATAACAA
 TGGTGGCTGCAGCCACTCTTGCCCTGGATCTGAGAAAGGCTACCAGTGTGAATGTCCCCGGGGCCTGGTGTGT
 CTGAGGATAACCACTTGCCAAGTCCCTGTGTGTGCAATCAAATGCCATTGAAGTGAACATCCCCAGGGAG
 CTGCTTGGTGGCCTGGAGCTCTTCTGACCAACACCTCCTGCCGAGGAGTGTCCAACGGCACCCATGTCAACAT
 CCTCTTCTCTCAAGACATGTGGTACAGTGGTGCATGTGGTGAATGACAAGATTGTGGCCAGCAACCTCGTGA
 CAGGTCTACCCAAGCAGACCCCGGGAGCAGCGGGGACTTCATCATCCGAACCAGCAAGCTGCTGATCCCGGTG
 ACCTGCGAGTTTCCACGCTGTACACCATTCTGAAGGATACGTCCCAACCTTCGAAACTCCCCACTGGAAT
 CATGAGCCGAAATCATGGGATCTTCCCATTCACTCTGGAGATCTCAAGGACAATGAGTTTGAAGAGCCTTACC
 GGGAAAGCTCTGCCACCCTCAAGCTTCGTGACTCCCTCTACTTTGGCATTGAGCCCGTGGTGCACGTGAGCGGC
 TTGGAAAGCTTGGTGGAGAGCTGCTTTGCCACCCACCTCCAAGATCGACGAGGTCTGAAATACCTCAT
 CCGGGATGGCTGTGTTTCAGATGACTCGGTAAAGCAGTACACATCCCGGGATCACCTAGCAAAGCACTTCCAGG
 TCCCTGTCTTCAAGTTTGTGGGCAAGACCACAAGGAAGTGTCTGCACTGCCGGGTCTTGTCTGTGGAGTG
 TTGGACGAGCGTTCCCGCTGTGCCAGGGTTGCCACCGCGAATGCGTGTGGGCAGGAGGAGGACTCAGC
 CGGTCTACAGGGCCAGACGCTAACAGGCGGCCGATCCGCATCGACTGGGAGGACTAGTTTCGTAGCCATACCTC
 GAGTCCCTGCATTGGACGGCTCTGTCTTTGGAGCTTCTCCCCCACC GCCCTCTAAGAACATCTGCCAACAGC
 TGGGTTTCAGACTTCACACTGTGAGTTCAGACTCCAGCACCAACTCACTCTGATTCTGGTCCATTAGTGGGCA
 CAGGTCACAGCACTGCTGAACAATGTGGCCTGGTGGGGTTTCATCTTTCTAGGGTTGAAAACCTAACTGTCCA
 CCCAGAAAAGCACTCACCCATTTCCCTCATTTCTTCTTACACTTAAATACCTCGTGTATGGTGCATCAGAC
 CACAAAATCAGAAGCTGGGTATAATATTTCAAGTTACAAACCTAGAAAAATTAACAGTTACTGAAATTATGA
 CTTAAATACCAATGACTCCTTAAATATGTAATATAGTTATACCTTGAATTTCAATTCAAATGCAGACTAA
 TTATAGGGAATTTGGAAGTGATCAATAAAACAGTATATAATTTT

FIGURE 110

MPPFLLLTCLFITGTSVSPVALDPCSAYISLNEPWRNTDHQLDESQGPPLCDNHVNGEWYHFTGMAGDAMP
 TFCIPENHCGTHAPVWLNGSHPLEGDGIVQRQACASFNGNCCLWNTTVEVKACPGGYVYRLTKPSVCFHV
 YCGHFYDIEDCHGSCSDTSECTCAPGTVLGPDRQTCFDENECEQNNGGCSEICVNLKNSYRCECGVGRV
 LRSDGKTCEDVEGCHNNNGGCSHSLGSEKGYQCECPRLVLSNHTCQVPVLCKSNAIEVNIPRELVG
 LELELTNTSCRGVSNHTVNILFSLKTCGTVVDVNDKIVASNLVTGLPKQTPGSSGDFIIRTSKLLIPVT
 CEFPRLYTISEGYVPNLRNSPLEIMSRNHGIFPFTLEIFKDNEFEOPYREALPTLKLRLSLYFGIEPVVHV
 SGLLESLVESCFAPTPSKIDEVLKYILRDGCVSDDSVKQYTSRDHLAKHFQVPVFKFVGKDHKEVFLHCRV
 LVCGVLDERSRCAQGCHRRMRGAGGEDSAGLQGQTLTGGPIRIDWED

Important features of the protein:**Signal peptide:**

amino acids 1-16

N-glycosylation sites.

amino acids 89-93, 116-120, 259-263, 291-295, 299-303

Tyrosine kinase phosphorylation sites.

amino acids 411-418, 443-451

N-myristoylation sites.

amino acids 226-232, 233-239, 240-246, 252-258, 296-302, 300-306,
 522-528, 531-537

Aspartic acid and asparagine hydroxylation site.

amino acids 197-209

ZP domain proteins.

amino acids 431-457

Calcium-binding EGF-like proteins.

amino acids 191-212, 232-253

FIGURE 111

GAGAGAGGCAGCAGCTTGCTCAGCGGACAAGGATGCTGGGCGTGAGGGACCAAGGCCTGCCCTGCACTCGG
 GCCTCCTCCAGCCAGTGCTGACCAGGGACTTCTGACCTGCTGGCCAGCCAGGACCTGTGTGGGGAGGCCCT
 CCTGCTGCCTTGGGGTGACAATCTCAGCTCCAGGCTACAGGGAGACCGGGAGGATCACAGAGCCAGCATGT
 TACAGGATCCTGACAGTGATCAACCTCTGAACAGCCTCGATGTCAAACCCCTGCGCAAACCCCGTATCCCC
 ATGGAGACCTTCAGAAAGGTGGGGATCCCCATCATCATAGCACTACTGAGCCTGGCGAGTATCATCATTGT
 GGTGTCTCATCAAGGTGATTCTGGATAAATACTACTTCTCTGCGGGCAGCCTCTCCACTTCATCCCGA
 GGAAGCAGCTGTGTGACGAGAGCTGGACTGTCCCTTGGGGGAGGACGAGGAGCACTGTGTCAAGAGCTTC
 CCCGAAGGGCCTGCAGTGGCAGTCCGCCTCTCCAAGGACCATCCACACTGCAGGTGCTGGACTCGGCCAC
 AGGGAAGTGGTTCTCTGCCTGTTTCGACAACCTTCACAGAAGCTCTCGCTGAGACAGCCTGTAGGCAGATGG
 GCTACAGCAGAGCTGTGGAGATTGGCCCAGACCAGGATCTGGATGTGTGTTGAAATCACAGAAAACAGCCAG
 GAGCTTCGCATGCGGAACCTAAGTGGGCCCTGTCTCTCAGGCTCCCTGGTCTCCCTGCACTGTCTTGCCGTG
 TGGAAGAGCCTGAAGACCCCCGTGTGGTGGGTGGGGAGGAGGCCCTCTGTGGATTCTTGGCCTTGGCAGG
 TCAGCATCCAGTACGACAAACAGCACGTCTGTGGAGGGAGCATCCTGGACCCCCACTGGGTCTCACGGCA
 GCCCCTGCTTCAGGAAACATACCGATGTGTTCAACTGGAAGGTGCGGGCAGGCTCAGACAACTGGGCAG
 CTTCCTCATCCCTGGCTGTGGCCAAGATCATCATATTGAATTCAACCCCATGTACCCCAAAGACAATGACA
 TCGCCCTCATGAAGCTGCAGTTCCTCACTCACTTTCTCAGGCACAGTCAGGCCCATCTGTCTGCCCTTCTTT
 GATGAGGAGCTCACTCCAGCCACCCCACTCTGGATCATTGGATGGGGCTTTACGAAGCAGAATGGAGGGAA
 GATGTCTGACATACTGCTGCAGGCGTCAGTCCAGGTCATTGACAGCACACGGTGCAATGCAGACGATGCGT
 ACCAGGGGGAAGTCACCGAGAAGATGATGTGTGCAGGCATCCCGGAAGGGGGTGTGGACACCTGCCAGGT
 GACAGTGGTGGGCCCCGTGATGTACCAATCTGACCACTGGCATGTGGTGGGCATCGTTAGCTGGGGCTATGG
 CTGCGGGGGCCCCGAGCACCCAGGAGTATACACCAAGGTCTCAGCCTATCTCAACTGGATCTACAATGTCT
 GGAAGGCTGAGCTGTAAATGCTGTGCCCCCTTTCAGTGCTGGGAGCCGCTTCCTTCTGCCCTGCCACCT
 GGGGATCCCCCAAAGTCAGACACAGAGCAAGAGTCCCTTGGGTACACCCCTCTGCCACAGCCTCAGCAT
 TTCTTGGAGCAGCAAAGGGCCTCAATTCCTGTAAGAGACCCTCGCAGCCAGAGGCGCCAGAGGAAGTCA
 GCAGCCCTAGCTCGGCCACACTTGGTGCTCCCAGCATCCCAGGGAGAGACACAGCCCACTGAACAAGGTCT
 CAGGGGTATTGCTAAGCCAAGAAGGAACCTTCCACACTACTGAATGGAAGCAGGCTGTCTTGTAAAAGCC
 CAGATCACTGTGGGCTGGAGAGGAGAAGGAAAGGTCTGCGCCAGCCCTGTCCGTCTTACCCATCCCCAA
 GCCTACTAGAGCAAGAAACCAGTTGTAATATAAAATGCACTGCCCTACTGTTGGTATGACTACCGTTACCT
 ACTGTTGTCATTGTTATTACAGCTATGGCCACTATTATTAAAGAGCTGTGTAACATCTCTGGCAAAAAAA
 AAAA

FIGURE 112

MLQDPDSDQPLNSLDVKPLRKPRIPMETFRKVGIPITIIALLSLASIIIVVLIKVILDKYYFLCG
QPLHFIPRKQLCDGELDCPLGEDEEHCVKSFPEGPAVAVRLSKDRSTLQVLDSATGNWFSACFDN
FTEALAETACRQMGYSRAVEIGPDQDLDVVEITENSQELMRNSSGPCLSGSLVSLHCLACGKSL
KTPRVVGEEASVDSWPWQVSIQYDKQHVCSSILDPHWVLTAAHCFRKHTDVFNWKVRAGSDKL
GSFPSLAVAKIIIIIEFNPMYPKNDIALMKLQFPLTFSGTVRPICLPFFDEELTPATPLWIIGWG
FTKQNGGKMSDILLQASVQVIDSTRCNADDAYQGEVTEKMMCAGIPEGGVDTCCQDSSGGPLMYQS
DQWHVVGIVSWGYGCGGPSTPGVYTKVSAYLNWIYNVWKAEL

Transmembrane domain:

amino acids 32-53 (typeII)

FIGURE 113

GGCTGGACTGGAACCTCCTGGTCCCAAGTGATCCACCCGCCTCAGCCTCCCAAGGTGCTGTGATTA
TAGGTGTAAGCCACCGTGTCTGGCCTCTGAACAACCTTTTTTCAGCAACTAAAAAGCCACAGGAGT
TGAAGTCTAGGATTCTGACTATGCTGTGGTGGCTAGTGCTCCTACTCCTACCTACATTTAAATC
TGTTTTTTGTTCTCTGTAACTAGCCTTTACCTTCCTAACACAGAGGATCTGTCACTGTGGCTCT
GGCCCAAACCTGACCTTCACTCTGGAACGAGAACAGAGGTTTCTACCCACACCGTCCCCTCGAAG
CCGGGGACAGCCTCACCTTGCTGGCCTCTCGCTGGAGCAGTGCCTCACCAACTGTCTCACGTCT
GGAGGCACTGACTCGGGCAGTGCAGGTAGCTGAGCCTCTTGGTAGCTGCGGCTTTCAAGGTGGGC
CTTGCCCTGGCCGTAGAAGGGATTGACAAGCCGAAGATTTTCATAGGCGATGGCTCCCACTGCCC
AGGCATCAGCCTTGCTGTAGTCAATCACTGCCCTGGGGCCAGGACGGGCGGTGGACACCTGCTCA
GAAGCAGTGGGTGAGACATCACGCTGCCCCGCCATCTAACCTTTTCATGTCTGCACATCACCTG
ATCCATGGGCTAATCTGAACTCTGTCCCAAGGAACCCAGAGCTTGAGTGAGCTGTGGCTCAGACC
CAGAAGGGGTCTGCTTAGACCACCTGGTTTTATGTGACAGGACTTGCATTCTCCTGGAACATGAGG
GAACGCCGGAGGAAAGCAAAGTGGCAGGGAAGGAAGTGTGCCAAATTATGGGTGAGAAAAGATG
GAGGTGTTGGGTATCACAAAGGCATCGAGTCTCCTGCATTAGTGACATGTGGGGGAAGGGCTG
CCGATGGCGCATGACACACTCGGGACTCACCTCTGGGGCCATCAGACAGCCGTTCCGCCCCGAT
CCACGTACCAGCTGCTGAAGGGCAACTGCAGGCCGATGCTCTCATCAGCCAGGCAGCAGCCAAAA
TCTGCGATCACCAGCCAGGGGCAGCCGCTCTGGGAAGGAGCAAGCAAAGTGACCATTTCTCCTCCC
CTCCTTCCCTCTGAGAGGCCCTCCTATGTCCCTACTAAAGCCACCAGCAAGACATAGCTGACAGG
GGCTAATGGCTCAGTGTGGGCCAGGAGGTGAGCAAGGCCTGAGAGCTGATCAGAAGGGCCTGCT
GTGCGAACACGGAAATGCCTCCAGTAAGCACAGGCTGCAAAATCCCCAGGCAAAGGACTGTGTGG
CTCAATTTAAATCATGTTCTAGTAATTGGAGCTGTCCCCAAGACCAAAGGAGCTAGAGCTTGTT
CAAATGATCTCCAAGGGCCCTTATACCCAGGAGACTTTGATTGAAATTTGAAACCCCAATCCA
AACCTAAGAACCAGGTGCATTAAGAATCAGTTATTGCCGGGTGTGGTGGCCTGTAATGCCAACAT
TTTGGGAGGCCGAGGCGGGTAGATCACCTGAGGTCAGGAGTTCAAGACCAGCCTGGCCAACATGG
TGAAACCCCTGTCTCTACTAAAAATACAAAAAACTAGCCAGGCATGGTGGTGTGTGCCTGTATC
CCAGCTACTCGGGAGGCTGAGACAGGAGAATTACTTGAACCTGGGAGGTGAAGGAGGCTGAGACA
GGAGAATCACTTCAGCCTGAGCAACACAGCGAGACTCTGTCTCAGAAAAAATAAAAAAGAATTA
TGGTTATTTGTAA

FIGURE 114

MLWWLVLLLLPTLKSVFCSLVTSLYLPNTEDLSLWLWPKPDLHSGTRTEVSTHTVPSKPGTASPC
WPLAGAVPSPTVSRLEALTRAVQVAEPLGSCGFQGGPCPGRRRD

Signal peptide:
amino acids 1-15

FIGURE 115

CAGCAGTGGTCTCTCAGTCCCTCTCAAAGCAAGGAAAGAGTACTGTGTGCTGAGAGACCATGGCAA
 AGAATCCTCCAGAGAATTGTGAAGACTGTCACATTCTAAATGCAGAAGCTTTAAATCCAAGAAA
 ATATGTAAATCACTTAAGATTTGTGGACTGGTGTGTTGGTATCCTGGCCCTAACTCTAATTGTCTT
 GTTTTGGGGGAGCAAGCACCTTCTGGCCGGAGGTACCCAAAAAGCCTATGACATGGAGCACACTT
 TCTACAGCAATGGAGAGAAGAAGAAGATTACATGGAAATTGATCCTGTGACCAGAACTGAAATA
 TTCAGAAGCGGAAATGGCACTGATGAAACATTGGAAGTGCACGACTTTAAAAACGGATACACTGG
 CATCTACTTCGTGGGTCTTCAAAAATGTTTTATCAAAACTCAGATTAAAGTGATTCTGAATTTT
 CTGAACCAGAAGAGGAAATAGATGAGAATGAAGAAATTACCACAACCTTTCTTTGAACAGTCAGTG
 ATTTGGGTCCCAGCAGAAAAGCCTATTGAAAACCGAGATTTTCTTAAAAATTCCAAAATCTGGA
 GATTTGTGATAACGTGACCATGTATTGGATCAATCCCACTCTAATATCAGTTTCTGAGTTACAAG
 ACTTTGAGGAGGAGGAGGAGAAGATCTTCACTTTCCTGCCAACGAAAAAAGGGATTGAACAAAAT
 GAACAGTGGGTGGTCCCTCAAGTGAAAGTAGAGAAGACCCGTCACGCCAGACAAGCAAGTGAGGA
 AGAACTTCCAATAAATGACTATACTGAAAATGGAATAGAATTGATCCCATGCTGGATGAGAGAG
 GTTATTGTTGTATTTACTGCCGTCGAGGCAACCGCTATTGCCGCCGCGTCTGTGAACCTTTACTA
 GGCTACTACCCATATCCATACTGCTACCAAGGAGGACGAGTCATCTGTCGTGTCATCATGCCTTG
 TAACTGGTGGGTGGCCCGCATGCTGGGGAGGGTCTAATAGGAGGTTTGAGCTCAAATGCTTAAAC
 TGCTGGCAACATATAATAAATGCATGCTATTCAATGAATTTCTGCCTATGAGGCATCTGGCCCTT
 GGTAGCCAGCTCTCCAGAATTACTTGTAGGTAATTCCTCTCTTCATGTTCTAATAAACTTCTACA
 TTATCACCAAAAAAAAAAAAAAAAAAAAA

FIGURE 116

MAKNPPENCEDCHILNAEAFKSKKICKSLKICGLVFGILALTLIVLFWGSKHFWPEVPPKAYDME
HTFYSNGEKKKIYMEIDPVTRTEIFRSGNGTDETLVHDFKNGYTGIYFVGLQKCFIKTQIKVIP
EFSEPEEEIDENEEITTTFFEQSVIWVPAEKPIENRDFLKNKILEICDNVTMYWINPTLISVSE
LQDFEEEGEDLHFPANEKKGIEQNEQWVVPQVKVEKTRHARQASEEELPINDYTENGIEFDPMLD
ERGYCCIIYCRRGNRYCRRVCEPLLGYYPYPYCYQGGRVICRVIMPCNWWVARMLGRV

Important features of the protein:

Signal peptide:

amino acids 1-40

Transmembrane domain:

amino acids 25-47 (type II)

N-glycosylation sites.

amino acids 94-97, 180-183

Glycosaminoglycan attachment sites.

amino acids 92-95, 70-73, 85-88, 133-136, 148-151, 192-195, 239-242

N-myristoylation sites.

amino acids 33-38, 95-100, 116-121, 215-220, 272-277

Microbodies C-terminal targeting signal.

amino acids 315-317

Cytochrome c family heme-binding site signature.

amino acids 9-14

FIGURE 118

MSTTTCQVVAFLLSILGLAGCIAATGMDMWSTQDLYDNPVTSVFQYEGLRSCVRQSSGFTECRP
YFTILGLPAMLQAVRALMIVGIVLGAIGLLVSI FALKCIRIGSMEDSAKANMTLTSGIMFIVSGL
CAIAGVSVFANMLVTNFWMSTANMYTGMGGMVQTVQTRYTFGAALFVGWVAGGLTLIGGVMMCIA
CRGLAPEETNYKAVSYHASGHSVAYKPGGFKASTGFGSNTKNKKIYDGGARTEDEVQSYPSKHDY
V

Signal peptide:

amino acids 1-23

Transmembrane domains:

amino acids 81-100, 121-141, 173-194

FIGURE 119

GGAAAACTGTTCTCTTCTGTGGCACAGAGAACCCTGCTTCAAAGCAGAAGTAGCAGTTCCGGAGTCC
AGCTGGCTAAAACATCCCAGAGGATAATGGCAACCCATGCCTTAGAAATCGCTGGGCTGTTCTTG
GTGGTGTGGAATGGTGGGCACAGTGGCTGTCACTGTCATGCCTCAGTGGAGAGTGTGGCCTTCATT
GAAAACAACATCGTGGTTTTTGAAAACCTCTGGGAAGGACTGTGGATGAATTGCGTGAGGCAGGCTAA
CATCAGGATGCAGTGCAAAATCTATGATTCCCTGCTGGCTCTTCTCCGGACCTACAGGCAGCCAGAG
GACTGATGTGTGCTGCTTCCGTGATGTCCTTCTTGGCTTTCATGATGGCCATCCTTGGCATGAAATGC
ACCAGGTGCACGGGGGACAATGAGAAGGTGAAGGCTCACATTCTGCTGACGGCTGGAATCATCTTCAT
CATCACGGGCATGGTGGTGTCTATCCCTGTGAGCTGGGTGCCAATGCCATCATCAGAGATTTCTATA
ACTCAATAGTGAATGTTGCCCAAAACGTGAGCTTGAGAAGCTCTCTACTTAGGATGGACCACGGCA
CTGGTGTGATTGTTGGAGGAGCTCTGTTCTGCTGCGTTTTTTGTTGCAACGAAAAGAGCAGTAGCTA
CAGATACTCGATACTTCCCATCGCACAAACCAAAAAAGTTATCACACCGAAAGAAGTCACCGAGCG
TCTACTCCAGAAGTCAGTATGTGTAGTTGTGTATGTTTTTAACTTTACTATAAAGCCATGCAAATG
ACAAAAATCTATATTACTTTCTCAAAATGGACCCCAAGAACTTTGATTTACTGTTCTTAATGCCT
AATCTTAATTACAGAACTGTGCATCAGCTATTTATGATTCTATAAGCTATTTAGCAGAATGAGATA
TTAAACCAATGCTTTGATTGTTCTAGAAAGTATAGTAATTTGTTTTCTAAGGTGGTTCAGCATCTA
CTCTTTTTATCATTTACTTCAAATGACATTGCTAAAGACTGCATTATTTTACTACTGTAATTTCTCC
ACGACATAGCATATGTACATAGATGAGTGTAAACATTTATATCTCACATAGAGACATGCTTATATGGT
TTTTTTTAAATGAAATGCCAGTCCATTACACTGAATAAATAGAACTCAACTATTGCTTTTCAGGGAA
ATCATGGATAGGGTTGAAGAAGGTACTATTAATTGTTTAAACAGCTTAGGGATTAATGTCCTCCA
TTTATAATGAAGATTAATGAAGGCTTAAATCAGCATTGTAAAGGAAATTGAATGGCTTCTGATAT
GCTGTTTTTTAGCCTAGGAGTTAGAAATCCTAACTTCTTTATCCTCTTCTCCAGAGGCTTTTTTTTT
CTTGTGTATTAAATTAACATTTTTTAAACGCAGATATTTGTCAAGGGGCTTGCATTCAAACGCTT
TTCCAGGGCTATACTCAGAAGAAAGATAAAAGTGTGATCTAAGAAAAAGTGATGGTTTTAGGAAAGTG
AAAAATTTTTGTTTTGTATTTGAAGAAGATGATGCATTTTGACAAGAAATCATATATGTATGGAT
ATATTTTAATAAGTATTTGAGTACAGACTTTGAGGTTTCATCAATATAAATAAAGAGCAGAAAAATA
TGTCTTGGTTTTCATTTGCTTACCAAAAAACAACAACAAAAAAGTTGTCCTTTGAGAACTTCACCT
GCTCCTATGTGGGTACCTGAGTCAAATTTGTCATTTTGTCTGTGAAAAATAAATTTCTTCTGTGA
CCATTTCTGTTTAGTTTTACTAAAATCTGTAAATCTGTATTTTTCTGTTTATCCAAATTTGATGAA
ACTGACAATCCAATTTGAAAGTTTGTGTGACGTCTGTCTAGCTTAAATGAATGTGTTCTATTTGCTT
TATACATTTATATTAATAAATTGTACATTTTCTAATT

FIGURE 120

MATHALEIAGLFLGGVGMVGTVAVTVMPPQWRVSAFIENNIVVFENFWEGLWMNCVRQANIRMQCK
IYDSLALSPDLQAARGLMCAASVMSFLAFMMAILGMKCTRCTGDNEKVKAHILLTAGIIFIITG
MVLIPVSWVANAIIRDFYNSIVNVAQKRELGEALYLGWTTALVLIVGGALFCCVFCNEKSSSY
RYSIPSHRTTQKSYHTGKKSPSVYSRSQYV

Signal peptide:

amino acids 1-17

Transmembrane domains:

amino acids 82-101, 118-145, 164-188

FIGURE 121

GGAGAGAGGCGCGCGGGTGAAAGGCGCATTGATGCAGCCTGCGGCGGCCTCGGAGCGCGCGGAG
 CCAGACGCTGACCACGTTCTCTCCTCGGTCTCCTCCGCCTCCAGCTCCGCGCTGCCCCGGCAGCC
 GGGAGCCATGCGACCCAGGGCCCCGCGCCTCCCCGCAGCGGCTCCGCGGCCTCCTGCTGCTCC
 TGCTGCTGCAGCTGCCCCGCGCCGTCGAGCGCCTCTGAGATCCCCAAGGGGAAGCAAAGGCGCAG
 CTCCGGCAGAGGGAGGTGGTGGACCTGTATAATGGAATGTGCTTACAAGGGCCAGCAGGAGTGCC
 TGGTCGAGACGGGAGCCCTGGGGCCAATGTTATTCCGGGTACACCTGGGATCCCAGGTCGGGATG
 GATTCAAAGGAGAAAAGGGGGAATGTCTGAGGGAAAGCTTTGAGGAGTCCTGGACACCCAACTAC
 AAGCAGTGTTTCATGGAGTTCATTGAATTATGGCATAGATCTTGGGAAAATTGCGGAGTGACATT
 TACAAAGATGCGTTCAAATAGTGCTCTAAGAGTTTGTTCAGTGGCTCACTTCGGCTAAAATGCA
 GAAATGCATGCTGTCAGCGTTGGTATTTACATTCAATGGAGCTGAATGTTTCAGGACCTCTTCCC
 ATTGAAGCTATAATTTATTTGGACCAAGGAAGCCCTGAAATGAATTCAACAATTAATATTCATCG
 CACTTCTTCTGTGGAAGGACTTTGTGAAGGAATTGGTGCTGGATTAGTGGATGTTGCTATCTGGG
 TTGGCACTTGTTTCAGATTACCCAAAAGGAGATGCTTCTACTGGATGGAATTCAGTTTCTCGCATC
 ATTATTGAAGAACTACCAAAATAATGCTTTAATTTTCATTGCTACCTCTTTTTTTATTATGCC
 TTGGAATGGTTCACTTAAATGACATTTTAAATAAGTTTATGTATACATCTGAATGAAAAGCAAAG
 CTAAATATGTTTACAGACCAAAGTGTGATTTACACTGTTTTTAAATCTAGCATTATTCATTTTG
 CTTCAATCAAAGTGTTTCAATATTTTTTTTAGTTGGTTAGAATACTTTCTTCATAGTCACATT
 CTCTCAACCTATAATTTGGAATATTGTTGTGGTCTTTTGTCTTTCTCTTAGTATAGCATTTTTTA
 AAAAAATATAAAAGCTACCAATCTTTGTACAATTTGTAAATGTTAAGAATTTTTTTTATATCTGT
 TAAATAAAAATTATTTCCAACA

FIGURE 122

MRPQGPAASPQRLRGLLLLLLLQLPAPSSASEIPKGKQKAQLRQREVVDLYNGMCLQGPAQVPGR
DGSPGANVIPGTPGIPGRDGFKEKGECLRESFEESWTPNYKQCSWSSLNYGIDLGKIAECTFTK
MRSNSALRVLFSGSLRLKCRNACCQRWYFTNGAECSGPLPIEAIYLDQGSPMNSTINIHRIS
SVEGLCEGIGAGLVDVAIWVGTCSDYPKGDASTGWNSVSRIIEELPK

Signal peptide:

amino acids 1-30

Transmembrane domain:

amino acids 195-217

FIGURE 123

GCTGAGCGTGTGCGCGGTACGGGGCTCTCCTGCCTTCTGGGGCTCCAACGCAGCTCTGTGGCTGAA
 CTGGGTGCTCATCACGGGAACCTGCTGGGCTATGGAATACAGATGTGGCAGCTCAGGTAGCCCCAA
 ATTGCCTGGAAGAATACATCATGTTTTTCGATAAGAAGAAATGTAGGATCCAGTTTTTTTTTTTA
 ACCGCCCCCTCCCCACCCCCAAAAAACTGTAAAGATGCAAAAACGTAATATCCATGAAGATCC
 TATTACCTAGGAAGATTTTGATGTTTTGCTGCGAATGCGGTGTGGGATTTATTTGTTCTTGGAG
 TGTCTGCGTGGCTGGCAAAGAATAATGTTCCAAAATCGGTCCATCTCCCAAGGGGTCCAATTTT
 TCTTCCTGGGTGTCAGCGAGCCCTGACTCACTACAGTGCAGCTGACAGGGGTGTCATGCAACTG
 GCCCCAAGCCAAAGCAAAAGACCTAAGGACGACCTTTGAACAATACAAAGGATGGGTTTCAATG
 TAATTAGGCTACTGAGCGGATCAGCTGTAGCACTGGTTATAGCCCCACTGTCTTACTGACAATG
 CTTTCTCTGCCGACGAGGATGCCCTAAGGGCTGTAGGTGTGAAGGCAAAATGGTATATGTGA
 ATCTCAGAAATTACAGGAGATACCCCTCAAGTATATCTGCTGGTTGCTTAGGTTTGTCCCTTCGCT
 ATAACAGCCTTCAAAAACCTTAAGTATAATCAATTTAAAGGGCTCAACCAGCTCACCTGGCTATAC
 CTTGACCATAACCATATCAGCAATATTGACGAAAATGCTTTTAAATGGAATACGCAGACTCAAAGA
 GCTGATCTTTAGTTCCAATAGAAATCTCCTATTTCTTAACAATACCTTCAGACCTGTGACAAATT
 TACGGAACTTGGATCTGTCTATAATCAGCTGCATTCTCTGGGATCTGAACAGTTTCGGGGCTTG
 CGGAAGCTGCTGAGTTTACATTTACGGTCTAACTCCCTGAGAACCATCCCTGTGCGAATATCCA
 AGACTGCCGCAACCTGGAACCTTTGGACCTGGGATATAACCGGATCCGAAGTTTAGCCAGGAATG
 TCTTTGCTGGCATGATCAGACTCAAAGAACTTCACCTGGAGCACAATCAATTTCCAAGCTCAAC
 CTGGCCCTTTTTCCAAGGTTGGTCAGCCTTCAGAACCTTTACTTGCAAGTGGAAATAAATCAGTGT
 CATAGGACAGACCATGTCTGGACCTGGAGCTCCTTACAAAGGCTTGATTTATCAGGCAATGAGA
 TCGAAGCTTTTCAAGTGGACCCAGTGTTTTCCAGTGTGTCCCGAATCTGCAGCGCCTCAACCTGGAT
 TCCAACAAGCTCACATTTATTGGTCAAGAGATTTTGGATTCTTGATATCCCTCAATGACATCAG
 TCTTGCTGGGAATATATGGGAATGCAGCAGAAATATTTGCTCCCTTGTAAGCTGGCTGAAAAGTT
 TTAAAGGTCTAAGGGAGAATACAATTATCTGTGCCAGTCCCAAAGAGCTGCAAGGAGTAAATGTG
 ATCGATGCAGTGAAGAACTACAGCATCTGTGGCAAAAGTACTACAGAGAGGTTTGATCTGGCCAG
 GGCTCTCCCAAAGCCGACGTTTAAAGCCAAAGCTCCCCAGGCCGAAGCATGAGAGCAAACCCCTT
 TGCCCCCGACGGTGGGAGCCACAGAGCCCGGCCAGAGACCGATGCTGACGCCGAGCACATCTCT
 TTCCATAAAATCATCGCGGGCAGCGTGGCGCTTTTCTGTCCGTGCTCGTCATCTGCTGGTTAT
 CTACGTGTCATGGAAGCGGTACCTGCGAGCATGAAGCAGCTGCAGCAGCGTCCCTCATGCGAA
 GGCACAGGAAAAAGAAAAGACAGTCCCTAAAGCAAATGACTCCAGCACCCAGGAATTTTATGTA
 GATTATAAAACCCACCAACACGGAGACCAGCGAGATGCTGCTGAATGGGACGGGACCCTGCACCTA
 TAACAAATCGGGCTCCAGGGAGTGTGAGGTATGAACCATTGTGATAAAAAGAGCTCTTAAAGCT
 GGGAAATAAGTGGTGTCTTATTGAACTCTGGTGAATCAAGGGAACGCGATGCCCCCTCCCC
 TTCCCTCTCCCTCTCACTTTGGTGGCAAGATCCTTCCCTGTCCGTTTTAGTGCATTATAATACT
 GGTCAATTTTCTCTCATACATAATCAACCCATTGAAATTTAAATACCACAATCAATGTGAAGCTT
 GAACCTCCGGTTTAAATATAATACCTATTGTATAAGACCCTTTACTGATTCCATTAATGTGCAATTT
 GTTTTAAGATAAACTTCTTTCATAGGTAAAAA

FIGURE 124

MGFNVIRLLSGSAVALVIAPTPLLTLSSAERGCPKGCRCEGKMVYCESQKLQEIPSSISAGCLG
LSLRYSNLQKLKYNQFKGLNQLTWLYLDHNHISNIDENAFNGIRRLKELILSSNRISYFLNNTFR
PVTNLRNLDLSYNQLHSLGSEQFRGLRKLLSLHLRSNSLRTIPVRIQDCRNLELLDLGYNRIRS
LARNVFAGMIRLKEHLEHNQFSKLNALFPRLVSLQNLQWNKISVIGQTMSTWSSQLRLDL
SGNEIEAFSGPSVFQCVPNLQRLNLDNKLTFIQEILDSWISLNDISLAGNIWECNRNICSLVN
WLKSFKGLRENTIICASPKELQGVNVIDAVKNYSICGKSTTERFDLALALPKPTFKPKLPRPKHE
SKPPLPPTVGATEPGPETDADAEHISFHKIIAGSVALFLSVLVILLVIYVSWKRYPASMKQLQQR
SLMRRHRKKKRQSLKQMTPTSTQEFYVDYKPTNTETSEMLLNGTGPCTYNKSGSRECEV

Important features of the protein:

Signal peptide:

amino acids 1-33

Transmembrane domain:

amino acids 420-442

N-glycosylation sites.

amino acids 126-129, 357-360, 496-499, 504-507

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 465-468

Tyrosine kinase phosphorylation site.

amino acids 136-142

N-myristoylation sites.

amino acids 11-16, 33-38, 245-250, 332-337, 497-502, 507-512

FIGURE 125

CCGTTATCGTCTTGGCGCTACTGCTGAATGTCCGTCCCGGAGGAGGAGGAGAGGCTTTTGCCGCTG
 ACCCAGAGATGGCCCCGAGCGAGCAAATTCCTACTGTCCGGCTGCGCGGCTACCGTGGCCGAGCT
 AGCAACCTTTCCCTGGATCTCACAAAACTCGACTCCAAATGCAAGGAGAAGCAGCTCTTGCTC
 GGTTGGGAGACGGTGCAAGAGAATCTGCCCCCTATAGGGGAATGGTGCGCACAGCCCTAGGGATC
 ATTGAAGAGGAAGGCTTTCTAAAGCTTTGGCAAGGAGTGACACCCGCCATTACAGACACGTAGT
 GTATTCTGGAGGTCGAATGGTCACATATGAACATCTCCGAGAGGTTGTGTTTGGCAAAAGTGAAG
 ATGAGCATTATCCCCTTTGGAAATCAGTCATTGGAGGGATGATGGCTGGTGTATTGGCCAGTTT
 TTAGCCAATCCAAGTACCTAGTGAAGGTTGAGATGCAAATGGAAGGAAAAAGGAACTGGAAGG
 AAAACCATTGCGATTTCGTGGTGTACATCATGCATTTGCAAAAATCTTAGCTGAAGGAGGAATAC
 GAGGGCTTTGGGCAGGCTGGGTACCCAATATACAAAGAGCAGCACTGGTGAATATGGGAGATTTA
 ACCACTTATGATACAGTGAAACACTACTTGGTATTGAATACACCACTTGAGGACAATATCATGAC
 TCACGGTTTATCAAGTTTATGTTCTGGACTGGTAGCTTCTATTCTGGGAACACCAGCCGATGTCA
 TCAAAAGCAGAATAATGAATCAACCACGAGATAAACAAGGAAGGGGACTTTTGTATAAATCATCG
 ACTGACTGCTTGATTCAGGCTGTTCAAGGTGAAGGATTCATGAGTCTATATAAAGGCTTTTTACC
 ATCTTGGCTGAGAATGACCCCTTGGTCAATGGTGTCTGGCTTACTTATGAAAAAATCAGAGAGA
 TGAGTGGAGTCAGTCCATTTTAA

FIGURE 126

MSVPEEEERLLPLTQRWPRASKFLLSGCAATVAELATFPLDLTKTRLQMGEAALARLGDGARES
APYRGMVRTALGIIIEEGFLKLWQGVTPAIYRHVVYSGGRMVITYEHLREVVFVGKSEDEHYPLWKS
VIGGMMAGVIGQFLANPTDLVKVQMMEGKRKLEGKPLRFRGVHHAFAKILAEGGIRGLWAGWVP
NIQRAALVNMGDLTTYDTVKHYLVNTPLEDNIMTHGLSSLCSGLVASILGTPADVIKSRIMNQP
RDKQGRGLLYKSSTDCLIQAVQGEGFMSLYKGFLPSWLRMTPWSMVFWLTYEKIREMSGVSPF

Transmembrane domains:

amino acids 25-38, 130-147, 233-248

FIGURE 127

CGCGGATCGGACCCAAGCAGGTCGGCGGCGGCGGAGAGCGCGGGCGTCAGCTCCTCGAC
 CCCC GTGTCGGGCTAGTCCAGCGAGGCGGACGGGCGGCGTGGGCCCATGCCAGGCCCGGCATGG
 AGCGGTGGCGCGACCGGCTGGCGCTGGTGACGGGGGCGCTCGGGGGGCATCGGCGCGGCCGTGGCC
 CGGGCCCTGGTCCAGCAGGGAAGGTGGTGGGCTGCGCCCGCACTGTGGGCAACATCGAGGA
 GCTGGCTGCTGAATGTAAGAGTGCAGGCTACCCCGGACTTTGATCCCCTACAGATGTGACCTAT
 CAAATGAAGAGGACATCCTCTCCATGTTCTCAGCTATCCGTTCTCAGCACAGCGGTGTAGACATC
 TGCATCAACAATGCTGGCTTGGCCCGGCGCTGACACCCTGCTCTCAGGCAGCACCAAGTGGTTGGAA
 GGACATGTTCAATGTGAACGTGCTGGCCCTCAGCATCTGCACACGGGAAGCCTACCAGTCCATGA
 AGGAGCGGAATGTGGACGATGGGCACATCATTAACATCAATAGCATGTCTGGCCACCGAGTGTTA
 CCCCTGTCTGTGACCCACTTCTATAGTGCCACCAAGTATGCCGTCCTGCGCTGACAGAGGGACT
 GAGGCAAGAGCTTCGGGAGGCCCAGACCCACATCCGAGCCACGTGCATCTCTCCAGGTGTGGTGG
 AGACACAATTGCGCTTCAAACCTCCACGACAAGGACCCTGAGAAGGCAGCTGCCACCTATGAGCAA
 ATGAAGTGTCTCAAACCCGAGGATGTGGCCGAGGCTGTTATCTACGTCCTCAGCACCCCGCACA
 CATCCAGATTGGAGACATCCAGATGAGGCCCACGGAGCAGGTGACCTAGTGACTGTGGGAGCTCC
 TCCTTCCCTCCCCACCCCTTCATGGCTTGCCCTCCTGCTGCTGATTTTAGGTGTTGATTTCTGGAT
 CACGGGATACCACTTCTGTCCACACCCCGACCAGGGGCTAGAAAATTTGTTTGAGATTTTATA
 TCATCTTGTCAAATTGCTTCAGTTGTAAATGTGAAAAATGGGCTGGGGAAAGGAGGTGGTGTCCC
 TAATTGTTTTACTTGTTAACTTGTCTTGTGCCCCTGGGCACTTGGCCTTTGTCTGCTCTCAGTG
 TCTTCCCTTTGACATGGGAAAGGAGTTGTGGCCAAAATCCCCATCTTCTTGACCTCAACGTCTG
 TGGCTCAGGGCTGGGGTGGCAGAGGGAGGCCTTACCTTATATCTGTGTTGTTATCCAGGGCTCC
 AGACTTCTCCTCTGCCTGCCCCACTGCACCCTCTCCCCCTTATCTATCTCCTTCTCGGCTCCCC
 AGCCAGTCTTGGCTTCTTGTCCCTCCTGGGGTCATCCCTCCACTCTGACTCTGACTATGGCAG
 CAGAACACCAGGGCCTGGCCCAGTGGATTTATGGTGATCATTAAGAAAGAAAAATCGCAACCAA
 AAAAAAAAAA

FIGURE 128

MARPGMERWRDRLALVTGASGGIGAAVARALVQQGLKVVGCAITVGNIEELAAECKSAGYPGTLI
PYRCDLSNEEDILSMFSAIRSQHSQVDICINNAGLARPDITLLSGSTSGWKDMFNVNVLALSICTR
EAYQSMKERNVDDGHIININMSGHRVLPVSVTHFYATKYAVTALTEGLRQELREAQTHIRATC
ISPGVVETQFAFKLHDKDPEKAAATYEQMKCLKPEDVAEAVIYVLSTPAHIQIGDIQMRPTEQVT

Important features of the protein:**Signal peptide:**

amino acids 1-17

N-myristoylation sites.

amino acids 18-24, 21-27, 22-28, 24-30, 40-46, 90-96, 109-115,
199-205

Short-chain alcohol dehydrogenase.

amino acids 30-42, 104-114

FIGURE 129

AACCTCTACATGGGCCTCCTGCTGCTGGTGTCTTCTCAGCCTCCTGCCGGTGGCCTACACCAT
 CATGTCCCTCCCACCCTCCTTTGACTGCGGGCCGTTAGGTGCAGAGTCTCAGTTGCCCGGGAGC
 ACCTCCCCCTCCCAGGCAGTCTGCTCAGAGGGCCTCGGCCCAGAATTCCAGTTCTGGTTTCATGC
 CAGCCTGTAAAAGGCCATGGAACCTTTGGGTGAATCACCGATGCCATTTAAGAGGGTTTTCTGCCA
 GGATGGAAATGTTAGGTCGTTCTGTGTCTGCGCTGTTCAATTCAGTAGCCACCAGCCACCTGTGG
 CCGTTGAGTGCTTGAAATGAGGAACTGAGAAAATTAATTTCTCATGTATTTTTCTCATTTATTTA
 TTAATTTTTAACTGATAGTTGTACATATTTGGGGGTACATGTGATATTTGGATACATGTATACAA
 TATATAATGATCAAATCAGGGTAACTGGGATATCCATCACATCAAACATTTATTTTTTATTCTTT
 TTAGACAGAGTCTCACTCTGTCACCCAGGCTGGAGTGCAGTGGTGCCATCTCAGCTTACTGCAAC
 CTCTGCCTGCCAGGTTCAAGCGATTCTCATGCCTCCACCTCCCAAGTAGCTGGGACTACAGGCAT
 GCACCACAATGCCCAACTAATTTTTGTATTTTTTAGTAGAGACGGGGTTTTGCCATGTTGCCCAGG
 CTGGCCTTGAACTCCTGGCCTCAAACAATCCACTTGCTCGGCCTCCCAAAGTGTTATGATTACA
 GCGGTGAGCCACCGTGCCTGGCCTAAACATTTATCTTTTCTTTGTGTTGGGAACTTTGAAATTAT
 ACAATGAATTATTGTAACTGTCATCTCCCTGCTGTGCTATGGAACACTGGGACTTCTTCCCTCT
 ATCTAACTGTATATTTGTACCAGTTAAACAACCGTACTTCATCCCCACTCCTCTATCCTTCCC
 AACCTCTGATCACCTCATTCTACTCTCTACCTCCATGAGATCCACTTTTTTTAGCTCCCACATGTG
 AGTAAGAAAATGCAATATTTGTCTTTCTGTGCCTGGCTTATTTCACTTAACATAATGACTTCCTG
 TTCCATCCATGTTGCTGCAAATGACAGGATTTGTTCTTAATTTCAATTAAAATAACCACACATG
 GCAAAAA

FIGURE 130

MGLLLLVLFSLLPVAYTIMSLPPSFDCGPFRCRVSVAREHLPSRGSLLRGPRPRI PVLVSCQPV
KGGHTLGESMPFKRVCQDGNVRSFCVCAVHFSSHQPPVAVECLK

Important features of the protein:

Signal peptide:

amino acids 1-18

N-myristoylation site.

amino acids 86-92

Zinc carboxypeptidases, zinc-binding region 2 signature.

amino acids 68-79

FIGURE 131

TTCTGAAGTAACGGAAGCTACCTTGTATAAAGACCTCAACACTGCTGACCATGATCAGCGCAGCCTGGAGC
 ATCTTCCTCATCGGGACTAAAATTGGGCTGTTCTTCAAGTAGCACCTCTATCAGTTATGGCTAAATCCTG
 TCCATCTGTGTGTCGCTGCGATGCGGGTTTCATTTACTGTAATGATCGCTTCTGACATCCATTCCAACAG
 GAATACCAGAGGATGCTACAAC'TCTACCTTCAGAACAAACCAATAAATAATGCTGGGATTCCTTCAGAT
 TTGAAAAACTTGCTGAAAGTAGAAAGAATATACCTATACCACAACAGTTTAGATGAAT'TCCTACCAACCT
 CCCAAAGTATGTAAAAGAGTTACATTTGCAAGAAAATAACATAAGGACTATCACTTATGATTCACTTTCAA
 AAATTCCCTATCTGGAAGAATTACATTTAGATGACAACCTGTCTCTGCAGTTAGCATAGAAGAGGGAGCA
 TTCCGAGACAGCAACTATCTCCGACTGCTTTTCTGTCCCGTAATCACCTTAGCACAAATCCCTGGGGTTT
 GCCCAGGACTATAGAAGAACTACGCTTGGATGATAATCGCATATCCACTATTTTCATCACCATCTCTTCAAG
 GTCTCACTAGTCTAAAACGCCTGGTCTAGATGGAACCTGTTGAACAATCATGGTTTAGGTGACAAAGTT
 TTCTTCAACCTAGTTAATTTGACAGAGCTGTCCCTGGTGCGGAATTCCTGACTGCTGCACCAGTAACCT
 TCCAGGCACAAACCTGAGGAAGCTTTATCTTCAAGATAACCACATCAATCGGGTGCCCCAAATGCTTTT
 CTATCTAAGGCAGCTCTATCGACTGGATATGTCCAATAATAACCTAAGTAATTTACCTCAGGGTATCTTT
 GATGATTTGGACAATATAACACAACCTGATTCTTCGCAACAATCCCTGGTATTGCGGGTGCAAGATGAAATG
 GGTACGTGACTGGTTACAATCACTACCTGTGAAGGTCAACGTGCGTGGGCTCATGTGCCAAGCCCCAGAAA
 AGGTTTCGTGGGATGGCTATTAAGGATCTCAATGCAGAACTGTTTGATTGTAAGGACAGTGGGATTGTAAGC
 ACCATTCAGATAACCACTGCAATACCCAACACAGTGATCCTGCCCAAGGACAGTGGCCAGCTCCAGTGAC
 CAAACAGCCAGATATTAAGAACCCCAAGCTCACTAAGGATCAACAAACCACAGGGAGTCCCTCAAGAAAAA
 CAATTACAATTACTGTGAAGTCTGTACCTCTGATACCATTATATCTCTTGGAACCTTGCTCTACCTATG
 ACTGCTTTGAGACTCAGCTGGCTTAAACTGGGCCATAGCCCGGCATTTGGATCTATAACAGAAACAATTGT
 AACAGGGGAACGCAGTGAGTACTTGGTCACAGCCCTGGAGCCTGATTCACCCATATAAAGTATGCATGGTTC
 CCATGGAAACCAGCAACCTCTACCTATTTGATGAAACTCCTGTTTGTATTGAGACTGAAACTGCACCCCTT
 CGAATGTACAACCTTACAACCACCTCAATCGAGAGCAAGAGAAAGAACCTTACAAAAACCCCAATTTACC
 TTTGGCTGCCATCATTTGGTGGGGCTGTGGCCCTGGTTACCATTGCCCTTCTTGCTTTAGTGTGTTGGTATG
 TTCATAGGAATGGATCGCTCTTCTCAAGGAACCTGTGCATATAGCAAAGGGAGGAGAAGAAAGGATGACTAT
 GCAGAAGCTGGCACTAAGAAGGACAACCTCTATCCTGGAAATCAGGGAACTTCTTTTCAGATGTTACCAAT
 AAGCAATGAACCCATCTCGAAGGAGGAGTTTGTAAATACACACCATATTTCTCCTAATGGAATGAATCTGT
 ACAAAAACAATCACAGTGAAAGCAGTAGTAACCGAAGCTACAGAGACAGTGGTATTCCAGACTCAGATCAC
 TCACACTCATGATGCTGAAGGACTCACAGCAGACTTGTGTTTTGGGTTTTTTAAACCTAAGGGAGGTGATG
 GT

FIGURE 132

MISAAWSIFLIGTKIGLFLQVAPLSVMAKSCPSVCRC DAGFIYCND RFLTSIPTGIPEDATTLYL
 QNNQINNAGIPSDLKNLLKVERIYLYHNSLDEFPTNLPKYVKELHLQENNIR TITYDLSKIPYL
 EELHLLDDNSVSAVSIEEGA FRDSNYLRLLFLSRNHLSTIPWGLPRTIEELRLDDNRISTISSPSL
 QGLTSLKRLVLDGNLLNNHGLGDKVFFNLVNLTELSLVRNSLT AAPVNLPGTNLRKLYLQDNHIN
 RVPPNAFSYLRQLYRLDMSNNNLSNLPQGI FDDL DNI TQLILRNNPWYCGCKMKWVRDWLQSLPV
 KVNVRGLMCQAPEKVRGMAIKDLNAELFDCKDSGIVSTIQITTAIPNTVYPAQGQWPAPVTKQPD
 IKNPKLTKDQQTGSPSRKTITITVKSVTSDTIHISWKLALPMTALRLSWLKLGHSPA FGSITET
 IVTGERSEYLVTALEPDSPYKVCMPMETS NLYLFDETPVC IETETAPLRMYNPTTTLNREQEKE
 PYKNPNLPLAAIIGGAVALVTIAL LALVCWYVHRNGSLFSRNCAYSKGRRRKDDYAEAGTKKDNS
 ILEIRETSFQMLPISNEPISKEEFVIHTIFPPNGMNL YKNNHSESSSNRSYRDSGIPDS DSHSHS

Important features of the protein:

Signal peptide:

amino acids 1-28

Transmembrane domain:

amino acids 531-552

N-glycosylation sites.

amino acids 226-229, 282-285, 296-299, 555-558, 626-629, 633-636

Tyrosine kinase phosphorylation site.

amino acids 515-522

N-myristoylation sites.

amino acids 12-17, 172-177, 208-213, 359-364, 534-539, 556-561,
 640-645

Amidation site.

amino acids 567-570

Leucine zipper pattern.

amino acids 159-180

Phospholipase A2 aspartic acid active site.

amino acids 34-44

FIGURE 133

CCGTCATCCCCCTGCAGCCACCCCTCCCAGAGTCCTTTGCCCAGGCCACCCCAGGCTTCTTGCCA
 GCCCTGCCGGGCCACTTGTCTTCAATGTCTGCCAGGGGAGGTGGGAAGGAGGTGGGAGGAGGGCG
 TGCAGAGGCAGTCTGGGCTTGGCCAGAGCTCAGGGTGCTGAGCGTGTGACCAGCAGTGAGCAGAG
 GCCGGCCATGGCCAGCCTGGGGCTGTGCTCCTGCTCTTACTGACAGCACTGCCACCGCTGTGGT
 CCTCCTCACTGCCTGGGCTGGACACTGCTGAAAGTAAAGCCACCATTGCAGACCTGATCCTGTCT
 GCGCTGGAGAGAGCCACCGTCTTCCTAGAACAGAGGCTGCCTGAAATCAACCTGGATGGCATGGT
 GGGGGTCCGAGTGCTGGAAGAGCAGCTAAAAAGTGTCGGGAGAAGTGGGCCCAGGAGCCCCCTGC
 TGCAGCCGCTGAGCCTGCGCGTGGGGATGCTGGGGGAGAAGCTGGAGGCTGCCATCCAGAGATCC
 CTCCACTACCTCAAGCTGAGTGATCCCAAGTACCTAAGAGAGTTCCAGCTGACCCCTCCAGCCCGG
 GTTTTGAAGCTCCACATGCCTGGATCCACACTGATGCCTCCTTGGTGTACCCACGTTTCGGGC
 CCCAGGACTCATTCTCAGAGGAGAGAAGTGACGTGTGCCTGGTGCAGCTGCTGGGAACCGGGACG
 GACAGCAGCGAGCCCTGCGGCCTCTCAGACCTCTGCAGGAGCCTCATGACCAAGCCCGGCTGCTC
 AGGCTACTGCCTGTCCCACCAACTGCTCTTCTCTCTGGGCCAGAATGAGGGGATGCACACAGG
 GACCACTCCAACAGAGCCAGGACTATATCAACCTCTTCTGCGCCAACATGATGGACTTGAACCGC
 AGAGCTGAGGCCATCGGATACGCCTACCCTACCCGGGACATCTTCATGGAAAACATCATGTTCTG
 TGAATGGGCGGCTTCTCCGACTTCTACAAGCTCCGGTGGCTGGAGGCCATTCTCAGCTGGCAGA
 AACAGCAGGAAGGATGCTTCGGGGAGCCTGATGCTGAAGATGAAGAATTATCTAAAGCTATTCAA
 TATCAGCAGCATTTTTCGAGGAGAGTGAAGAGGCGAGAAAAACAATTTCCAGATTCTCGCTCTGT
 TGCTCAGGCTGGAGTACAGTGGCGCAATCTCGGCTCACTGCAACCTTTGCCTCCTGGGTTCAAGC
 AATTCTCTTGCTCATCCTCCCGAGTAGCTGGGACTACAGGAGCGTGCCACCATACCTGGCTAAT
 TTTTATATTTTTTTAGTAGAGACAGGGTTTCATCATGTTGCTCATGCTGGTCTCGAACTCCTGAT
 CTCAAGAGATCCGCCACCTCAGGCTCCCAAAGTGTTGGGATTATAGGTGTGAGCCACCGTGTCTG
 GCTGAAAAGCACTTTCAAAGAGACTGTGTTGAATAAAGGGCCAAGGTTCTTGCCACCCAGCACTC
 ATGGGGGCTCTCTCCCCTAGATGGCTGCTCCTCCCAACACAGCCACAGCAGTGGCAGCCCTGG
 GTGGCTTCCTATACATCCTGGCAGAATACCCCCCAGCAAACAGAGGCCACACCCATCCACACCG
 CCACCACCAAGCAGCCGCTGAGACGGACGGTTCCATGCCAGCTGCCTGGAGGAGGAACAGACCCC
 TTTAGTCTCATCCCTTAGATCCTGGAGGGCACGGATCACATCCTGGGAAGAAGGCATCTGGAGG
 ATAAGCAAAGCCACCCCGACACCCAATCTTGGAAGCCCTGAGTAGGCAGGGCCAGGGTAGGTGGG
 GGCCGGGAGGGACCCAGGTGTGAACGGATGAATAAAGTTCAACTGCAACTGAAAAAAAAAAAA

FIGURE 134

MSARGRWEGGRRACRGSGLARAQGAERTVSSEQRPMASLGLLLLLLLTALPPLWSSSLPGLD
 TAESKATIADLILSALERATVFLEQRLPEINLDGMVGVRVLEEQLKSVREKWAQEPLLQPLSLRV
 GMLGEKLEAAIQRS LHYLKLSDPKYLREFQLTLQPGFWKLPHAWIHTDASLVYPTFGPQDSFSEE
 RSDVCLVQLLGTGTDSEPCGLSDLCRSLMTKPGCSGYCLSHQLLFFLWARMRGCTQGPLQQSQD
 YINLFCANMMDLNRRAEAIGYAYPTRDIFMENIMFCGMGGFSDFYKLRWLEAILSWQKQEGCFG
 EPDAEDEELSKAIQYQQHFSRRVKRREKQFPDSRSVAQAGVQWRNLGSLQPLPPGFKQFSLILP
 SSWDYRSVPPYLANFYIFLVETGFHHVAHAGLELLISRDPPTSGSQSVGL

Important features of the protein:**Signal peptide:**

amino acids 1-26

Transmembrane domain:

amino acids 39-56

Tyrosine kinase phosphorylation sites.

amino acids 149-156, 274-282

N-myristoylation sites.

amino acids 10-16, 20-26, 63-69, 208-214

Amidation site.

amino acids 10-14

Glycoprotein hormones beta chain signature 1.

amino acids 230-237

FIGURE 135

GGTCTGAGTGCAGAGCTGCTGTCATGGCGGCCGCTCTGTGGGGCTTCTTTCCCGTCTTGCTGCTG
CTGCTGCTATCGGGGATGTCCAGAGCTCGGAGGTGCCCGGGGCTGCTGCTGAGGGATCGGGAGG
GAGTGGGGTCGGCATAGGAGATCGCTTCAAGATTGAGGGGCGTGCAGTTGTTCCAGGGGTGAAGC
CTCAGGACTGGATCTCGGCGGCCCGAGTGTGGTAGACGGAGAAGAGCACGTGCGTTTCCTTAAG
ACAGATGGGAGTTTTGTGGTTCATGATATACCTTCTGGATCTTATGTAGTGAAGTTGTATCTCC
AGCTTACAGATTTGATCCCGTTCGAGTGGATATCACTTCGAAAGGAAAAATGAGAGCAAGATATG
TGAATTACATCAAAACATCAGAGGTTGTGAGACTGCCCTATCCTCTCCAAATGAAATCTTCAGGT
CCACCTTCTTACTTTATTAAAAGGGAATCGTGGGGCTGGACAGACTTTCTAATGAACCCAATGGT
TATGATGATGGTTCTTCCTTTATTGATATTTGTGCTTCTGCCATAAAGTGGTCAACACAAGTGATC
CTGACATGAGACGGGAAATGGAGCAGTCAATGAATATGCTGAATTCCAACCATGAGTTGCCTGAT
GTTTCTGAGTTCATGACAAGACTCTTCTCTTCAAAATCATCTGGCAAATCTAGCAGCGGCAGCAG
TAAACAGGCAAAAGTGGGGCTGGCAAAGGAGGTAGTCAGGCCGTCCAGAGCTGGCATTGTCAC
AAACACGGCAACACTGGGTGGCATCCAAGTCTTGAAAACCGTGTGAAGCAACTACTATAAACTT
GAGTCATCCCGACGTTGATCTCTTACAACGTGTGTATGTT
AACTTTTTAGCACATGTTTTGTACTTGGTACACGAGAAAACCCAGCTTTCATCTTTTGTCTGTAT
GAGGTCAATATTGATGTCACTGAATTAATTACAGTGTCCTATAGAAAATGCCATTAATAAATTAT
ATGAACTACTATACATTATGTATATTAATTAACATCTTAATCCAGAAATCAAAAAAAAAAAAA
AAAAAAAAAAAAAA

FIGURE 136

MAAALWGFFPVLLLLLLSGDVQSSEVPGAAAEAGSGSGVGIGDRFKIEGRAVVPGVKPDWISAA
 RVLVDGEEHVGFLKTDGSFVVHDIPSGSYVVEVVSAPYRFDVPRVDITSKGKMRARYVNYIKTSE
 VVRLPYPLQMKSSGPSPSYFIKRESWGWTDFLMNPMVMMVLPLLIFVLLPKVVNTSDPDMRREME
 QSMNMLNSNHELDPDVSEFMTRLFSSKSSGKSSSGSSKTGKSGAGKRR

Important features of the protein:

Signal sequence:

amino acids 1-23

Transmembrane domain:

amino acids 161-182

N-glycosylation site.

amino acids 184-187

Glycosaminoglycan attachment sites.

amino acids 37-40, 236-239

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 151-154

N-myristoylation sites.

amino acids 33-38, 36-41, 38-44, 229-234

Amidation site.

amino acids 238-241

ATP/GTP-binding site motif A (P-loop).

amino acids 229-236

FIGURE 137

GATGGCGCAGCCACAGCTTCTGTGAGATTTCGATTCTCCCCAGTTCCCCTGTGGGTCTGAGGGGA
 CCAGAAGGGTGAGCTACGTTGGCTTTCTGGAAGGGGAGGCTATATGCGTCAATTCCCCAAAACAA
 GTTTTGACATTTCCCTGAAATGTCATTCTCTATCTATTCACTGCAAGTGCCTGCTGTTCCAGGC
 CTTACCTGCTGGGCACTAACGGCGGAGCCAGGATGGGGACAGAATAAAGGAGCCACGACCTGTGC
 CACCAACTCGCACTCAGACTCTGAACTCAGACCTGAAATCTTCTCTTCACGGGAGGCTTGGCAGT
 TTTTCTTACTCCTGTGGTCTCCAGATTTCAGGCCTAAGATGAAAGCCTCTAGTCTTGCCCTTCAGC
 CTTCTCTCTGCTGCGTTTTATCTCCTATGGACTCCTTCCACTGGACTGAAGACACTCAATTTGGG
 AAGCTGTGTGATCGCCACAAACCTTCAGGAAATACGAAATGGATTTTCTGAGATACGGGGCAGTG
 TGCAAGCCAAAGATGGAAACATTGACATCAGAATCTTAAGGAGGACTGAGTCTTTGCAAGACACA
 AAGCCTGCGAATCGATGCTGCCTCCTGCGCCATTTGCTAAGACTCTATCTGGACAGGGTATTTAA
 AACTACCAGACCCCTGACCATTATACTCTCCGGAAGATCAGCAGCCTCGCCAATTCCTTTCTTA
 CCATCAAGAAGGACCTCCGGCTCTCTCATGCCACATGACATGCCATTGTGGGGAGGAAGCAATG
 AAGAAATACAGCCAGATTCTGAGTCACTTTGAAAAGCTGGAACCTCAGGCAGCAGTTGTGAAGGC
 TTTGGGGGAACTAGACATTCTTCTGCAATGGATGGAGGAGACAGAAATAGAGAGAAAGTGATGCTG
 CTGCTAAGAATATTCGAGGTCAAGAGCTCCAGTCTTCAATACCTGCAGAGGAGGCATGACCCCAA
 ACCACCATCTCTTTACTGTACTAGTCTTGTGCTGGTCACAGTGTATCTTATTTATGCATTACTTG
 CTTCTTGATGATTGTCTTTATGCATCCCCAATCTTAATTGAGACCATACTTGTATAAGATTTT
 TGTAATATCTTTCTGCTATTGGATATATTTATTAGTTAATATATTTATTTATTTTGTCTATTTA
 ATGTATTTATTTTTTACTTGGACATGAAACTTTAAAAAAATTCACAGATTATATTTATAACCTG
 ACTAGAGCAGGTGATGTATTTTTATACAGTAAAAAAAAAACCTTGTAATTCAGAAAGAGTGG
 CTAGGGGGGTATTTCATTTGTATTCAACTAAGGACATATTTACTCATGCTGATGCTCTGTGAGAT
 ATTTGAAATTGAACCAATGACTACTTAGGATGGGTGTGGAATAAGTTTGTGATGTGAATTGCAC
 ATCTACCTTACAATTACTGACCATCCCCAGTAGACTCCCCAGTCCCATAAATTGTGTATCTTCCAG
 CCAGGAATCCTACACGGCCAGCATGTATTTCTACAAATAAAGTTTCTTTGCATACCAAAAAAAA
 AAAAAAAAAA

FIGURE 138

MRQFPKTSFDISPEMSFSIYSLQVPAVPGLTCWALTAEPGWGQNGATTTCATNSHSDSELRPEIF
 SSREAWQFFLLWSPDFRPMKASSLAFSLLSAAFYLLWTPSTGLKTLNLGSCVIATNLQEIRNG
 FSEIRGSVQAKDGNIDIRILRRTESLQDTKPANRCCLLRHLLRLYLDRVFKNYQTPDHYTLRKIS
 SLANSFLTIIKDLRLSHAHMTCHCGEEAMKKYSQILSHFEKLEPQAAVVKALGELDILLQWMEET
 E

Important features of the protein:

Signal peptide:

amino acids 1-42

cAMP- and cGMP-dependent protein kinase phosphorylation sites.

amino acids 192-195, 225-228

N-myristoylation sites.

amino acids 42-47, 46-51, 136-141

FIGURE 139

CCTGGAGCCGGAAGCGGGCTGCAGCAGGGCGAGGCTCCAGGTGGGGTCGGTTCGCGATCCAGCC
 TAGCGTGTCCACGATGCGGGCTGGGGCTCCGGGACTTTCGCTACCTGTTGCGTAGCGATCGAGGTGC
 TAGGGATCGCGGTCTTCTTCGGGGATTCTTCCGGCTCCCGTTCGTTCTCTGCCAGAGCGGAA
 CACGGAGCGGAGCCCCAGCGCCGAAACCTCGGGTGGAGCCAGTTCTAACTGGACCACGTGCC
 ACCACCTCTCTTCAGTAAAGTTGTTATTGTTCTGATAGATGCCTTGAGAGATGATTTTGTGTTG
 GGTCAAAGGGTGTGAAATTTATGCCCTACACAACCTTACCTTGTGGAAAAAGGAGCATCTCACAGT
 TTTGTGGCTGAAGCAAAGCCACCTACAGTTACTATGCCTCGAATCAAGGCATTGATGACGGGGAG
 CCTTCCTGGCTTTGTGACGTCATCAGGAACCTCAATTCTCCTGCACTGCTGGAAGACAGTGTGA
 TAAGACAAGCAAAAGCAGCTGGAAAAAGAATAGTCTTTTATGGAGATGAAACCTGGGTAAATTA
 TTCCCAAAGCATTTTGTGGAATATGATGGAACAACCTCATTTTTTCGTGTCAGATTACACAGAGGT
 GGATAATAATGTCACGAGGCATTTGGATAAAGTATTAAAAAGAGGAGATTGGGACATATTAATCC
 TCCACTACCTGGGGCTGGACCACATTGGCCACATTTCAGGGCCCAACAGCCCCGATTGGGCAG
 AAGCTGAGCGAGATGGACAGCGTGTGATGAAGATCCACACCTCACTGCAGTCGAAGGAGAGAGA
 GACGCCTTTACCCAATTTGCTGGTCTTTGTGGTGACCATGGCATGTCTGAAACAGGAAGTCACG
 GGGCCTCCTCCACCGAGGAGGTGAATACACCTCTGATTTAATCAGTTCTGCGTTTGAAAGGAAA
 CCGGTGATATCCGACATCCAAAGCACGTCCAATAGACGGATGTGGCTGCGACACTGGCGATAGC
 ACTTGGCTTACCGATTCCAAAAGACAGTGTAGGGAGCCTCCTATTCCAGTTGTGGAAGGAAGAC
 CAATGAGAGAGCAGTTGAGATTTTACATTTGAATACAGTGCAGCTTAGTAACTGTTGCAAGAG
 AATGTGCCGTATATGAAAAAGATCCTGGGTTTGAGCAGTTTAAATGTCAGAAAGATTGCATGG
 GAACTGGATCAGACTGTACTTGGAGGAAAAGCATTGAGAAGTCCATTCAACCTGGGCTCCAAGG
 TTCTCAGGCAGTACCTGGATGCTCTGAAGACGCTGAGCTTGTCCCTGAGTGCACAAGTGGCCAG
 TTCTCACCCCTGCTCCTGCTCAGCGTCCCACAGGCACTGCACAGAAAGGCTGAGCTGGAAGTCCCA
 CTGTCTCTCCTGGGTTTCTCTGCTCTTTTATTTGGTGATCCTGGTCTTTTCGGCCGTTACAGT
 CATTTGTGTGCACCTCAGCTGAAAGTTCGTGCTACTTCTGTGGCCTCTCGTGGCTGGCGGCAGGCT
 GCCTTTTCGTTTACCAGACTCTGGTTGAACACCTGGTGTGTGCCAAGTGTGGCAGTGCCTGGAC
 AGGGGGCTCAGGGAAGGACGTGGAGCAGCCTTATCCAGGCCCTCTGGGTGTCCCGACACAGGTG
 TTCACATCTGTGCTGTGAGTGCAGTGCCTCAGTTCTTGAAAGCTAGGTTCTGCGACTGTTAC
 CAAGGTGATTGTAAAGAGCTGGCGGTACAGAGGAACAAGCCCCCAGCTGAGGGGGTGTGTGAA
 TCGGACAGCCTCCCAGCAGAGGTGTGGGAGCTGCAGCTGAGGGAAGAAGAGACAATCGGCCCTGGA
 CACTCAGGAGGGTCAAAGGAGACTTGGTCGCACCACTCATCTGCCACCCCAAGATGCATCCT
 GCCTCATCAGGTCCAGATTTCTTTCCAAGGCGGACGTTTCTGTTGGAATTCTTAGTCTTTGGCC
 TCGGACACCTTCATTGTTAGCTGGGGAGTGGTGGTGAGGCAGTGAAGAAGAGCGGATGGTCAC
 ACTCAGATCCACAGAGCCCAGGATCAAGGGACCCACTGCAGTGGCAGCAGGACTGTTGGGCCCC
 ACCCAACCCTGCACAGCCCTCATCCCTCTTGGCTTGAGCCGTGAGAGCCCTGTGCTGAGTGT
 CTGACCGAGACACTCACAGCTTTGTATCAGGGCACAGGCTTCCTCGGAGCCAGGATGATCTGTG
 CCACGCTTGCACCTCGGGCCCATCTGGGCTCATGCTCTCTCTCTGCTATTGAATTAGTACCTAG
 CTGCACACAGTATGTAGTTACCAAAAGAATAAACGGCAATAATTGAGAAAAAAA

FIGURE 140

MRLGSGTFATCCVAIEVLGIAVFLRGFFPAPVRSSARAEHGAEPPEPSAGASSNWTLPPLF
SKVVIVLIDALRDDFVFGSKGVKEMPYTTYLVEKGASHSFVAEAKPPTVTMPRIKALMTGSLPGF
VDVIRNLNSPALLEDVIRQAKAAGKRIVFYGDETWVKLFPHFVEYDGTTSFFVSDYTEVDNNV
TRHLDKVLKRGDWDILILHYLGLDGHIGHISGPN SPLIGQKLEMSVLMKIHTSLQSKERETPLP
NLLVLCGDHGMSETGSHGASSTEEVNTPLILISSAFERKPGDIRHPKHVQ

Important features of the protein:

Signal peptide:

amino acids 1-34

Transmembrane domain:

amino acids 58-76

N-glycosylation sites.

amino acids 56-60, 194-198

N-myristoylation sites.

amino acids 6-12, 52-58, 100-106, 125-131, 233-239, 270-276,
275-281, 278-284

Amidation site.

amino acids 154-158

Cell attachment sequence.

amino acids 205-208

FIGURE 141

GGCACGAGGCAAGCCTTCCAGGTTATCGTGACGCACCTTGAAAGTCTGAGAGCTACTGCCCTACA
GAAAGTTACTAGTGCCCTAAAGCTGGCGCTGGCACTGATGTTACTGCTGCTGTTGGAGTACAAC
TCCCTATAGAAAACAACTGCCAGCACCTTAAGACCACTCACACCTTCAGAGTGAAGAACTTAAAC
CCGAAGAAATTCAGCATTCATGACCAGGATCACAAAGTACTGGTCCTGGACTCTGGGAATCTCAT
AGCAGTTCAGATAAAAACTACATACGCCCAGAGATCTTCTTTGCATTAGCCTCATCCTTGAGCT
CAGCCTCTGCGGAGAAAGGAAGTCCGATTCTCCTGGGGGTCTCTAAAGGGGAGTTTGTCTCTAC
TGTGACAAGGATAAAGGACAAAGTCATCCATCCCTTCAGCTGAAGAAGGAGAACTGATGAAGCT
GGCTGCCCCAAAAGGAATCAGCACGCCGGCCCTTCATCTTTTATAGGGCTCAGGTGGGCTCCTGGA
ACATGCTGGAGTCGGCGGCTCACCCCGGATGGTTCATCTGCACCTCCTGCAATTGTAATGAGCCT
GTTGGGGTGACAGATAAATTTGAGAACAGGAAACACATTGAATTTTCATTTCAACCAGTTTGCAA
AGCTGAAATGAGCCCCAGTGAGGTCAGCGATTAGGAAACTGCCCCATTGAACGCCTTCCTCGCTA
ATTTGAACTAATTGTATAAAAACACCAAACCTGCTCACT

FIGURE 142

MLLLLLEYNFPNIENNCQHLKTTHTFRVKNLNPKKFSIHDQDHKVLVLDSGNLIAVPDKNYIRPEI
FFALASSLSSASAIEKGSPIILLGVSKGEFCLYCDKDKGQSHPSLQLKKEKLMKLAQKESARRPFI
FYRAQVGSWNMLESAAHPGWFICTSCNCNEPVGVTDKFENRKHIEFSFQPVCKAEMSPSEVSD

cAMP- and cGMP-dependent protein kinase phosphorylation site.
amino acids 33-36

N-myristoylation site.
amino acids 50-55, 87-92

Interleukin-1
amino acids 37-182

FIGURE 143

CTAGAGAGTATAGGGCAGAAGGATGGCAGATGAGTGACTCCACATCCAGAGCTGCCTCCCTTTAA
TCCAGGATCCTGTCCTTCCTGTCCTGTAGGAGTGCCTGTTGCCAGTGTGGGGTGAGACAAGTTTG
TCCCACAGGGCTGTCTGAGCAGATAAGATTAAGGGCTGGGTCTGTGCTCAATTAACCTCTGTGGG
CACGGGGGCTGGGAAGAGCAAAGTCAGCGGTGCCACAGTCAGCACCAATGCTGGGCCTGCCGTGG
AAGGGAGGTCTGTCCTGGGCGCTGCTGCTGCTTCTCTTAGGCTCCCAGATCCTGCTGATCTATGC
CTGGCATTTCACGAGCAAAGGACTGTGATGAACACAATGTCATGGCTCGTTACCTCCCTGCCA
CAGTGGAGTTTGCTGTCCACACATTCAACCAACAGAGCAAGGACTACTATGCCTACAGACTGGGG
CACATCTTGAATTCCTGGAAGGAGCAGGTGGAGTCCAAGACTGTATTCTCAATGGAGCTACTGCT
GGGGAGAACTAGGTGTGGGAAATTTGAAGACGACATTGACAACCTGCCATTTCCAAGAAAGCACAG
AGCTGAACAATACTTTCACCTGCTTCTTCACCATCAGCACCCAGGCCCTGGATGACTCAGTTCAGC
CTCCTGAACAAGACCTGCTTGGAGGGATTCCACTTGAGTGAAACCCACTCACAGGCTTGTCCATGT
GCTGCTCCACATTCCGTGGACATCAGCACTACTCTCCTGAGGACTCTTCAGTGGCTGAGCAGCT
TTGGACTTGTTTGTATCCTATTTTGCATGTGTTTGAGATCTCAGATCAGTGTTTTAGAAAATCC
ACACATCTTGAGCCTAATCATGTAGTGTAGATCATTAACATCAGCATTTTAAGAAAAAAAAAAAA
AAA

FIGURE 144

MLGLPWKGGLSWALLLLLLLGSQILLIYAWHFHEQRDCDEHNMARYLPATVEFAVHTFNQQSKDY
YAYRLGHILNSWKEQVESKTVFSMELLGRTRCGKFEDDIDNCHFQESTELNNTFTCFFTISTRP
WMTQFSLLNKTCLEGFH

Important features of the protein:

Signal peptide:

amino acids 1-25

N-glycosylation sites.

amino acids 117-121, 139-143

N-myristoylation site.

amino acids 9-15

FIGURE 145

CTGTGCAGCTCGAGGCTCCAGAGGCACACTCCAGAGAGAGCCAAGGTTCTGACGCGATGAGGAAG
CACCTGAGCTGGTGGTGGCTGGCCACTGTCTGCATGCTGCTCTTCAGCCACCTCTCTGCGGTCCA
GACGAGGGGCATCAAGCACAGAATCAAGTGGAACCGGAAGGCCCTGCCAGCACTGCCAGATCA
CTGAGGCCCAGGTGGCTGAGAACCGCCCGGAGCCTTCATCAAGCAAGGCCGCAAGCTCGACATT
GACTTCGGAGCCGAGGGCAACAGGTACTACGAGGCCAACTACTGGCAGTTCCCCGATGGCATCCA
CTACAACGGCTGCTCTGAGGCTAATGTGACCAAGGAGGCATTTGTCAACGGCTGCATCAATGCCA
CCCAGGCGGCGAACCAGGGGGAGTTCCAGAAGCCAGACAACAAGCTCCACCAGCAGGTGCTCTGG
CGGCTGGTCCAGGAGCTCTGCTCCCTCAAGCATTGCGAGTTTTGGTTGGAGAGGGGCGCAGGACT
TCGGGTCACCATGCACCAGCCAGTGCTCCTCTGCCTTCTGGCTTTGATCTGGCTCATGGTGAAT
AAGCTTGCCAGGAGGCTGGCAGTACAGAGCGCAGCAGCGAGCAAATCCTGGCAAGTGACCCAGCT
CTTCTCCCCCAAACCCACGCGTGTCTGAAGGTGCCAGGAGCGGCGATGCACTCGCACTGCAAA
TGCCGCTCCACGTATGCGCCCTGGTATGTGCCTGCGTTCTGATAGATGGGGACTGTGGCTTCT
CCGTCATCCATTCTCAGCCCCTAGCAGAGCGTCTGGCACACTAGATTAGTAGTAAATGCTTGAT
GAGAAGAACACATCAGGCACTGCGCCACCTGCTTCACAGTACTTCCAACAACCTCTTAGAGGTAG
GTGTATTCCCGTTTTACAGATAAGGAACTGAGGCCCAGAGAGCTGAAGTACTGCACCCAGCATC
ACCAGCTAGAAAGTGGCAGAGCCAGGATTCAACCCTGGCTTGTCTAACCCAGGTTTTCTGCTCT
GTCCAATTCCAGAGCTGTCTGGTGATCACTTTATGTCTCACAGGGACCCACATCCAAACATGTAT
CTCTAATGAAATTGTGAAAGCTCCATGTTTAGAAATAAATGAAAACACCTGA

FIGURE 146

MRKHLSSWWLATVCMLLFSLHAVQTRGIKHKRIKWNRKALPSTAQITEAQVAENRPGAFIKQGRK
LDIDFGAEGNRYYEANYWQFPDGIHYNGCSEANVTKEAFVTGCINATQAANQGEFQKPDNKLHQQ
VLWRLVQELCSLKHCEFWLERGAGLRVTMHQPVLLCLLALIWLMMVK

Important features of the protein:**Signal peptide:**

amino acids 1-26

Transmembrane domain:

amino acids 157-171

N-glycosylation sites.

amino acids 98-102, 110-114

Tyrosine kinase phosphorylation site.

amino acids 76-83

N-myristoylation sites.

amino acids 71-77, 88-94, 93-99, 107-113, 154-160

Amidation site.

amino acids 62-66

FIGURE 147

GCCTTGGCCTCCCAAAGGGCTGGGATTATAGGCGTGACCACCATGTCTGGTCCAGAGTCTCATTT
CCTGATGATTTATAGACTCAAAGAAAACTATGTCAGAAGCTCTCTTCTCTTCTGGCCTCCTCT
CTGTCTTCTTTCCCTCTTCTTCTTATTTTAATTAGTAGCATCTACTCAGAGTCATGCAAGCTGG
AAATCTTTCATTTTGCTTGTCAGTGGGGTAGGTCAGTCTTAGTTTTATTTTTTGAATTT
CAACTTTCAGATTCAGGGGTACATGTGAAGGTTGTTTTATGAGTATATTGCATTGATGTCTGAGG
TTTGGGGT

FIGURE 148

MFRSSLLFWPPLCLLSLFLILISSIYSECKLEIFHFACQWGRSLSLSFYFLKFQLSDSGGTCE
GLFYEYIA

Important features of the protein:

Signal peptide:

amino acids 1-25

N-myristoylation site.

amino acids 62-68

FIGURE 149

GTCTCCGCGTCACAGGAACCTTCAGCACCCACAGGGCGGACAGCGCTCCCCTCTACCTGGAGACTTGAC
 TCCCGCGCGCCCAACCTGCTTATCCCTTGACCGTCGAGTGTGAGAGATCCTGCAGCGCCCACTCC
 CGGCCCTCTCCCGCCACACCCACCTCCTGGCTCTTCTGTTTTACTCCTCCTTTTCATTCTATA
 ACAAAGCTACAGCTCCAGGAGCCAGCGCGGGCTGTGACCCAAGCCGAGCGTGAAGAAATGGGGT
 CCTCGGGACCGGCACTTGGAATTCTGGTGTAGTGCTCCCGATTCAAGCTTTCCCAAACCTGGAGGAA
 GCCAAGACAAATCTCTACATAATAGAGAATTAAGTGCAGAAAGACCTTTGAATGAACAGATTGCTGAA
 GCAGAAGAAGACAAGATTAACCAATATCCTCCAGAAACAAGCCAGGTCAGAGCAACTATTCTTT
 TGTGATAACTTGAACCTGCTAAAGGCAATAACAGAAAGGAAAAAATTGAGAAAGAAAGACAATCTA
 TAAGAAGCTCCCCACTTGATAATAAGTTGAATGTGGAAGATGTTGATTCAACCAAGAATCGAAAAGT
 ATCGATGATTATGACTCTACTAAGAGTGGATTGGATCATAAATTTCAAGATGATCCAGATGGTCTTCA
 TCAACTAGACGGGACTCCTTTAACCCTGAAGACATTGTCCATAAAATCGTGCCAGGATTATGAAG
 AAAATGACAGAGCCGTGTTTGACAAGATTGTTCTAACTACTTAATCTCGGCCTTATCACAGAAAGC
 CAAGCACATACACTGGAAGATGAAGTAGCAGAGGTTTACAAAAATTAATCTCAAAGGAAGCCAACAA
 TTATGAGGAGGATCCCAATAAGCCACAAGCTGGACTGAGAATCAGGCTGGAAAAATACCAGAGAAAG
 TGACTCCAATGGCAGCAATTCAAGATGGTCTTGCTAAGGGAGAAAACGATGAAACAGTATCTAACACA
 TTAACCTTGACAAATGGCTTGAAAGGAGAACTAAACCTACAGTGAAGACAACCTTTGAGGAACTCCA
 ATATTTCCCAAATTTCTATGCGCTACTGAAAAGTATTGATTGAGAAAAAGAAAGCAAAAGAGAAAGAA
 CACTGATTACTATCATGAAAACACTGATTGACTTTGTGAAGATGATGGTGAATATGGAACAATATCT
 CCAGAAGAAGGTGTTTCTACCTTGAAAACCTGGATGAAATGATTGCTCTTCAGACCAAAAACAAGCT
 AGAAAAAATGCTACTGACAATATAAGCAAGCTTTTCCAGCACCATCAGAGAAGAGTCATGAAGAAA
 CAGACAGTACCAAGGAAGAAGCAGCTAAGATGGAAAAGGAATATGGAAGCTTGAAGGATTCCACAAAA
 GATGATAACTCCAACCCAGGAGGAAAGACAGATGAACCCAAAGGAAAAACAGAAGCCTATTTGGAAGC
 CATCAGAAAAAATATGAATGGTTGAAGAAACATGACAAAAAGGAAATAAAGAAGATTATGACCTTT
 CAAAGATGAGAGACTTCATCAATAAACAAGCTGATGCTTATGTGGAGAAAGGCATCCTTGACAAGGAA
 GAAGCCGAGGCCATCAAGCGCATTATAGCAGCCTGTAAAAATGGCAAAAGATCCAGGAGTCTTTCAA
 CTGTTTCAGAAAACATAATATAGCTTAAACACTTCTAATCTGTGATTAAATTTTTTGACCCAAGG
 GTTATTAGAAAGTGCTGAATTTACAGTAGTTAACCTTTTACAAGTGGTTAAACATAGCTTTCTTCCC
 GTAAAAACTATCTGAAAGTAAAGTTGTATGTAAGCTGAAAAAAAAAAAAAAAAAAAA

FIGURE 150

MGFLGTGTWILVLVLP IQAFPKPGGSQDKSLHNRELSAERPLNEQIAEAEEDKIKKTYPPENKPG
 QSNYSFVDNLNLLKAITEKEKIEKERQSIRSSPLDNKLNVEDVDSTKNRKLIDDYDSTKSGLDHK
 FQDDPDGLHQLDGTPLTAEDIVHKIAARIYEENDRAVFDKIVSKLLNLGLITESQAHTLEDEVAE
 VLQKLISKEANNYEEDPNKPTSWTENQAGKIPEKVTPMAAIQDGLAKGENDETVSNTLTLTNGLE
 RRTKTYSEDNFEELQYFPNFYALLKSIDSEKEAKEKETLITIMKTLIDFVKMMVKYGTISPEEGV
 SYLENLDEMIALQTKNKLEKNATDNISKLFPAPEKSHEETDSTKEEAAKMEKEYGSLKDSTKDD
 NSNPGGKTDEPKGKTEAYLEAIRKNIEWLKKHDKKGNKEDYDLSKMRDFINKQADAYVEKGILDK
 EEAEAIKRIYSSL

N-glycosylation sites:

amino acids 68-71, 346-349, 350-353

Casein kinase II phosphorylation site:

amino acids 70-73, 82-85, 97-100, 125-128, 147-150, 188-191, 217-
 220, 265-268, 289-292, 305-308, 320-323, 326-329, 362-365, 368-
 341, 369-372, 382-385, 386-389, 387-390

N-myristoylation sites:

amino acids 143-148, 239-244

FIGURE 151

CGGCTCGAGGCTCCCGCCAGGAGAAAGGAACATTCTGAGGGGAGTCTACACCCGTGGAGCTCAA
 GATGGTCTGAGTGGGGCGCTGTGCTTCCGAATGAAGGACTCGGCATTGAAGGTGCTTTATCTGC
 ATAATAACCAGCTTCTAGCTGGAGGGCTGCATGCAGGGAAGGTCATTAAAGGTGAAGAGATCAGC
 GTGGTCCCAATCGGTGGCTGGATGCCAGCCTGTCCCCGTCTCCTGGGTGTCCAGGGTGAAG
 CCAGTGCCTGTCTGTGGGTGGGGCAGGAGCCGACTCTAACACTAGAGCCAGTGAACATCATGG
 AGCTCTATCTTGGTGCCAAGGAATCCAAGAGCTTACCTTCTACCGGCGGGACATGGGGCTCACC
 TCCAGCTTCGAGTGGCTGCCTACCCGGGCTGGTTCCTGTGCACGGTGCCTGAAGCCGATCAGCC
 TGTCAGACTCACCCAGCTTCCCGAGAATGGTGGCTGGAATGCCCCATCACAGACTTCTACTTCC
 AGCAGTGTGACTAGGGCAACGTGCCCCCAGAACTCCCTGGGCAGAGCCAGCTCGGGTGAGGGGT
 GAGTGGAGGAGACCCATGGCGGACAATCACTCTCTGCTCTCAGGACCCCCACGCTGACTTAG
 TGGGCACCTGACCATTGTCTTCTGGTTCAGTTTGGATAAATTCTGAGATTTGGAGCTCAGT
 CCACGGTCTCCCCACTGGATGGTGTCTACTGCTGTGGAACCTTGTAACCATGTGGGGTAAA
 CTGGGAATAACATGAAAAGATTTCTGTGGGGTGGGGTGGGGGAGTGGTGGGAATCTTCTGTCT
 TAATGGTAACTGACAAGTGTACCTTGAGCCCCGAGGCCAACCCATCCCCAGTTGAGCCTTATA
 GGGTCAGTAGCTCTCCACATGAAGTCTGTCACTCACCAGTGTGCAGGAGAGGGAGGTGGTCATA
 GAGTCAGGGATCTATGGCCCTTGGCCAGCCCCACCCCTTCCCTTTAATCCTGCCACTGTCTATA
 TGCTACCTTTCTATCTCTTCCCTCATCATCTTGTGTGGGCATGAGGAGGTGGTGTGTCAGAA
 GAAATGGTTCGAGCTCAGAAGATAAAAGATAAGTAGGGTATGCTGATCCTCTTTTAAAAACCCAA
 GATACAATCAAAATCCAGATGCTGGTCTCTATTCCCATGAAAAAGTGCTCATGACATATTGAGA
 AGACCTACTTACAAAGTGGCATATATTGCAATTTATTTTAAATTAAGATAACCTATTTATATATT
 TCTTTATAGAAAAAGTCTGGAAGAGTTTACTTCAATTGTAGCAATGTCAGGGTGGTGGCAGTAT
 AGGTGATTTTTCTTTTAAATCTGTTAATTTATCTGTATTTCCTAATTTTTCTACAATGAAGATGA
 ATTCTTGTATAAAAAAAGAAAAGAAATTAATCTTGAGGTAAGCAGAGCAGACATCATCTCTGA
 TTGTCTCAGCCTCCACTTCCCCAGAGTAAATTCAAATTGAATCGAGCTCTGCTGCTGTGGTTGG
 TTGTAGTAGTGATCAGGAAACAGATCTCAGCAAAGCCACTGAGGAGGAGGCTGTGCTGAGTTTGT
 GTGGCTGGAATCTCTGGGTAAGGAACCTAAAGAACAATAATCATCTGGTAATTTCTTCTAGAAG
 GATCACAGCCCCCTGGGATTCGAAGGCATTGGATCCAGTCTCTAAGAAGGCTGTGTACTGGTTGA
 ATTGTGTCCCCCTCAAATTCACATCCTTCTTGGAAATCTCAGTCTGTGAGTTTATTTGGAGATAAG
 GTCTCTGCAGATGTAGTTAGTTAAGACAAGGTCTGCTGGATGAAGGTAGACCTAAATTCATAT
 GACTGGTTTCTTGTATGAAAAGGAGAGGACACAGAGACAGAGGAGACGCGGGGAAGACTATGTA
 AAGATGAAGGCAGAGATCGGAGTTTTGCAGCCACAAGCTAAGAAACACCAAGGATTGTGGCAACC
 ATCAGAAGCTTGGAAGAGGCAAGAAGAATTCTTCCCTAGAGGCTTTAGAGGGATAACGGCTCTG
 CTGAAACCTTAATCTCAGACTTCCAGCCTCCTGAACGAAGAAAGATAAATTTCCGCTGTTTTAA
 GCCACCAAGGATAATTGGTTACAGCAGCTCTAGGAACTAATACAGCTGCTAAAATGATCCCTGT
 CTCCTCGTGTTTACATTCTGTGTGTGTCCCCCTCCCAATGTACCAGTTGTCTTTGTGACCAA
 TAGAATATGGCAGAAGTGATGGCATGCCACTTCCAAGATTAGGTTATAAAGACACTGCAGCTTC
 TACTTGAGCCCTCTCTCTGCCACCCACCGCCCCAATCTATCTTGGCTCACTGCTCTGGGGG
 AAGCTAGCTGCCATGCTATGAGCAGGCCATAAAGAGACTTACGTGGTAAAAAATGAAGTCTCCT
 CCCCACAGCCACATTAGTGAACCTAGAAGCAGAGACTCTGTGAGATAATCGATGTTTGTGTTTT
 AAGTTGCTCAGTTTTGGTCTAACTTGTATGCAGCAATAGATAAATAATATGCAGAGAAAGAG

FIGURE 152

MVLSGALCFRMKDSALKVLYLHNNQLLAGGLHAGKVIKGEESISVVPNRWLDASLSPVILGVQGG
 QCLSCGVGQEPTLTLEPVNIMELYLGAKESKSFTFYRRDMGLTSSFESAAYPGWFLCTVPEADQP
 VRLTQLPENGWNAPITDFYFQQCD

N-myristoylation sites.

amino acids 29-34, 30-35, 60-65, 63-68, 73-78, 91-96, 106-111

Interleukin-1 signature.

amino acids 111-131

Interleukin-1 proteins.

amino acids 8-29, 83-120, 95-134, 64-103

FIGURE 153

CTTCAGAACAGGTTCTCCTTCCCCAGTCACCAAGTTGCTCGAGTTAGAATTGTCTGCAATGCGCCGC
CCTGCAGAAATCTGTGAGCTCTTTCCTTATGGGGACCCTGGCCACCAGCTGCCTCCTTCTCTTGG
CCCTCTTGGTACAGGGAGGAGCAGCTGCGCCCATCAGCTCCCACTGCAGGCTTGACAAGTCCAAC
TTCCAGCAGCCCCATATCACCAACCGCACCTTCATGCTGGCTAAGGAGGCTAGCTTGGCTGATAA
CAACACAGACGTTTCGTCTCATTGGGGAGAACTGTTCCACGGAGTCAGTATGAGTGAGCGCTGCT
ATCTGATGAAGCAGGTGCTGAACTTCACCTTGAAGAAGTGCTGTTCCCTCAATCTGATAGGTTT
CAGCCTTATATGCAGGAGGTGGTGGCCTTCCTGGCCAGGCTCAGCAACAGGCTAAGCACATGTCA
TATTGAAGGTGATGACCTGCATATCCAGAGGAATGTGCAAAAGCTGAAGGACACAGTGAAAAAGC
TTGGAGAGAGTGGAGAGATCAAAGCAATTGGAGAAGTGGATTGCTGTTTATGTCTCTGAGAAAT
GCCTGCATTTGACCAGAGCAAAGCTGAAAAATGAATAACTAACCCCTTTCCCTGCTAGAAATAA
CAATTAGATGCCCCAAAGCGATTTTTTTTAAACAAAAGGAAGATGGGAAGCCAACTCCATCATG
ATGGGTGGATTCCAAATGAACCCCTGCGTTAGTTACAAAGGAAACCAATGCCACTTTTGTTTATA
AGACCAGAAGGTAGACTTTCTAAGCATAGATATTTATTGATAACATTTATTGTAAGTGGTGTTT
TATACACAGAAAACAATTTATTTTTTAAATAATTGTCTTTTCCATAAAAAAGATTACTTTCCAT
TCCTTTAGGGGAAAAAACCCCTAAATAGCTTCATGTTTCCATAATCAGTACTTTATATTTATAAA
TGTATTTATTATTATTATAAGACTGCATTTTATTATATCATTTTATTAATATGGATTTATTAT
AGAAACATCATTCGATATTGCTACTTGAGTGTAAGGCTAATATTGATATTTATGACAATAATTAT
AGAGCTATAACATGTTTATTTGACCTCAATAAACACTTGATATATCCC

FIGURE 154

MAALQKSVSSFLMGTLATSCLLLLALLVQGGAAPISSHCRLDKSNFQQPYITNRTFMLAKEASL
ADNNTDVRLIGEKLFGVSMSERCYLMKQVLNFTLEEVLFPQSDRFQPYMQEVVPFLARLSNRLS
TCHIEGDDLHIQRNVQKLKDTVKKLGESGEIKAIGELDLLFMSLRNACI

Important features of the protein:

Signal peptide:

amino acids 1-33

N-glycosylation sites.

amino acids 54-58, 68-72, 97-101

N-myristoylation sites.

amino acids 14-20, 82-88

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 10-21

FIGURE 155

GGCTTGCTGAAAATAAAATCAGGACTCCTAACCTGCTCCAGTCAGCCTGCTTCCACGAGGCCTGT
 CAGTCAGTGCCCGACTTGTGACTGAGTGTGCAGTGCCAGCATGTACCAGGTCAGTGCAGAGGGC
 TGCCCTGAGGGCTGTGCTGAGAGGGAGAGGAGCAGAGATGCTGCTGAGGGTGGAGGGAGGCCAAGC
 TGCCAGGTTTGGGGCTGGGGGCCAAGTGGAGTGAGAACTGGGATCCCAGGGGAGGGTGCAGAT
GAGGGAGCGACCCAGATTAGGTGAGGACAGTTCTCTCATTAGCCTTTTCTACAGGTGGTTGCAT
 TCTTGGAATGGTCATGGGAACCCACACCTACAGCCACTGGCCCAGCTGCTGCCCCAGCAAAGGG
 CAGGACACCTCTGAGGAGCTGCTGAGGTGGAGCACTGTGCCTGTGCCTCCCCTAGAGCCTGCTAG
 GCCCAACCGCCACCCAGAGTCCTGTAGGGCCAGTGAAGATGGACCCCTCAACAGCAGGGCCATCT
 CCCCCTGAGATATGAGTTGGACAGAGACTTGAACCGGCTCCCCCAGGACCTGTACCACGCCCGT
 TGCCCTGTGCCCAGCTGCGTCAGCCTACAGACAGGCTCCACATGGACCCCCGGGGCAACTCGGA
 GCTGCTCTACCACAACCAGACTGTCTTCTACAGGCGGCCATGCCATGGCGAGAAGGGCACCCACA
 AGGGCTACTGCCTGGAGCGCAGGCTGTACCGTGTTCCTTAGCTTGTGTGTGTGTGCGGCCCCGT
 GTGATGGGCTAGCCGGACCTGCTGGAGGCTGGTCCCTTTTTGGGAAACCTGGAGCCAGGTGTACA
 ACCACTTGCCATGAAGGGCCAGGATGCCAGATGCTTGGCCCCGTGAAGTGTGTCTGGAGCAG
 CAGGATCCCCGGGACAGGATGGGGGGCTTTGGGGAAAACCTGCACTTCTGCACATTTTGAAAAGAG
 CAGCTGCTGCTTAGGGCCGCCGAAGCTGGTGTCTGTCTCTCTCAGGAAAGGTTTTTCAA
 GTTCTGCCCATTCTTGAGGCCACCACTCCTGTCTCTTCTCTTTTCCCATCCCCTGCTACCCTG
 GCCCAGCACAGGCACCTTCTAGATATTTCCCCCTTGCTGGAGAAGAAAGAGCCCCTGGTTTTATT
 TGTTTGTTTACTCATCACTCAGTGAGCATCTACTTTGGGTGCATTCTAGTGTAGTTACTAGTCTT
 TTGACATGGATGATTCTGAGGAGGAAGCTGTTATTGAATGTATAGAGATTTATCCAAATAAATAT
 CTTTATTAAAAATGAAAAA

FIGURE 156

MRERPRLGEDSSLISLFLQVVAFLAMVMGTHYSHWPSCCPKQDTSEELLRWSTVPVPPLEPA
RPNRHPESCRASEDGPLNSRAISPWRYELDRDLNRLPQDLYHARCLCPHCVSLQTGSHMDPRGNS
ELLYHNQTVFYRRPCHGEKGTHKGYCLERRLYRVSLACVCVRPRVMG

Important features of the protein:

Signal peptide:

amino acids 1-32

N-glycosylation site.

amino acids 136-140

Tyrosine kinase phosphorylation site.

amino acids 127-135

N-myristoylation sites.

amino acids 44-50, 150-156

FIGURE 157

CCGGCCATGTCGCTCGTGCTGCTAAGCCTGGCCGCGCTGTGCAGGAGCGCCGTACCCGAGAGCC
 GACCGTTCAATGTGGCTCTGAACTGGGCCATCTCCAGAGTGGATGCTACAACATGATCTAATCC
 CCGGAGACTTGAGGGACCTCCGAGTAGAACCTGTTACAACAGTGTGCAACAGGGGACTATTCA
 ATTTTGATGAATGTAAGCTGGGTACTCCGGGCAGATGCCAGCATCCGCTTGTTGAAGGCCACCAA
 GATTTGTGTGACGGGCAAAAGCAACTTCCAGTCTACAGCTGTGTGAGGTGCAATTACACAGAGG
 CCTTCCAGACTCAGACCAGACCCTCTGGTGGTAAATGGACATTTTCTTACATCGGCTTCCCTGTA
 GAGCTGAACACAGTCTATTTCATTGGGGCCCATATATTCCTAATGCAAAATATGAATGAAGATGG
 CCCTTCCATGTCTGTGAATTTACCTCACCAGGCTGCCTAGACCAATAATGAAATATAAAAAA
 AGTGTGTCAAGGCCGAAGCCTGTGGGATCCGAACATCACTGCTTGTGAAGAAGATGAGGAGACA
 GTAGAAGTGAACCTCACAACTCCCTGGGAAACAGATACATGGCTCTTATCCAACACAGCAC
 TATCATCGGGTTTTCTCAGGTGTTTGAGCCACACCAGAAGAAACAAACGCGAGCTTCAGTGGTGA
 TTCCAGTGACTGGGGATAGTGAAGGTGCTACGGTGCAGCTGACTCCATATTTCTTACTTGTGGC
 AGCGACTGCATCCGACATAAAGGAACAGTTGTGCTCTGCCCACAAACAGGCGTCCCTTTCCCTCT
 GGATAACAACAAAGCAAGCCGGGAGGCTGGCTGCCTCTCCTCCTGCTGTCTCTGCTGGTGGCCA
 CATGGGTGCTGGTGGCAGGGATCTATCTAATGTGGAGGCACGAAAGGATCAAGAAGACTTCCTTT
 TCTACCACCACACTACTGCCCCCATTAAGGTTCTTGTGGTTTACCCATCTGAAATATGTTTCCA
 TCACACAATTTGTTACTTCACTGAATTTCTTCAAAACCATTCGAGAAGTGAGGTCATCCTTGAAA
 AGTGGCAGAAAAAGAAATAGCAGAGATGGGTCCAGTGCAAGTGGCTTGCCACTCAAAAGAAGGCA
 GCAGACAAAGTCGTCTTCCTTTCTTCCAATGACGTCAACAGTGTGTGCGATGGTACCTGTGGCAA
 GAGCGAGGGCAGTCCCAGTGAGAACTCTCAAGACCTCTTCCCCCTTGCTTTAACCTTTTCTGCA
 GTGATCTAAGAAGCCAGATTCTATCTGCACAAATACGTGGTGGTCTACTTTAGAGAGATTGATACA
 AAAGACGATTACAATGCTCTCAGTGTCTGCCCCAAGTACCACCTCATGAAGGATGCCACTGCTTT
 CTGTGCAGAACTTCTCCATGTCAAGCAGCAGGTGTCAGCAGGAAAAAGATCACAAGCCTGCCACG
 ATGGCTGCTGCTCCTTGTAG

FIGURE 158

MSLVLLSLAALCRSAVPREPTVQCGSETGPSPEWMLQHDLI PGDLRLDLRVEPVTTSVATGDYSILMNVSWV
 LRADASIRLLKATKICVTGKSNFQSYSCVRCNYTEAFQTQTRPSGGKWTFSYIGFPVELNTVYFIGAHNIP
 NANMNEDGPSMSVNFTSPGCLDHIMYKKKCVKAGSLWDPNITACKKNEETVEVNFTTTPLGNRYMALIQH
 STIIGFSQVFEPHQKQTRASVVIPTGDSEGATVQLTPYFPTCGSDCIRHKGTVVLCPTGVFPFLDNNK
 SKPGGWLPLLLSLLVATWVLVAGIYLMWRHERIKTSFSTTTLLPPIKVLVVYPSEICFHHTICYFTEFL
 QNHRSEVILEKWQKKKIAEMGPVQWLATQKKAADKVVFLLSNDVNSVCDGTGKSEGSPSENSQDLFPLA
 FNLFCSDLRSQIHLHKYVVVYFREIDTKDDYNALSVC PKYHLMKDATAFCAELLHVKKQVSAGKRSQACHD
 GCCSL

Important features of the protein:**Signal peptide:**

amino acids 1-14

Transmembrane domain:

amino acids 290-309

N-glycosylation sites.

amino acids 67 - 71, 103 - 107, 156 - 160, 183 - 187, 197 - 201 and 283
 - 287

cAMP- and cGMP-dependent protein kinase phosphorylation sites.

amino acids 228 - 232 and 319 - 323

Casein kinase II phosphorylation sites.

amino acids 178 - 182, 402 - 406, 414 - 418 and 453 - 457

N-myristoylation site.

amino acids 116-122

Amidation site.

amino acids 488-452

FIGURE 159

AGCCACCAGCGCAACATGACAGTGAAGACCCTGCATGGCCCAGCCATGGTCAAGTACTTGCTGCT
GTCGATATTGGGGCTTGCCTTTCTGAGTGAGGCGGCAGCTCGGAAAATCCCCAAAGTAGGACATA
CTTTTTTCCAAAAGCCTGAGAGTTGCCCGCTGTGCCAGGAGGTAGTATGAAGCTTGACATTGGC
ATCATCAATGAAAACCAGCGCGTTTCCATGTCACGTAACATCGAGAGCCGCTCCACCTCCCCCTG
GAATTACACTGTCACCTGGGACCCCAACCGGTACCCCTCGGAAGTTGTACAGGCCCAGTGTAGGA
ACTTGGGCTGCATCAATGCTCAAGGAAAGGAAGACATCTCCATGAATTCCGTTCCCATCCAGCAA
GAGACCCTGGTCGTCCGGAGGAAGCACCAAGGCTGCTCTGTTTCTTCCAGTTGGAGAAGGTGCT
GGTGACTGTTGGCTGCACCTGCGTCACCCCTGTCATCCACCATGTGCAGTTAAGAGGTGCATATCC
ACTCAGCTGAAGAAG

FIGURE 160

MTVKTLHGPAVKYLLLSILGLAFLSEAAARKIPKVGHTFFQKPESCPPVPGGSMKLDIGIINEN
QRVMSRNIESRSTSPWNYTWTWDPNRYPSVVQAQCRNLGCINAQKEDISMNSVPIQQETLVV
RRKHQGCSVSFQLEKVLVTVGCTCVTPVIHHVQ

Signal sequence:

amino acids 1-30

N-glycosylation site.

amino acids 83-87

N-myristoylation sites.

amino acids 106-111, 136-141

FIGURE 161

ACACTGGCCAAACAAAAACGAAAGCACTCCGTGCTGGAAGTAGGAGGAGAGTCAGGACTCCCAGG
 ACAGAGAGTGCACAACTACCCAGCACAGCCCCCTCCGCCCCCTCTGGAGGCTGAAGAGGGATT
 CAGCCCCCTGCCACCCACAGACACGGGCTGACTGGGGTGTCTGCCCCCTTGGGGGGGGGCAGCAC
 AGGGCCTCAGGCCTGGGTGCCACCTGGCACCTAGAAGATGCTGTGCCCTGGTTCTTGCTGTCT
 TGGCACTGGGCCGAAGCCAGTGGTCTTTCTCTGGAGAGGCTTGTGGGGCCTCAGGACGCTACC
 CACTGCTCTCCGGGCCTCTCTGCGCCCTCTGGGACAGTGACATACTCTGCCTGCCTGGGGACAT
 CGTGCCCTGCTCCGGGCCCCGTGCTGGCGCCTACGCACCTGCAGACAGAGCTGGTGTGAGGTGCC
 AGAAGGAGACCGACTGTGACCTCTGTCTGCGTGTGGCTGTCCACTTGGCCGTGCATGGGCACTGG
 GAAGAGCCTGAAGATGAGGAAAAGTTTGGAGGAGCAGCTGACTCAGGGGTGGAGGAGCCTAGGAA
 TGCCTCTCTCCAGGCCAAGTCGTGCTCTCCTTCCAGGCCTACCCCTACTGCCCCGTGCGTCTCTGC
 TGGAGGTGCAAGTGCCCTGCTGCCCTTGTGCACTTGGTCACTGTGTGGGCTCTGTGGTATATGAC
 TGCTTCGAGGCTGCCCTAGGGAGTGAGGTACGAATCTGGTCTTATCTCAGCCCAGGTACGAGAA
 GGAACCTCAACACACACAGCAGCTGCCTGCCCTGCCCTGGCTCAACGTGTGAGCAGATGGTGACA
 ACGTGCTCTGGTTCTGAATGTCTCTGAGGAGCAGCACTTCGGCCTCTCCCTGTACTGGAATCAG
 GTCCAGGGCCCCCAAAACCCCGGTGGCACAACCACTGACTGGACCGCAGATCATACCTTGAA
 CCACACAGACCTGGTTCCCTGCCTCTGTATTAGGTGTGGCCTCTGGAACCTGACTCCGTTAGGA
 CGAATCTGCCCCCTCAGGGAGGACCCCGCGCACACCAGAACCTCTGGCAAGCCGCCCGACTG
 CGACTGCTGACCCTGCAGAGCTGGCTGCTGGACGCACCGTGTCTGCTGCCCCGAGAAGCGGCACT
 GTGCTGGCGGGCTCCGGGTGGGGACCCCTGCCAGCCACTGGTCCCACCGCTTTCTGGGAGAACG
 TCACTGTGGACAAGTTCTCGAGTTCCCATTTGCTGAAAGGCCACCCTAACCTCTGTGTTTCAAGTG
 AACAGCTCGGAGAAGCTGCAGCTGCAGGAGTGCTTGTGGGCTGACTCCCTGGGGCTCTCAAAGA
 CGATGTGCTACTGTGGAGACACGAGGCCCCCAGGACAACAGATCCCTCTGTGCCCTTGAACCCA
 GTGGCTGTACTTCACTACCCAGCAAAGCCTCCACGAGGGCAGCTCGCCTTGGAGAGTACTTACTA
 CAAGACCTGCAGTCAGGCCAGTGTCTGCAGCTATGGGACGATGACTTGGGAGCGCTATGGGCCCTG
 CCCCATGGACAAATACATCCACAAGCGTGGGCCCTCGTGTGGCTGGCCTGCCTACTCTTTGCCG
 CTGCGCTTTCCCTCATCCTCCTTCTCAAAAAGGATCACGCGAAAGGGTGGCTGAGGCTCTTGAAA
 CAGGACGTCCGCTCGGGGGCGGCCGCCAGGGGGCCGCGGCTCTGCTCCTCTACTCAGCCGATGA
 CTCGGGTTTCGAGCGCTGGTGGGGCCCCCTGGCGTCCGGCCTGTGCCAGCTGCCGCTGCGCGTGG
 CCGTAGACCTGTGGAGCCGTCTGTAAGTGAAGCGCAGGGGGCCCGTGGCTTGGTTTACGCGCAG
 CGGCGCCAGACCTGCAGGAGGGCGCGTGGTGGTCTTGTCTTCTCTCCCGTGGCGTGGCGCT
 GTGCAGCGAGTGGCTACAGGATGGGGTGTCCGGGCCCCGGGGCGCACGGCCCGCACGACGCTTCC
 GCGCCTCGCTCAGTGCCTGCTGCCCCGACTTCTTGCAGGGCCGGGCGCCCGGCAGCTACGTGGGG
 GCCTGCTTCGACAGGCTGCTCCACCCGACGCCGTACCCGCCCTTTCCGACCGTGCCCGTCTT
 CACACTGCCCCCTCCAACTGCCAGACTTCTTGGGGGCCCTGCAGCAGCCTCGCGCCCCGCGTTCCG
 GGCGGCTCCAAGAGAGAGCGGAGCAAGTGTCCCGGGCCCTTACGCCAGCCCTGGATAGCTACTTC
 CATCCCCGGGGACTCCCGCGCCGGGACGCGGGGTGGGACCAGGGGCGGGACCTGGGGCGGGGGA
 CGGGACTTAAATAAAGGCAGACGCTGTTTTTCTAAAAAA

FIGURE 162

MPVPWFLLSLALGRSPVVLSELERLVGPQDATHCSPGLSCRLWDSILCLPGDIVPAPGPVLAPTHLQTELV
 LRCQKETDCDLCLRVAVHLAVHGHWEPEDEEKFGGAADSGVEEPRNASLQAQVVLSTFQAYPTARCVLLEV
 QVPAALVQFGQSVGSVVYDCFEAALGSEVRIWSYTPRYEKELNHTQQLPALPWLNVSDGDNVHLVLNVS
 EEQHFGLSLYWNQVQGPPKPRWHKNLTGPQIITLNHTDLVPCLCIQVWPLEPDSVRTNICPFREDPRAHQN
 LWQAARLRLTLQSWLLDAPCSLPAEAALCWRAPGGDPCQPLVPPLSWENVTVDKVLEFPILLKGHPNLCVQ
 VNSSEKLQEQECLWADSLGPKDDVLLLETRGPQDNRSICALEPSGCTSLPSKASTRAARLGEYLLQDLQS
 GQCLQLWDDDLGALWACPMCKYIHKRWALVWLACLLFAAALSLILLKKDHAKGWLRLLLKQDVRSGAAARG
 RAALLYSADDSGFERLVGALASALCQLPLRVAVDLWSRRELSAQGPVAVFHAQRRQTLQEGGVVLLFSP
 GAVALCSEWLQDGVSGPGAHGPHDAFRASLSCVLPDFLQGRAPGSYVGACFDRLLLHPDAVPALFRTVPVFT
 LPSQLPDFLGALQQPRAPRSGRLQERAEQVSRALQPALDSYFHPPGTPAPGRGVGPGAGPGAGDGT

Signal sequence:

amino acids 1-20

Transmembrane domain.

amino acids 453-475

N-glycosylation sites.

amino acids 118-121, 186-189, 198-201, 211-214, 238-241, 248-251,
 334-337, 357-360, 391-394

Glycosaminoglycan attachment site.

amino acids 583-586

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 552-555

N-myristoylation sites.

amino acids 107-112, 152-157, 319-324, 438-443, 516-521, 612-617,
 692-697, 696-701, 700-705

FIGURE 163

GGGAGGGCTCTGTGCCAGCCCCG**ATG**AGGACGCTGCTGACCATCTTGACTGTGGGATCCCTGGCT
 GCTCACGCCCCCTGAGGACCCCTCGGATCTGCTCCAGCACGTGAAATCCAGTCCAGCAACTTTGA
 AAACATCCTGACGTGGGACAGCGGGCCAGAGGGCACCCAGACACGGTCTACAGCATCGAGTATA
 AGACGTACGGAGAGAGGGGACTGGGTGGCAAAGAAGGGCTGTGACGGGATCACCCGAAGTCCTGC
 AACCTGACGGTGGAGACGGGCAACCTCACGGAGCTCTACTATGCCAGGGTCACCGCT
 GTCAGTGGGGAGGCCGGTCAGCCACCAAGATGACTGACAGGTTTCAGCTCTCTGCAGCACACTAC
 CCTCAAGCCACCTGATGTGACCTGTATCTCCAAAGTGAGATCGATTTCAGATGATTGTTTCATCCTA
 CCCCCACGCCAATCCGTGCAGGCGATGGCCACCGGCTAACCTTGAAGACATCTTCCATGACCTG
 TTCTACCACTTAGAGCTCCAGGTCAACCGCACCTACCAAATGCACCTTGGAGGGAAGCAGAGAGA
 ATATGAGTTCTTCGGCTGACCCCTGACACAGAGTTCTTGGCACCATCATGATTTCGCTTCCCA
 CCTGGGCCAAGGAGAGTGCCCCCTACATGTGCCGAGTGAAGACACTGCCAGACCGGACATGGACC
 TACTCCTTCTCCGGAGCCTTCTGTCTCCATGGGCTTCTCGTCGCAGTACTCTGTACCTGAG
 CTACAGATATGTACCAAGCCGCTGACCTCCCAACTCCCTGAACGTCCAGCGAGTCTTGACTT
 TCCAGCCGCTGCGCTTCATCCAGGAGCAGTCTGATCCCTGTCTTTGACCTCAGCGCCCCAGC
 AGTCTGGCCAGCCTGTCCAGTACTCCAGATCAGGGTGTCTGGACCCAGGGAGCCCGCAGGAGC
 TCCACAGCGGCATAGCCTGTCCGAGATCACCTACTTAGGGCAGCCAGACATCTCCATCCTCCAGC
 CCTCCACGTGCCACCTCCCCAGATCCTCTCCCCACTGTCTATGCCCAAACGCTGCCCTGAG
 GTCGGGCCCCCATCTATGCACCTCAGGTGACCCCGAAGCTCAATTCCCATTCTACGCCCCACA
 GGCCATCTCTAAGGTCCAGCCTTCTCCTATGCCCCCAAGCCACTCCGGACAGCTGGCCTCCCT
 CCTATGGGGTATGCATGGAAGGTTCTGGCAAAGACTCCCCCACTGGGACACTTTCTAGTCCTAAA
 CACCTTAGGCCTAAAGGTCAGCTTCAGAAAGAGCCACCAGCTGGAAGCTGCATGTTAGGTGGCCT
 TTCTCTGCAGGAGGTGACCTCCTTGGCTATGGAGGAATCCCAAGAAGCAAAATCATTGCACCAGC
 CCCTGGGGATTTGCACAGACAGAATCTTGACCCAAATGTGCTACACAGTGGGGAGGAAGGGACA
 CCACAGTACCTAAAGGGCCAGCTCCCCCTCCTCTCCTCAGTCCAGATCGAGGGCCACCCCATGTC
 CCTCCCTTTGCAACCTCCTTCCGGTCCATGTTCCCCCTCGGACCAAGGTCCAAGTCCCTGGGGCC
 TGCTGGAGTCCCTTGTGTGTCCTCAAGGATGAAGCCAAGAGCCAGCCCCCTGAGACCTCAGACCTG
 GAGCAGCCACAGAACTGGATTCTCTTTTCAGAGGCTGGCCCTGACTGTGCAGTGGGAGTCC**TG**
AGGGGAATGGGAAAGGCTTGGTGCTTCTCCTGTCCCTACCCAGTGTACATCCTTGGCTGTCA
 ATCCCATGCTTGGCCATGCCACACACTCTGCGATCTGGCCTCAGACGGGTGCCCTTGAGAGAAGC
 AGAGGGAGTGGCATGCAGGGCCCCCTGCCATGGGTGCGCTCCTCACCGGAACAAGCAGCATGATA
 AGGACTGCAGCGGGGAGCTCTGGGGAGCAGCTTGTGTAGACAAGCGCGTGCTCGCTGAGCCCTG
 CAAGGCAGAAATGACAGTGCAAGGAGGAAATGCAGGGAAACTCCCGAGGTCCAGAGCCCCACCTC
 CTAACACCATGGATTCAAAGTGCTCAGGGAATTTGCCTCTCCTTGGCCATTCCTTGCCAGTTTC
 ACAATCTAGCTCGACAGAGCATGAGGCCCTGCCCTTCTGTGTCATTGTTCAAAGGTGGGAAGAGA
 GCCTGGAAAAGAACCAGGCCTGGAAAAGAACCAGAAGGAGGCTGGGCAGAACCAGAACAACCTGC
 ACTTCTGCCAAGGCCAGGGCCAGCAGGACGGCAGGACTCTAGGGAGGGGTGTGGCCTGCAGTCA
 TTCCCAGCCAGGGCAACTGCCTGACGTTGCACGATTTAGCTTCATTCTCTGATAGAACAAAGC
 GAAATGCAGGTCCACCAGGGAGGAGACACACAAGCCTTTTCTGCAGGCAGGAGTTTCAGACCCCT
 ATCCTGAGAATGGGGTTTGAAAGGAAGGTGAGGGCTGTGGCCCCCTGGACGGGTACAATAACACAC
 TGTACTGATGTACAACCTTTGCAAGCTCTGCCCTGGGTTTCAGCCCATCTGGGCTCAAATTCAGC
 CTCACCACTCACAAAGCTGTGTGACTTCAAACAAATGAAATCAGTGCCCAAGCCTCGGTTTCTCTC
 ATCTGTAATGTGGGGATCATAACACCTACCTCATGGAGTTGTGGTGAAGATGAAATGAAGTCATG
 TCTTTAAAGTGCTTAATAGTGCTTGGTACATGGGCAGTGCCCAATAAACGGTAGCTATTTAAAAA
 AAAAAAA

FIGURE 164

MRTLLTILTVGSLAAHAPEDPSDLLQHVKFQSSNFENILTWDSGPEGTPDTVYSIEYKTYGERDW
VAKKGCQRITRKSCNLTVETGNLTLEYARVTAVSAGGRSATKMTDRFSSLQHTTLKPPDVTCIS
KVRSIQMIVHPTPTPIRAGDGHRLTLEDIFHDLFYHLELQVNRTYQMHLGGKQREYEFFGLTPDT
EFLGTIMICVPTWAKESAPYMCRVKTLPDRTWTYSFSGAFLFSMGFLVAVLCYLSYRYVTKPPAP
PNSLNVQRVLTFQPLRFIQEHVLIPVFDLSGPSSLAQPVQYSQIRVSGPREPAGAPQRHSLSEIT
YLGQPDISILQPSNVPPPQILSPLSYAPNAAPEVGPPSYAPQVTPEAQFPFYAPQAISKVQPSSY
APQATPDSWPPSYGVCMEGSGKDSPTGTLSSPKHLRPGQLQKEPPAGSCMLGGLSLQEVTSIAM
EESQEAKSLHQPLGICTDRTSDPNVLHSGEETPQYLKGQLPLLSSVQIEGHMSLPLQPPSGPC
SPSDQGPPSPWGLLESVCPKDEAKSPAPETSDLEQPTELDSLFRGLALTVQWES

Signal sequence.

amino acids 1-17

Transmembrane domain.

amino acids 233-250

N-glycosylation sites.

amino acids 80-83, 87-90, 172-175

N-myristoylation sites.

amino acids 11-16, 47-52, 102-107, 531-536, 565-570

FIGURE 165

TGGCCTACTGGAAAAAAAAAAAAAAAAAAAAAGTCACCCGGGCCCCGCGGTGGCCACAACAATGG
CTGCGGCGCCGGGGCTGCTCTTCTGGCTGTTTCGTGCTGGGGGCGCTCTGGTGGGTCCCGGGCCAG
TCGGATCTCAGCCACGGACGGCGTTTCTCGGACCTCAAAGTGTGCGGGGACGAAGAGTGCAGCAT
GTTAATGTACCGTGGGAAAGCTCTTGAAGACTTCACGGGCCCTGATTGTCGTTTTGTGAATTTTA
AAAAAGGTGACGATGTATATGTCTACTACAACTGGCAGGGGGATCCCTTGAACCTTTGGGCTGGA
AGTGTGTAACACAGTTTTGGATATTTTCCAAAAGATTTGATCAAGGTACTTCATAAATACACGGA
AGAAGAGCTACATATCCAGCAGATGAGACAGACTTTGTCTGCTTTGAAGGAGGAAGAGATGATT
TTAATAGTTATAATGTAGAAGAGCTTTTAGGATCTTTGGAAGTGGAGGACTCTGTACCTGAAGAG
TCGAAGAAAGCTGAAGAAGTTTCTCAGCACAGAGAGAAATCTCCTGAGGAGTCTCGGGGGCGTGA
ACTTGACCCTGTGCCTGAGCCCGAGGCATTTCAGAGCTGATTTCAGAGGATGGAGAAGGTGCTTTCT
CAGAGAGCACCGAGGGGCTGCAGGGACAGCCCTCAGCTCAGGAGAGCCACCCTCACACCAGCGGT
CCTGCGGCTAACGCTCAGGGAGTGCAGTCTTCGTTGGACACTTTTGAAGAAATTCTGCACGATAA
ATTGAAAGTGCCGGAAGCGAAAGCAGAACTGGCAATAGTTCTCCTGCCTCGGTGGAGCGGGAGA
AGACAGATGCTTACAAAGTCTGAAAACAGAAATGAGTCAGAGAGGAAGTGGACAGTGCCTTATT
CATTACAGCAAAGGATTTTCGTTGGCATCAAATCTAAGTTTGTTTTACAAAGATTGTTTTTTAGTA
CTAAGCTGCCTTGGCAGTTTGCATTTTTGAGCCAAACAAAAATATATTATTTTCCCTTCTAAGTA
AAAAAAAAAAAAAAAAAAAA

FIGURE 166

MAAAPGLLFWLFVLGALWWVPGQSDLSHGRRFSDLKVCGDEEC SMLMYRGKALEDFTGPD CRFVN
FKKGDDVYVYYKLAGGSLELWAGSVEHSFGYFPKDLIKVLHKYTEEELHIPAETDFVCFEGGRD
DFNSYNVEELLGSLELED SVPEESKKAEEVSQHREKSPEESRGRELD PVPEPEAFRA DSEGE GA
FSESTEG LQGQPSAQESH PHTSGPAANAQGVQSSLDTFEEILHDKLKVPGSESRTGNSSPASVER
EKTDAYKVLKTEMSQRGSGQCVIHYSKGFRWHQNL SLFYKDCF

Important features of the protein:

Signal peptide:

amino acids 1-22

N-glycosylation site.

amino acids 294-298

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 30-34

Tyrosine kinase phosphorylation site.

amino acids 67-76

N-myristoylation sites.

amino acids 205-211, 225-231, 277-283

Amidation site.

amino acids 28-32

FIGURE 167

CCAGGACCAGGGCGCACCGGCTCAGCCTCTCACTTGTGAGAGGCCGGGGAAGAGAAGCAAAGCGC
 AACGGTGTGGTCCAAGCCGGGGCTTCTGCTTCGCCTCTAGGACATACACGGGACCCCTAACTTC
 AGTCCCCCAAACGCGCACCCCTCGAAGTCTTGAACCTCAGCCCCGCACATCCACGCGCGGCACAGG
 CGCGGCAGGCGGCAGGTCCCGGCCGAAGGCGATGCGCGCAGGGGGTTCGGGCAGCTGGGCTCGGGC
 GGCGGGAGTAGGGCCCGGCAGGGAGGCAGGGAGGCTGCATATTCAGAGTCGCGGGCTGCGCCCTG
 GGCAGAGGCCGCCCTCGCTCCACGCAACACCTGCTGCTGCCACCGCGCGCGCATGAGCCGCGTGG
 TCTCGCTGCTGCTGGGCGCCGCGTCTGCTGCGGCCACGGAGCCTTCTGCCGCCGCGTGGTCAGC
 GGCCAAAAGGTGTGTTTTGCTGACTTCAAGCATCCCTGCTACAAAATGGCCTACTTCCATGAACT
 GTCCAGCCGAGTGAGCTTTCAGGAGGCACGCCTGGCTTGTGAGAGTGAGGGAGGAGTCTCTCTCA
 GCCTTGAGAATGAAGCAGAACAGAAGTTAATAGAGAGCATGTTGCAAAACCTGACAAAACCCGGG
 ACAGGGATTTCTGATGGTGATTTCTGGATAGGGCTTTGGAGGAATGGAGATGGGCAAACATCTGG
 TGCCTGCCCAGATCTCTACCAGTGGTCTGATGGAAGCAATTCCCAGTACCGAAACTGGTACACAG
 ATGAACCTTCTGCGGAAGTGAAAAGTGTGTTGTGATGTATCACCAACCAACTGCCAATCCTGGC
 CTGGGGGTCCCTACCTTTACCAGTGGAATGATGACAGGTGTAACATGAAGCACAATTATATTTG
 CAAGTATGAACCAGAGATTAATCCAACAGCCCCGTGTAGAAAAGCCTTATCTTACAAATCAACCAG
 GAGACACCCATCAGAATGTGGTTGTTACTGAAGCAGGTATAATTCCCAATCTAATTTATGTTGTT
 ATACCAACAATACCCCTGCTCTTACTGATACTGGTTGCTTTTGGAACTGTTGTTTCCAGATGCT
 GCATAAAAGTAAAGGAAGAACAACAACTAGTCCAAACCAGTCTACACTGTGGATTTCAAAGAGTA
 CCAGAAAAGAAAGTGGCATGGAAGTATAAATAACTCATTGACTTGGTTCCAGAATTTTGTAATCT
 GGATCTGTATAAGGAATGGCATCAGAACAATAGCTTGGAAATGGCTTGAAATCACAAGGATCTGC
 AAGATGAAGTGAAGCTCCCCCTTGAGGCAAATATTAAAGTAATTTTTATATGCTATTATTTCA
 TTTAAAGAATATGCTGTGCTAATAATGGAGTGAGACATGCTTATTTTGCTAAAGGATGCACCCAA
 ACTTCAAACCTCAAGCAAATGAAATGGACAATGCAGATAAAAGTTGTTATCAACACGTCGGGAGTA
 TGTGTGTTAGAAGCAATTCCTTTTATTTCTTTTACCTTTTCATAAGTTGTTATCTAGTCAATGTAA
 TGTATATTGTATTGAAATTTACAGTGTGCAAAAGTATTTTACCTTTGCATAAGTGTTTGATAAAA
 ATGAACCTGTTCTAATATTTATTTTATGGCATCTCATTTTTCAATACATGCTCTTTTGATTAAAG
 AAACCTTATTACTGTTGTCAACTGAATTCACACACACACAAATATAGTACCATAGAAAAAGTTTGT
 TTTCTCGAAATAATTCATCTTTCAGCTTCTCTGCTTTTGGTCAATGTCTAGGAAATCTCTTCAGA
 AATAAGAAGCTATTTCAATTAAGTGTGATATAAACCTCCTCAAACATTTTACTTAGAGGCAAGGAT
 TGTCTAATTTCAATTTGTGCAAGACATGTGCCTTATAATTATTTTACTTAAATTAACAGATT
 TTGTAATAATGTAACCTTTGTTAATAGGTGCATAAACACTAATGCAGTCAATTTGAACAAAAGAAG
 TGACATACACAATATAAATCATATGTCTTCACACGTTGCCTATATAATGAGAAGCAGCTCTCTGA
 GGGTCTGAAATCAATGTGGTCCCTCTCTTGCCCACTAAACAAAGATGGTTGTTTCGGGGTTTGGG
 ATTGACACTGGAGGCAGATAGTTGCAAAGTTAGTCTAAGGTTTCCCTAGCTGTATTTAGCCTCTG
 ACTATATTAGTATACAAAGAGGTCATGTGGTTGAGACCAGGTGAATAGTCACTATCAGTGTGGAG
 ACAAGCACAGCACACAGACATTTTAGGAAGGAAAGGAACCTACGAAATCGTGTGAAAATGGGTTGG
 AACCCATCAGTGATCGCATATTCATTGATGAGGGTTTGCTTGAGATAGAAAATGGTGGCTCCTTT
 CTGTCTTATCTCCTAGTTTCTTCAATGCTTACGCCTTGTTCTTCTCAAGAGAAAGTTGTAACCTCT
 CTGGTCTTCATATGTCCCTGTGCTCCTTTTAAACCAATAAAGAGTTCTTGTCTTCTGGGGGAAAAA
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 168

MSRVVSLLLGAALLCGHGAFRCRRVVSQGKVCFAFDKHPCKMAYFHELSSRVSFQEARLACESE
GGVLLSLENEAEQKLIESMLQNLTKPGTGISDGDGFWIGLWRNGDGQTSACPDLYQWSDGSNSQ
YRNWYTDEPSCGSEKCVMYHQPTANPGLGGPYLYQWNDDRCNMKHNICKYEPEINPTAPVEK
PYLTNQPGDTHQNVVVTEAGIIPNLIYVVIPTIPLLLLILVAFGTCCFQMLHKSCKGRKTSPNQ
STLWISKSTRKESGMEV

Important features of the protein:

Signal peptide:

amino acids 1-21

Transmembrane domain:

amino acids 214-235

N-glycosylation sites.

amino acids 86-89, 255-258

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 266-269

N-myristoylation sites.

amino acids 27-32, 66-71, 91-96, 93-98, 102-107, 109-114, 140-
145, 212-217